

Last modification 2024-04-06

CLIO TL-WH
9329501067802



The Clio table lamp is a versatile lighting solution suitable for indoor and outdoor settings. It's perfect for personal use at home, offering portability and touch-based controls for adjusting brightness. In commercial applications, such as restaurants and cafes, it provides intimate table lighting with dimming options. The lamp's IP54 waterproof rating makes it resilient against dust and light water exposure. Additionally, a 10-bank charging station option ensures readiness for establishments requiring multiple lamps, making it an ideal choice for various settings.

Overview

Family name	Clio
Categories	Table Lamps
Switch	Yes - 3 way Touch Switch
Usage	Indoor Lighting, Outdoor Lighting

Color / Material

Fixture Color	White
Fixture Finish	Sand
Fixture Material	Iron
Diffuser Color	Frost
Cable Color	Black
Cable Material	PVC

Size

Fixture Diameter (cm)	11.0
Fixture Height (cm)	38.0
Cable Length (cm)	150

Specification

Voltage Input	240V
Total Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	300


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Color Temperature	Warm White
Color Kelvin	3000k
Battery Capacity (mA)	2x2000 (6-24 hour capacity)
Dimmable	Touch
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP54
USB Port	Yes
Approvals	RCM
Assembly Required	No
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*2 Years

Barcode

GTIN 9329501067802

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



Last modification 2024-04-06

CLIO TL-GN 9329501067833



The Clio table lamp is a versatile lighting solution suitable for indoor and outdoor settings. It's perfect for personal use at home, offering portability and touch-based controls for adjusting brightness. In commercial applications, such as restaurants and cafes, it provides intimate table lighting with dimming options. The lamp's IP54 waterproof rating makes it resilient against dust and light water exposure. Additionally, a 10-bank charging station option ensures readiness for establishments requiring multiple lamps, making it an ideal choice for various settings.

Overview

Family name	Clio
Categories	Table Lamps
Switch	Yes - 3 way Touch Switch
Usage	Indoor Lighting, Outdoor Lighting

Color / Material

Fixture Color	Green
Fixture Pantone Color	RAL 6021
Fixture Finish	Satin
Fixture Material	Iron
Diffuser Color	Frost
Cable Color	Black
Cable Material	PVC

Size

Fixture Diameter (cm)	11.0
Fixture Height (cm)	38.0
Cable Length (cm)	150

Specification

Voltage Input	240V
Total Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Lumens	300
Color Temperature	Warm White
Color Kelvin	3000k
Battery Capacity (mA)	2x2000 (6-24 hour capacity)
Dimmable	Touch
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP54
USB Port	Yes
Approvals	RCM
Assembly Required	No
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*2 Years

Barcode

GTIN 9329501067833

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Last modification 2024-04-06

CLIO TL-GD 9329501067819



The Clio table lamp is a versatile lighting solution suitable for indoor and outdoor settings. It's perfect for personal use at home, offering portability and touch-based controls for adjusting brightness. In commercial applications, such as restaurants and cafes, it provides intimate table lighting with dimming options. The lamp's IP54 waterproof rating makes it resilient against dust and light water exposure. Additionally, a 10-bank charging station option ensures readiness for establishments requiring multiple lamps, making it an ideal choice for various settings.

Overview

Family name	Clio
Categories	Table Lamps
Switch	Yes - 3 way Touch Switch
Usage	Indoor Lighting, Outdoor Lighting

Color / Material

Fixture Color	Gold
Fixture Finish	Satin
Fixture Material	Iron
Diffuser Color	Frost
Cable Color	Black
Cable Material	PVC

Size

Fixture Diameter (cm)	11.0
Fixture Height (cm)	38.0
Cable Length (cm)	150

Specification

Voltage Input	240V
Total Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	300


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Color Temperature	Warm White
Color Kelvin	3000k
Battery Capacity (mA)	2x2000 (6-24 hour capacity)
Dimmable	Touch
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP54
USB Port	Yes
Approvals	RCM
Assembly Required	No
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*2 Years

Barcode

GTIN 9329501067819

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



Last modification

2024-04-06

CLIO TL-GY 9329501067826



The Clio table lamp is a versatile lighting solution suitable for indoor and outdoor settings. It's perfect for personal use at home, offering portability and touch-based controls for adjusting brightness. In commercial applications, such as restaurants and cafes, it provides intimate table lighting with dimming options. The lamp's IP54 waterproof rating makes it resilient against dust and light water exposure. Additionally, a 10-bank charging station option ensures readiness for establishments requiring multiple lamps, making it an ideal choice for various settings.

Overview

Family name	Clio
Categories	Table Lamps
Switch	Yes - 3 way Touch Switch
Usage	Indoor Lighting, Outdoor Lighting

Color / Material

Fixture Color	Grey
Fixture Pantone Color	RAL 7037
Fixture Finish	Sand
Fixture Material	Iron
Diffuser Color	Frost
Cable Color	Black
Cable Material	PVC

Size

Fixture Diameter (cm)	11.0
Fixture Height (cm)	38.0
Cable Length (cm)	150

Specification

Voltage Input	240V
Total Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Lumens	300
Color Temperature	Warm White
Color Kelvin	3000k
Battery Capacity (mA)	2x2000 (6-24 hour capacity)
Dimmable	Touch
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP54
USB Port	Yes
Approvals	RCM
Assembly Required	No
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*2 Years

Barcode

GTIN 9329501067826

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



Last modification 2024-04-06

CLIO TL-BRW 9329501067840



The Clio table lamp is a versatile lighting solution suitable for indoor and outdoor settings. It's perfect for personal use at home, offering portability and touch-based controls for adjusting brightness. In commercial applications, such as restaurants and cafes, it provides intimate table lighting with dimming options. The lamp's IP54 waterproof rating makes it resilient against dust and light water exposure. Additionally, a 10-bank charging station option ensures readiness for establishments requiring multiple lamps, making it an ideal choice for various settings.

Overview

Family name	Clio
Categories	Table Lamps
Switch	Yes - 3 way Touch Switch
Usage	Indoor Lighting, Outdoor Lighting

Color / Material

Fixture Color	Brown
Fixture Pantone Color	RAL 8011
Fixture Finish	Satin
Fixture Material	Iron
Diffuser Color	Frost
Cable Color	Black
Cable Material	PVC

Size

Fixture Diameter (cm)	11.0
Fixture Height (cm)	38.0
Cable Length (cm)	150

Specification

Voltage Input	240V
Total Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Lumens	300
Color Temperature	Warm White
Color Kelvin	3000k
Battery Capacity (mA)	2x2000 (6-24 hour capacity)
Dimmable	Touch
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP54
USB Port	Yes
Approvals	RCM
Assembly Required	No
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*2 Years

Barcode

GTIN 9329501067840

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Last modification

2024-04-06

CLIO TL-BK
9329501067796



The Clio table lamp is a versatile lighting solution suitable for indoor and outdoor settings. It's perfect for personal use at home, offering portability and touch-based controls for adjusting brightness. In commercial applications, such as restaurants and cafes, it provides intimate table lighting with dimming options. The lamp's IP54 waterproof rating makes it resilient against dust and light water exposure. Additionally, a 10-bank charging station option ensures readiness for establishments requiring multiple lamps, making it an ideal choice for various settings.

Overview

Family name	Clio
Categories	Table Lamps
Switch	Yes - 3 way Touch Switch
Usage	Indoor Lighting, Outdoor Lighting

Color / Material

Fixture Color	Black
Fixture Finish	Sand
Fixture Material	Iron
Diffuser Color	Frost
Cable Color	Black
Cable Material	PVC

Size

Fixture Diameter (cm)	11.0
Fixture Height (cm)	38.0
Cable Length (cm)	150

Specification

Voltage Input	240V
Total Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	300


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Color Temperature	Warm White
Color Kelvin	3000k
Battery Capacity (mA)	2x2000 (6-24 hour capacity)
Dimmable	Touch
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP54
USB Port	Yes
Approvals	RCM
Assembly Required	No
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*2 Years

Barcode

GTIN 9329501067796

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

