

Last modification 2024-04-09

**ELSEE OY40-CL3C**  
**9329501067390**



The Elsee Oyster is a stylish lighting fixture crafted from high-quality acrylic and metal featuring a glossy, crystal-look finish for an elegant aesthetic. With integrated LED technology, it offers 3CCT colour options and is dimmable, allowing for customisable lighting. Offered in two sizes, this versatile luminary effortlessly elevates any space, blending durability with timeless charm.

## Overview

<b>Family name</b>	Elsee
<b>Categories</b>	Oysters
<b>Mounting</b>	Surface
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	EESS-230843-0

## Color / Material

<b>Fixture Color</b>	Clear
<b>Fixture Finish</b>	Gloss
<b>Fixture Material</b>	Metal, Acrylic
<b>Canopy Color</b>	White
<b>Diffuser Color</b>	Clear
<b>Diffuser Material</b>	Acrylic

## Size

<b>Fixture Diameter (cm)</b>	40.0
<b>Fixture Projection (cm)</b>	14.5

## Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	32
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	2880
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Color Rendering</b>	>80
<b>Dimmable</b>	Yes
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501067390

## Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



Last modification 2024-04-09

**ELSEE OY50-CL3C**  
**9329501067406**



The Elsee Oyster is a stylish lighting fixture crafted from high-quality acrylic and metal featuring a glossy, crystal-look finish for an elegant aesthetic. With integrated LED technology, it offers 3CCT colour options and is dimmable, allowing for customisable lighting. Offered in two sizes, this versatile luminary effortlessly elevates any space, blending durability with timeless charm.

## Overview

<b>Family name</b>	Elsee
<b>Categories</b>	Oysters
<b>Mounting</b>	Surface
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	EESS-230843-0

## Color / Material

<b>Fixture Color</b>	Clear
<b>Fixture Finish</b>	Gloss
<b>Fixture Material</b>	Metal, Acrylic
<b>Canopy Color</b>	White
<b>Diffuser Color</b>	Clear
<b>Diffuser Material</b>	Acrylic

## Size

<b>Fixture Diameter (cm)</b>	50.0
<b>Fixture Projection (cm)</b>	16.5

## Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	48
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	4320
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Color Rendering</b>	>80
<b>Dimmable</b>	Yes
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	Yes
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

GTIN 9329501067406

## Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

