

Last modification 2024-04-09

**FOLEY WB40-CH3C**  
**9329501067277**



The Foley Vanity Wall Light epitomises contemporary elegance with its sleek design and advanced features. Boasting an integrated LED system, this lighting fixture offers both efficiency and longevity. The addition of 3 CCT (Correlated Colour Temperature) options allows users to customise the lighting to achieve the desired ambiance. The aluminium fitting ensures durability while contributing to the fixture's modern aesthetic. Available in Chrome, Black and Antique Gold, the Foley Vanity Wall Light caters to diverse interior styles. Furthermore, it is offered in three different sizes, providing flexibility for various spatial requirements and design preferences.

## Overview

<b>Family name</b>	Foley
<b>Categories</b>	Wall Lights
<b>Mounting</b>	Surface
<b>Switch</b>	Slide Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	AZ 69023978

## Color / Material

<b>Fixture Color</b>	Chrome
<b>Fixture Finish</b>	Gloss
<b>Fixture Material</b>	Aluminium, Polycarbonate

## Size

<b>Fixture Length (cm)</b>	10.0
<b>Fixture Width (cm)</b>	40.0
<b>Fixture Height (cm)</b>	5.5
<b>Fixture Projection (cm)</b>	10.0

## Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	8
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	452





All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Color Rendering</b>	>83
<b>Dimmable</b>	No
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP44
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Aluminium, Brass and Stainless Steel will naturally oxidised and change overtime. Exterior products require regular four (4) monthly cleaning and maintenance to ensure they do not accumulate dirt or other environmental deposits. Wipe the product with a mild detergent and warm water to remove surface deposits. Rinse with fresh water and wipe dry with a soft cloth. An extra temporary protection barrier of water displacement oil can help to maintain the surface, such as WD40, sprayed onto a soft cloth and rubbed onto the surface., Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501067277

## Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



Last modification 2024-04-09

**FOLEY WB40-BK3C**  
**9329501067260**



The Foley Vanity Wall Light epitomises contemporary elegance with its sleek design and advanced features. Boasting an integrated LED system, this lighting fixture offers both efficiency and longevity. The addition of 3 CCT (Correlated Colour Temperature) options allows users to customise the lighting to achieve the desired ambiance. The aluminium fitting ensures durability while contributing to the fixture's modern aesthetic. Available in Chrome, Black and Antique Gold, the Foley Vanity Wall Light caters to diverse interior styles. Furthermore, it is offered in three different sizes, providing flexibility for various spatial requirements and design preferences.

## Overview

<b>Family name</b>	Foley
<b>Categories</b>	Wall Lights
<b>Mounting</b>	Surface
<b>Switch</b>	Slide Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	AZ 69023978

## Color / Material

<b>Fixture Color</b>	Black
<b>Fixture Finish</b>	Matte
<b>Fixture Material</b>	Aluminium, Polycarbonate

## Size

<b>Fixture Length (cm)</b>	40.0
<b>Fixture Height (cm)</b>	5.5
<b>Fixture Projection (cm)</b>	10.0

## Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	8
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	452
<b>Color Temperature</b>	Warm White; Natural White; Cool White





All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Color Rendering</b>	>83
<b>Dimmable</b>	No
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP44
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Aluminium, Brass and Stainless Steel will naturally oxidised and change overtime. Exterior products require regular four (4) monthly cleaning and maintenance to ensure they do not accumulate dirt or other environmental deposits. Wipe the product with a mild detergent and warm water to remove surface deposits. Rinse with fresh water and wipe dry with a soft cloth. An extra temporary protection barrier of water displacement oil can help to maintain the surface, such as WD40, sprayed onto a soft cloth and rubbed onto the surface., Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

### Barcode

**GTIN** 9329501067260

### Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



Last modification 2024-04-09

**FOLEY WB40-AG3C**  
**9329501067284**



The Foley Vanity Wall Light epitomises contemporary elegance with its sleek design and advanced features. Boasting an integrated LED system, this lighting fixture offers both efficiency and longevity. The addition of 3 CCT (Correlated Colour Temperature) options allows users to customise the lighting to achieve the desired ambiance. The aluminium fitting ensures durability while contributing to the fixture's modern aesthetic. Available in Chrome, Black and Antique Gold, the Foley Vanity Wall Light caters to diverse interior styles. Furthermore, it is offered in three different sizes, providing flexibility for various spatial requirements and design preferences.

## Overview

<b>Family name</b>	Foley
<b>Categories</b>	Wall Lights
<b>Mounting</b>	Surface
<b>Switch</b>	Slide Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	AZ 69023978

## Color / Material

<b>Fixture Color</b>	Antique Gold
<b>Fixture Finish</b>	Gloss
<b>Fixture Material</b>	Aluminium, Polycarbonate

## Size

<b>Fixture Length (cm)</b>	40.0
<b>Fixture Height (cm)</b>	5.5
<b>Fixture Projection (cm)</b>	10.0

## Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	8
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	452
<b>Color Temperature</b>	Warm White; Natural White; Cool White





All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Color Rendering</b>	>83
<b>Dimmable</b>	No
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP44
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Aluminium, Brass and Stainless Steel will naturally oxidised and change overtime. Exterior products require regular four (4) monthly cleaning and maintenance to ensure they do not accumulate dirt or other environmental deposits. Wipe the product with a mild detergent and warm water to remove surface deposits. Rinse with fresh water and wipe dry with a soft cloth. An extra temporary protection barrier of water displacement oil can help to maintain the surface, such as WD40, sprayed onto a soft cloth and rubbed onto the surface., Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

Barcode

**GTIN** 9329501067284

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.