

Last modification 2024-04-10

FOLEY WB80-CH3C
9329501067338



The Foley Vanity Wall Light epitomises contemporary elegance with its sleek design and advanced features. Boasting an integrated LED system, this lighting fixture offers both efficiency and longevity. The addition of 3 CCT (Correlated Colour Temperature) options allows users to customise the lighting to achieve the desired ambiance. The aluminium fitting ensures durability while contributing to the fixture's modern aesthetic. Available in Chrome, Black and Antique Gold, the Foley Vanity Wall Light caters to diverse interior styles. Furthermore, it is offered in three different sizes, providing flexibility for various spatial requirements and design preferences.

Overview

Family name	Foley
Categories	Wall Lights
Mounting	Surface
Switch	Slide Switch
Usage	Indoor Lighting
ERAC Product Registration	AZ 69023978

Color / Material

Fixture Color	Chrome
Fixture Finish	Gloss
Fixture Material	Aluminium, Polycarbonate

Size

Fixture Length (cm)	10.0
Fixture Width (cm)	80.0
Fixture Height (cm)	5.5
Fixture Projection (cm)	10.0

Specification

Voltage Input	240V
Total Wattage (max)	20
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1155





All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>83
Dimmable	No
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP44
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Aluminium, Brass and Stainless Steel will naturally oxidised and change overtime. Exterior products require regular four (4) monthly cleaning and maintenance to ensure they do not accumulate dirt or other environmental deposits. Wipe the product with a mild detergent and warm water to remove surface deposits. Rinse with fresh water and wipe dry with a soft cloth. An extra temporary protection barrier of water displacement oil can help to maintain the surface, such as WD40, sprayed onto a soft cloth and rubbed onto the surface., Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501067338

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



Last modification 2024-04-10

FOLEY WB80-BK3C
9329501067321



The Foley Vanity Wall Light epitomises contemporary elegance with its sleek design and advanced features. Boasting an integrated LED system, this lighting fixture offers both efficiency and longevity. The addition of 3 CCT (Correlated Colour Temperature) options allows users to customise the lighting to achieve the desired ambiance. The aluminium fitting ensures durability while contributing to the fixture's modern aesthetic. Available in Chrome, Black and Antique Gold, the Foley Vanity Wall Light caters to diverse interior styles. Furthermore, it is offered in three different sizes, providing flexibility for various spatial requirements and design preferences.

Overview

Family name	Foley
Categories	Wall Lights
Mounting	Surface
Switch	Slide Switch
Usage	Indoor Lighting
ERAC Product Registration	AZ 69023978

Color / Material

Fixture Color	Black
Fixture Finish	Matte
Fixture Material	Aluminium, Polycarbonate

Size

Fixture Length (cm)	10.0
Fixture Width (cm)	80.0
Fixture Height (cm)	5.5
Fixture Projection (cm)	10.0

Specification

Voltage Input	240V
Total Wattage (max)	20
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1155





All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>83
Dimmable	No
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP44
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Aluminium, Brass and Stainless Steel will naturally oxidised and change overtime. Exterior products require regular four (4) monthly cleaning and maintenance to ensure they do not accumulate dirt or other environmental deposits. Wipe the product with a mild detergent and warm water to remove surface deposits. Rinse with fresh water and wipe dry with a soft cloth. An extra temporary protection barrier of water displacement oil can help to maintain the surface, such as WD40, sprayed onto a soft cloth and rubbed onto the surface., Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501067321

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



Last modification 2024-04-10

FOLEY WB80-AG3C 9329501067345



The Foley Vanity Wall Light epitomises contemporary elegance with its sleek design and advanced features. Boasting an integrated LED system, this lighting fixture offers both efficiency and longevity. The addition of 3 CCT (Correlated Colour Temperature) options allows users to customise the lighting to achieve the desired ambiance. The aluminium fitting ensures durability while contributing to the fixture's modern aesthetic. Available in Chrome, Black and Antique Gold, the Foley Vanity Wall Light caters to diverse interior styles. Furthermore, it is offered in three different sizes, providing flexibility for various spatial requirements and design preferences.

Overview

Family name	Foley
Categories	Wall Lights
Mounting	Surface
Switch	Slide Switch
Usage	Indoor Lighting
ERAC Product Registration	AZ 69023978

Color / Material

Fixture Color	Antique Gold
Fixture Finish	Gloss
Fixture Material	Aluminium, Polycarbonate

Size

Fixture Length (cm)	10.0
Fixture Width (cm)	80.0
Fixture Height (cm)	5.5
Fixture Projection (cm)	10.0

Specification

Voltage Input	240V
Total Wattage (max)	20
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1155





All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>83
Dimmable	No
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP44
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Aluminium, Brass and Stainless Steel will naturally oxidised and change overtime. Exterior products require regular four (4) monthly cleaning and maintenance to ensure they do not accumulate dirt or other environmental deposits. Wipe the product with a mild detergent and warm water to remove surface deposits. Rinse with fresh water and wipe dry with a soft cloth. An extra temporary protection barrier of water displacement oil can help to maintain the surface, such as WD40, sprayed onto a soft cloth and rubbed onto the surface., Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501067345

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.