

Last modification 2024-04-10

FULCRUM OY40-GY
9329501071397



The Fulcrum family of pendant and oyster fittings presents a sleek and contemporary design, featuring integrated LED technology for energy efficiency and optimal illumination. Available in various sizes, these fixtures offer versatility to suit different spaces and preferences, providing both functionality and aesthetic appeal in modern interior settings.

Overview

Family name	Fulcrum
Categories	Oysters
Mounting	Surface
Usage	Indoor Lighting
ERAC Product Registration	SAA-231005-EA

Color / Material

Fixture Color	Pearl Grey
Fixture Finish	Satin
Fixture Material	Aluminium, PVC, Acrylic

Size

Fixture Diameter (cm)	40.0
Fixture Height (cm)	6.0
Canopy Diameter (cm)	27.0

Specification

Total Wattage (max)	40
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1520
Color Temperature	Warm White
Color Kelvin	3000k
Dimmable	Yes - TRIAC
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP20
Lead and Plug	No


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501071397

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification 2024-04-10

FULCRUM OY60-GY 9329501071403



The Fulcrum family of pendant and oyster fittings presents a sleek and contemporary design, featuring integrated LED technology for energy efficiency and optimal illumination. Available in various sizes, these fixtures offer versatility to suit different spaces and preferences, providing both functionality and aesthetic appeal in modern interior settings.

Overview

Family name	Fulcrum
Categories	Oysters
Mounting	Surface
Usage	Indoor Lighting
ERAC Product Registration	SAA-231005-EA

Color / Material

Fixture Color	Pearl Grey
Fixture Finish	Satin
Fixture Material	Aluminium, PVC, Acrylic

Size

Fixture Diameter (cm)	60.0
Fixture Height (cm)	6.0
Canopy Diameter (cm)	45.0

Specification

Total Wattage (max)	60
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	2270
Color Temperature	Warm White
Color Kelvin	3000k
Dimmable	Yes - TRIAC
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP20
Lead and Plug	No


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501071403

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification 2024-04-10

FULCRUM OY80-GY 9329501071410



The Fulcrum family of pendant and oyster fittings presents a sleek and contemporary design, featuring integrated LED technology for energy efficiency and optimal illumination. Available in various sizes, these fixtures offer versatility to suit different spaces and preferences, providing both functionality and aesthetic appeal in modern interior settings.

Overview

Family name	Fulcrum
Categories	Oysters
Mounting	Surface
Usage	Indoor Lighting
ERAC Product Registration	SAA-231005-EA

Color / Material

Fixture Color	Pearl Grey
Fixture Finish	Satin
Fixture Material	Aluminium, PVC, Acrylic

Size

Fixture Diameter (cm)	80.0
Fixture Height (cm)	6.0
Canopy Diameter (cm)	68.0

Specification

Total Wattage (max)	75
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	2450
Color Temperature	Warm White
Color Kelvin	3000k
Dimmable	Yes - TRIAC
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP20
Lead and Plug	No


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501071410

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.