




## LED 200 Deck Lights

### Product Specifications

<b>SKU</b>	VBLUP-200-24V-3K
<b>Luminaire efficacy</b>	53 lm/W
<b>Product Series</b>	VBLUP-200-SERIES
<b>EAN</b>	9340994016542
<b>Light Colour</b>	Warm White
<b>Wattage</b>	3 W
<b>Lumen output</b>	160 lm
<b>IP rating</b>	67
<b>CRI</b>	80
<b>Beam Angle</b>	100 Degrees
<b>Cut out</b>	35 mm
<b>Diameter</b>	42 mm
<b>Length</b>	90 mm
<b>Lifespan</b>	50000 Hours
<b>Warranty</b>	5 Years
<b>Weatherproof</b>	Weatherproof
<b>Mounting type</b>	Recessed
<b>Wiring method</b>	Hardwire
<b>Shatterproof</b>	Shatterproof
<b>LED source</b>	OSRAM
<b>Dimmable</b>	Non Dimmable
<b>Diffuser</b>	Frosted
<b>Material</b>	ADC12 Die-cast aluminium housing
<b>Lamp Type</b>	LED
<b>Input voltage</b>	24 Volt DC
<b>Working temperature</b>	-20°C~50°C



### Dimensional Drawings





*Photometric information available upon request.*



## LED 200 Deck Lights

### Product Specifications

<b>SKU</b>	VBLUP-200-24V-4K
<b>Luminaire efficacy</b>	60 lm/W
<b>Product Series</b>	VBLUP-200-SERIES
<b>EAN</b>	9340994019888
<b>Wattage</b>	3 W
<b>Lumen output</b>	180 lm
<b>IP rating</b>	67
<b>CRI</b>	80
<b>Beam Angle</b>	100 Degrees
<b>Cut out</b>	35 mm
<b>Diameter</b>	42 mm
<b>Lifespan</b>	50000 Hours
<b>Warranty</b>	5 Years
<b>Mounting type</b>	Recessed
<b>Wiring method</b>	Hardwire
<b>LED source</b>	OSRAM
<b>Diffuser</b>	Frosted
<b>Material</b>	ADC12 Die-cast Aluminium Housing
<b>Lamp Type</b>	LED
<b>Input voltage</b>	DC12V
<b>Working temperature</b>	-20°C ~ 50°C



*Photometric information available upon request.*