




Weatherproof LED Wall light Warm White Open Face Black

Product Specifications

SKU	VBLWL-101A-4-3K
Luminaire efficacy	38 lm/W
Product Series	VBLWL-101A-SERIES
EAN	9340994405179
Light Colour	Warm White
Wattage	3 W
Lumen output	115 lm
IP rating	65
CRI	70
Beam Angle	85 Degrees
Trim colour	Black
Cut out	96 mm
Length	110 mm
Width	110 mm
Height	6 mm
Lifespan	50000 Hours
Warranty	5 Years
Weatherproof	Weatherproof
Mounting type	Recessed
LED source	OSRAM
Dimmable	Non Dimmable
Input voltage	220V-240V AC 50HZ
Working temperature	-20°C ~ 50°C



Dimensional Drawings



Photometric information available upon request.




Weatherproof LED Wall light Cool White Open Face Black

Product Specifications

SKU	VBLWL-101A-4-4K
Luminaire efficacy	39 lm/W
Product Series	VBLWL-101A-SERIES
EAN	9340994405162
Light Colour	Cool White
Wattage	3 W
Lumen output	117 lm
IP rating	65
CRI	70
Beam Angle	85 Degrees
Cut out	96 mm
Length	110 mm
Width	110 mm
Height	6 mm
Lifespan	50000 Hours
Warranty	5 Years
Weatherproof	Weatherproof
Mounting type	Recessed
LED source	OSRAM
Input voltage	220V-240V AC 50HZ
Working temperature	-20°C ~ 50°C



Dimensional Drawings



Photometric information available upon request.




Weatherproof LED Wall light Warm White Open Face Silver

Product Specifications

SKU	VBLWL-101A-3-3K
Luminaire efficacy	38 lm/W
Product Series	VBLWL-101A-SERIES
EAN	9340994405193
Light Colour	Warm White
Wattage	3 W
Lumen output	115 lm
IP rating	65
CRI	70
Beam Angle	85 Degrees
Cut out	96 mm
Length	110 mm
Width	110 mm
Height	6 mm
Lifespan	50000 Hours
Warranty	5 Years
Weatherproof	Weatherproof
Mounting type	Recessed
LED source	OSRAM
Dimmable	Non Dimmable
Input voltage	220V-240V AC 50HZ
Working temperature	-20°C ~ 50°C



Dimensional Drawings



Photometric information available upon request.




Weatherproof LED Wall light Cool White Open Face Silver

Product Specifications

SKU	VBLWL-101A-3-4K
Luminaire efficacy	39 lm/W
Product Series	VBLWL-101A-SERIES
EAN	9340994405186
Light Colour	Cool White
Wattage	3 W
Lumen output	117 lm
IP rating	65
CRI	70
Beam Angle	85 Degrees
Cut out	96 mm
Length	110 mm
Width	110 mm
Height	6 mm
Lifespan	50000 Hours
Warranty	5 Years
Weatherproof	Weatherproof
Mounting type	Recessed
LED source	OSRAM
Dimmable	Non Dimmable
Input voltage	220V-240V AC 50HZ
Working temperature	-20°C ~ 50°C



Dimensional Drawings



Photometric information available upon request.




Weatherproof LED Wall light Warm White Grill Face Black

Product Specifications

SKU	VBLWL-101B-4-3K
Luminaire efficacy	39 lm/W
Product Series	VBLWL-101B-SERIES
EAN	9340994405209
Light Colour	Warm White
Wattage	3 W
Lumen output	39 lm
IP rating	65
CRI	70
Beam Angle	95 Degrees
Length	110 mm
Width	110 mm
Height	6 mm
Lifespan	50000 Hours
Warranty	5 Years
Weatherproof	Weatherproof
Mounting type	Recessed
LED source	OSRAM
Input voltage	220V-240V AC 50HZ
Working temperature	-20°C ~ 50°C



Dimensional Drawings



Photometric information available upon request.




Weatherproof LED Wall light Warm White Grill Face Silver

Product Specifications

SKU	VBLWL-101B-3-3K
Luminaire efficacy	13 lm/W
Product Series	VBLWL-101B-SERIES
EAN	9340994405216
Light Colour	Warm White
Wattage	3 W
Lumen output	39 lm
IP rating	65
CRI	70
Beam Angle	95 Degrees
Cut out	96 mm
Length	110 mm
Width	110 mm
Height	6 mm
Lifespan	50000 Hours
Warranty	5 Years
Weatherproof	Weatherproof
Mounting type	Recessed
LED source	OSRAM
Input voltage	220V-240V AC 50HZ
Working temperature	-20°C ~ 50°C



Dimensional Drawings



Photometric information available upon request.