

Last modification

2022-12-05

WYNN EX8-BK 9329501044377



Overview

Family name Wynn
Categories Bunker Lights
Mounting Surface

Usage Outdoor Lighting,Trade Selection

Color / Material

Fixture ColorBlack,OpalFixture MaterialPolycarbonate

Diffuser Color Opal

<u>Size</u>

Fixture Diameter (cm) 21.5 Fixture Projection (cm) 8.0

Specification

Voltage Input 240V Wattage (max) 8

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 600

Color Temperature Natural White

Color Kelvin4000kColor Rendering>80DimmableNoPower Factor>0.90IP ratingIP65ApprovalsRCMAssembly RequiredNo

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.




Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501044377

Image -dimensions



Telbix.











All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



Last modification

2022-12-05

WYNN EX8-SL 9329501044384



Overview

Family name Wynn
Categories Bunker Lights
Mounting Surface

Usage Outdoor Lighting,Trade Selection

Color / Material

Fixture ColorSilver,OpalFixture MaterialPolycarbonate

Diffuser Color Opal

<u>Size</u>

Fixture Diameter (cm) 21.5 Fixture Projection (cm) 8.0

Specification

Voltage Input 240V Wattage (max) 8

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 600

Color Temperature Natural White

Color Kelvin4000kColor Rendering>80DimmableNoPower Factor>0.90IP ratingIP65ApprovalsRCMAssembly RequiredNo

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501044384





All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.