



Z Series

VBLST-07224WW-20-Z



Our 7.2W/m, 24V, 3000K, IP20, Zig Zag LED Strip lighting is a popular, versatile light source that will assist in creating inspiring lighting solutions. Due to being relatively inexpensive, easy to install and extremely flexible - LED strip lights are an ideal choice to enhance the mood in modern or contemporary architecture. The VIBE Range offers a huge variety of LED strip lights to choose from in different lengths, colours, and IP Ratings - with a host of accessories and aluminium extrusions to bring your design to life. Ask your VIBE Reseller about custom cut and assembly options for faster, easier installation on-site.

Features & Benefits

- High efficiency SMD LED chips
- Customisable strip suited to multiple applications
- Colour Temperature: 3000K/4000K/6000K/RGB
- IP20/IP54 rated
- 3M adhesive taper
- 120° Beam angle
- 50,000 hours lifespan
- 3 years warranty - ALL LED Strip must be installed on an aluminium heat dissipating surface for warranty purposes.




Specifications

SKU	VBLST-07224WW-20-Z
Luminaire efficacy	75
EAN	9340994409122
Light Colour	Warm White
Wattage	7.2
Lumen output	540
IP rating	20
CRI	80
Beam Angle	120
Cut out	Cutting Intervals 100mm, Spaced 16.6mm
Length	10000
Width	8
Height	2
Lifespan	50000
Warranty	3
Constant current/voltage	Constant Voltage
LED source	Epistar
Accessories	VBLST-CTRL-BOX and VBLST-CTRL-DIM
Lamp Type	LED
Input voltage	24 Volt DC
Wiring method	Hardwire
Weatherproof	Indoor Use Only
Working temperature	-20°C ~ 45°C
Kelvin	3000K



Dimensional Drawings



Photometric information available upon request.



Z Series

VBLST-07224NW-20-Z



Our 7.2W/m, 24V, 6000K, IP20, Zig Zag LED Strip lighting is a popular, versatile light source that will assist in creating inspiring lighting solutions. Due to being relatively inexpensive, easy to install and extremely flexible - LED strip lights are an ideal choice to enhance the mood in modern or contemporary architecture. The VIBE Range offers a huge variety of LED strip lights to choose from in different lengths, colours, and IP Ratings - with a host of accessories and aluminium extrusions to bring your design to life. Ask your VIBE Reseller about custom cut and assembly options for faster, easier installation on-site.

Features & Benefits

- High efficiency SMD LED chips
- Customisable strip suited to multiple applications
- Colour Temperature: 3000K/4000K/6000K/RGB
- IP20/IP54 rated
- 3M adhesive taper
- 120° Beam angle
- 50,000 hours lifespan
- 3 years warranty - ALL LED Strip must be installed on an aluminium heat dissipating surface for warranty purposes.




Specifications

SKU	VBLST-07224NW-20-Z
Luminaire efficacy	83.34
EAN	9340994409139
Light Colour	Warm White
Wattage	7.2
Lumen output	600
IP rating	20
CRI	80
Beam Angle	120
Cut out	Cutting Intervals 100mm, Spaced 16.6mm
Length	5000
Width	8
Height	2
Lifespan	50000
Warranty	3
Constant current/voltage	Constant Voltage
LED source	Epistar
Accessories	VBLST-CTRL-BOX and VBLST-CTRL-DIM
Lamp Type	LED
Input voltage	24 Volt DC
Wiring method	Hardwire
Weatherproof	Indoor Use Only
Working temperature	-20°C ~ 45°C
Kelvin	3000K



Dimensional Drawings



Photometric information available upon request.