

AT9478

8W G120 LED Filament lamps. Dimmable, Clear lens

Features

- Energy efficient LED lamp
- Long Life
- No mercury Content
- Suitable replacement for halogen and incandescent lamps
- Suitable for use with dimmers



		•	
м	ech	anica	a I
IAI	CCII	aiiica	41

Adjustability	Fixed
Body Material	Aluminium
Diffuser Material	Glass
Product Finish	Clear
Fitting Colour	Clear
IC Rating	Non-IC
IP Rating	IP20

Electrical

Input Frequency (Hz)	50
Input voltage	230Vac

In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%

Switch Type	Inline
System Max Wattage (W)	7.7

Lamp

Beam Angle (Deg)	360
Bulb Type	G120
CCT Configuration	Single
CRI	>80
Globe Base	
AT9478/BC/WW/C	B22 / BC
AT9478/ES/WW/C	E27
Globe Included	Yes
LED Lifetime (hr)	15000

This is the Reported LED Lifetime in Hours based on TM-21. Atom does not list the projected or calculated LED lifetime, which is normally longer as TM-21 Addendum B explicitly

states " The Calculated and Projected Lp(Dk) are not to be reported: This Lifetime refers to the life of a single LED however the system life is longer since the probability and binomial distribution of all LEDs in the system means that the average led is performing above the specification and compensates for the LEDs falling below.

Maximum Bulb Wattage (W)	7.7
Number of Lamps	1
Colour temperature	
ССТ (К)	2700
CCT Colour	Warm White
System Lumens (L)	780
Driver	
Dimmable	Yes
Driver Included	Yes
Integrated Driver	Yes
Driver Type	Dimmable (Phase cut)
Compliance	
Standards	AS/NZS 62560 IEC/TR 62778 AS CISPR 15



Warranty

Commercial Use Warranty	1 (Yr) RTB
Maximum Use Daily (hr)	10
Domestic Use Warranty	1 (Yr) RTB
Operational Lifetime (hr)	15000
VIP Warranty (Yr)	2 RTB (Total 2 Years)

Dimensions

Product Height (mm)	172
Product Width (mm)	124

Ordering Information

Order code	Item Code	Description
10769	AT9478/BC/WW/C	G120 Filament 7.7W Dimmable 2700K BC/B22 Clear
10792	AT9478/ES/WW/C	G120 Filament 7.7W Dimmable 2700K ES/E27 Clear