

Last modification

2022-12-06

KEON 10-BK83
9329501047521



Overview

Family name	Keon
Categories	Downlights
Mounting	Surface
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Black
Fixture Finish	Powder Coated
Fixture Material	Aluminium
Canopy Color	Black

Size

Fixture Diameter (cm)	9.0
Fixture Height (cm)	12.0
Canopy Diameter (cm)	8.2

Specification

Voltage Input	240V
Wattage (max)	10
Globe Type	LED integrated COB
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	800
Color Temperature	Warm White
Color Kelvin	3000k
Color Rendering	>84
Dimmable	Yes
Power Factor	>0.90
Surge Protection	Yes
Beam Angle (degree)	40
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501047521



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Last modification

2022-12-06

KEON 10-BK85
9329501047538



Overview

Family name	Keon
Categories	Downlights
Mounting	Surface
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Black
Fixture Finish	Powder Coated
Fixture Material	Aluminium
Canopy Color	Black

Size

Fixture Diameter (cm)	9.0
Fixture Height (cm)	13.0
Canopy Diameter (cm)	8.2

Specification

Voltage Input	240V
Wattage (max)	10
Globe Type	LED integrated COB
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	850
Color Temperature	Cool White
Color Kelvin	5000k
Color Rendering	>84
Dimmable	Yes
Power Factor	>0.90
Surge Protection	Yes
Beam Angle (degree)	40
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Approvals	RCM
Assembly Required	Yes
Box Contents	Basic mounting screws, Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501047538





Last modification 2022-12-06

KEON 10-WH83
9329501047545



Overview

Family name	Keon
Categories	Downlights
Mounting	Surface
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	White
Fixture Finish	Powder Coated
Fixture Material	Aluminium
Canopy Color	White

Size

Fixture Diameter (cm)	9.0
Fixture Height (cm)	13.0
Canopy Diameter (cm)	8.2

Specification

Voltage Input	240V
Wattage (max)	10
Globe Type	LED integrated COB
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	800
Color Temperature	Warm White
Color Kelvin	3000k
Color Rendering	>84
Dimmable	Yes
Power Factor	>0.90
Surge Protection	Yes
Beam Angle (degree)	40
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Approvals	RCM
Assembly Required	Yes
Box Contents	Basic mounting screws, Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501047545

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.





Last modification 2022-12-06

KEON 10-WH85 9329501047552

Overview

Family name	Keon
Categories	Downlights
Mounting	Surface
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	White
Fixture Finish	Powder Coated
Fixture Material	Aluminium
Canopy Color	White

Size

Fixture Diameter (cm)	9.0
Fixture Height (cm)	13.0
Canopy Diameter (cm)	8.2


Specification

Voltage Input	240V
Wattage (max)	10
Globe Type	LED integrated COB
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	850
Color Temperature	Cool White
Color Kelvin	5000k
Color Rendering	>84
Dimmable	Yes
Power Factor	>0.90
Beam Angle (degree)	40
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Approvals	RCM
Assembly Required	Yes
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN	9329501047552
-------------	---------------

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



