



VBLST-144WW-COB20



Our 14.4W, 24V, 3000K VIBE COB LED Strip delivers superb continuous, seamless light output. Using VIBE COB LED Strip Lighting compared to standard SMD LED Strip Lighting allows you to use no profile (aluminium backing recommended) OR any one of our profile options on a variety of surfaces without unsightly shadowing. Supplied in 5m rolls or ask your reseller for custom cut and assembly options. Available in a Cool White & Warm White and with a colour rendering of CRI 90, colours are accurate for a more vibrant project finish.

Features & Benefits

- High efficiency SMD LED chips
- Customisable strip suited to multiple applications
- Colour Temperature: 3000K/4000K/6000K/RGB
- IP20/IP54 rated
- 3M adhesive taper
- 120° Beam angle
- 50,000 hours lifespan
- 3 years warranty - ALL LED Strip must be installed on an aluminium heat dissipating surface for warranty purposes.



Specifications

| | |
|---------------------------|---------------------------------------|
| SKU | VBLST-144WW-COB20 |
| Luminaire efficacy | 109.4 |
| EAN | 9340994024561 |
| Light Colour | Warm White |
| Wattage | 14.4 |
| Lumen output | 1575 |
| IP rating | 20 |
| CRI | 90 |
| Beam Angle | 120 |
| Cut out | 50mm Cutting Intervals, Spaced 7.14mm |
| Length | 5000 |
| Width | 8 |
| Height | 2 |
| Lifespan | 50000 |
| Warranty | 3 |
| Accessories | VBLST-CTRL-BOX and VBLST-CTRL-DIM |
| Lamp Type | LED |
| Input voltage | 24 Volt DC |
| Weatherproof | Indoor Use Only |
| Kelvin | 3000K |



Photometric information available upon request.



VBLST-144CW-COB20



Our 14.4W, 24V, 4000K VIBE COB LED Strip delivers superb continuous, seamless light output. Using VIBE COB LED Strip Lighting compared to standard SMD LED Strip Lighting allows you to use no profile (aluminium backing recommended) OR any one of our profile options on a variety of surfaces without unsightly shadowing. Supplied in 5m rolls or ask your reseller for custom cut and assembly options. Available in a Cool White & Warm White and with a colour rendering of CRI 90, colours are accurate for a more vibrant project finish.

Features & Benefits

- High efficiency SMD LED chips
- Customisable strip suited to multiple applications
- Colour Temperature: 3000K/4000K/6000K/RGB
- IP20/IP54 rated
- 3M adhesive taper
- 120° Beam angle
- 50,000 hours lifespan
- 3 years warranty - ALL LED Strip must be installed on an aluminium heat dissipating surface for warranty purposes.



Specifications

| | |
|---------------------------|---------------------------------------|
| SKU | VBLST-144CW-COB20 |
| Luminaire efficacy | 122.5 |
| EAN | 9340994024578 |
| Light Colour | Cool White |
| Wattage | 14.4 |
| Lumen output | 1764 |
| IP rating | 20 |
| CRI | 90 |
| Beam Angle | 120 |
| Cut out | 50mm Cutting Intervals, Spaced 7.14mm |
| Length | 5000 |
| Width | 8 |
| Height | 2 |
| Lifespan | 50000 |
| Warranty | 3 |
| Accessories | VBLST-CTRL-BOX and VBLST-CTRL-DIM |
| Lamp Type | LED |
| Input voltage | 24 Volt DC |
| Weatherproof | Indoor Use Only |
| Kelvin | 4000K |



Photometric information available upon request.