



T5 Series

VBLFT-T5-8W-40



8W Natural White T5 LED Retrofit Tube

Features & Benefits

- Specially designed frosted glass body with good heat dissipation
- Direct replacement for 14W T5 Fluorescent Tubes*
- For use with standard T5 electronic ballasts only*
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 40,000 hour lifespan
- 2 year warranty

*8W - Must not use with high output ballasts as this will damage the tube and void all warranties



Specifications

| | |
|---------------------------------|------------------|
| SKU | VBLFT-T5-8W-40 |
| Luminaire efficacy | 102 |
| EAN | 9340994404318 |
| Light Colour | Cool White |
| Wattage | 8 |
| Lumen output | 820 |
| CRI | 80 |
| Beam Angle | 270 |
| Base Type | G5 |
| Diameter | 16 |
| Length | 563 |
| Lifespan | 40000 |
| Warranty | 2 |
| Dimmable | Non-Dimmable |
| Constant current/voltage | Constant Current |
| LED source | Epistar |
| Lamp Type | LED |
| Diffuser | Frosted |
| Working temperature | -20°C ~ 40°C |
| Box Qty | 40 |
| Kelvin | 4000K |



Dimensional Drawings



Photometric information available upon request.



T5 Series

VBLFT-T5-8W-65



These VIBE T5, 2ft LED Tubes are specially designed with a frosted glass body to support quality heat dissipation. These lights are a direct replacement for 14W T5 Fluorescent Tubes when used in conjunction with standard T5, 8W electronic ballasts only. They must not be used with high output ballasts as this will damage the tube and void all warranties. Includes 40,000 hour lifespan and 2 year warranty.

Features & Benefits

- Specially designed frosted glass body with good heat dissipation
- Direct replacement for 14W T5 Fluorescent Tubes*
- For use with standard T5 electronic ballasts only*
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 40,000 hour lifespan
- 2 year warranty

*8W - Must not use with high output ballasts as this will damage the tube and void all warranties



Specifications

| | |
|----------------------------|----------------|
| SKU | VBLFT-T5-8W-65 |
| Luminaire efficacy | 106 |
| EAN | 9340994404295 |
| Light Colour | Daylight |
| Wattage | 8 |
| Lumen output | 850 |
| CRI | 80 |
| Beam Angle | 270 |
| Base Type | G5 |
| Diameter | 16 |
| Length | 563 |
| Lifespan | 40000 |
| Warranty | 2 |
| Dimmable | Non-Dimmable |
| LED source | Epistar |
| Lamp Type | LED |
| Diffuser | Frosted |
| Working temperature | -20°C ~ 40°C |
| Box Qty | 40 |
| Kelvin | 6500K |



Dimensional Drawings



Photometric information available upon request.



T5 Series

VBLFT-T5-16W-30

16W Warm White T5 LED Retrofit Tube

Features & Benefits

- Specially designed frosted glass body with good heat dissipation
- Direct replacement for 28W T5 Fluorescent Tubes*
- For use with standard T5 electronic ballasts only*
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 40,000 hour lifespan
- 2 year warranty

*16W - Must not use with high output ballasts as this will damage the tube and void all warranties



Specifications

| | |
|---------------------------------|------------------|
| SKU | VBLFT-T5-16W-30 |
| Luminaire efficacy | 98 |
| EAN | 9340994020808 |
| Light Colour | Warm White |
| Wattage | 16 |
| Lumen output | 1568 |
| CRI | 80 |
| Beam Angle | 270 |
| Base Type | G5 |
| Diameter | 16 |
| Length | 1163 |
| Lifespan | 40000 |
| Warranty | 2 |
| Constant current/voltage | Constant Current |
| LED source | Epistar |
| Material | Glass |
| Lamp Type | LED |
| Diffuser | Frosted |
| Working temperature | -20°C ~ 40°C |
| Box Qty | 40 |
| Kelvin | 3000K |



Dimensional Drawings



Photometric information available upon request.



T5 Series

VBLFT-T5-16W-40



16W Natural White T5 LED Retrofit Tube

Features & Benefits

- Specially designed frosted glass body with good heat dissipation
- Direct replacement for 28W T5 Fluorescent Tubes*
- For use with standard T5 electronic ballasts only*
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 40,000 hour lifespan
- 2 year warranty

*16W - Must not use with high output ballasts as this will damage the tube and void all warranties



Specifications

| SKU | VBLFT-T5-16W-40 |
|--------------------------|------------------|
| Luminaire efficacy | 101 |
| EAN | 9340994404288 |
| Light Colour | Cool White |
| Wattage | 16 |
| Lumen output | 1620 |
| CRI | 80 |
| Beam Angle | 270 |
| Base Type | G5 |
| Diameter | 16 |
| Length | 1163 |
| Lifespan | 40000 |
| Warranty | 2 |
| Dimmable | Non-Dimmable |
| Constant current/voltage | Constant Current |
| LED source | Epistar |
| Material | Glass |
| Lamp Type | LED |
| Diffuser | Frosted |
| Working temperature | -20°C ~ 40°C |
| Box Qty | 40 |
| Kelvin | 4000K |



Dimensional Drawings



Photometric information available upon request.



T5 Series

VBLFT-T5-16W-65



16W Daylight T5 LED Retrofit Tube

Features & Benefits

- Specially designed frosted glass body with good heat dissipation
- Direct replacement for 28W T5 Fluorescent Tubes*
- For use with standard T5 electronic ballasts only*
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 40,000 hour lifespan
- 2 year warranty

*16W - Must not use with high output ballasts as this will damage the tube and void all warranties



Specifications

| | |
|---------------------------------|------------------|
| SKU | VBLFT-T5-16W-65 |
| Luminaire efficacy | 104 |
| EAN | 9340994404271 |
| Light Colour | Daylight |
| Wattage | 16 |
| Lumen output | 1670 |
| CRI | 80 |
| Beam Angle | 270 |
| Base Type | G5 |
| Diameter | 16 |
| Length | 1163 |
| Lifespan | 40000 |
| Warranty | 2 |
| Dimmable | Non-Dimmable |
| Constant current/voltage | Constant Current |
| LED source | Epistar |
| Material | Glass |
| Lamp Type | LED |
| Working temperature | -20°C ~ 40°C |
| Box Qty | 40 |
| Kelvin | 6500K |



Dimensional Drawings



Photometric information available upon request.



VBLFT-T5-20W-40



These T5 LED Retrofit tubes are ideal for replacing T5 Tubes using T5 electronic ballasts. Perfect for use in Offices, Shopping Centres, Schools & Hospitals and many indoor applications, they are rated at 40,000hs and come with a 2 year warranty.

Features & Benefits

- Specially designed frosted glass body with good heat dissipation
- Direct replacement for 35W T5 Fluorescent Tubes*
- For use with standard T5 electronic ballasts only*
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 40,000 hour lifespan
- 2 year warranty

*20W - Must not use with high output ballasts as this will damage the tube and void all warranties



Specifications

| | |
|---------------------------|-----------------|
| SKU | VBLFT-T5-20W-40 |
| Luminaire efficacy | 115 |
| EAN | 9340994017365 |
| Light Colour | Cool White |
| Wattage | 20 |
| Lumen output | 2300 |
| CRI | 80 |
| Beam Angle | 270 |
| Base Type | G5 |
| Diameter | 16 |
| Length | 1463 |
| Lifespan | 40000 |
| Warranty | 2 |
| LED source | Epistar |
| Lamp Type | LED |
| Diffuser | Frosted |
| Kelvin | 4000K |



Dimensional Drawings



Photometric information available upon request.



T5 Series

VBLFT-T5-20W-65



Vibe LED Tubes are a direct replacement for existing T5 Fluorescent tubes, they are environmentally friendly (do not contain harmful substances) and have a high quality aluminum body with excellent heat dissipation.

Features & Benefits

- Specially designed frosted glass body with good heat dissipation
- Direct replacement for 35W T5 Fluorescent Tubes*
- For use with standard T5 electronic ballasts only*
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 40,000 hour lifespan
- 2 year warranty

*20W - Must not use with high output ballasts as this will damage the tube and void all warranties




Specifications

| | |
|---------------------------------|------------------|
| SKU | VBLFT-T5-20W-65 |
| Luminaire efficacy | 120 |
| EAN | 9340994409290 |
| Light Colour | Daylight |
| Wattage | 20 |
| Lumen output | 2400 |
| CRI | 80 |
| Beam Angle | 270 |
| Base Type | G5 |
| Diameter | 16 |
| Length | 1463 |
| Lifespan | 40000 |
| Warranty | 2 |
| Dimmable | Non-Dimmable |
| Constant current/voltage | Constant Current |
| LED source | Epistar |
| Material | Glass |
| Lamp Type | LED |
| Diffuser | Frosted |
| Working temperature | -20°C~40°C |
| Kelvin | 6500K |



Dimensional Drawings



Photometric information available upon request.