



T5 Series

VBLFT-T5-27W-40-HO

Earthmates are designed to reduce electricity consumption, prevent prevent greenhouse gases and fight global warming, along with providing long-lasting, economical and reliable lighting for homes and business.

Features & Benefits

- Specially designed frosted glass body with good heat dissipation
- Direct replacement for 54W T5 Fluorescent Tubes*
- For use with standard T5 electronic ballasts only*
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 40,000 hour lifespan
- 2 year warranty

* 27W - For use with high output ballasts only



Specifications

SKU	VBLFT-T5-27W-40-HO
Luminaire efficacy	135
EAN	9340994020105
Light Colour	Cool White
Wattage	27
Lumen output	3650
CRI	80
Beam Angle	270
Base Type	G5
Diameter	16
Length	1163
Lifespan	40000
Warranty	2
Constant current/voltage	Constant Current
LED source	Epistar
Material	Glass
Lamp Type	LED
Diffuser	Frosted
Working temperature	-20°C~40°C
Kelvin	4000K



Dimensional Drawings



Photometric information available upon request.



T5 Series

VBLFT-T5-27W-65-HO

Earthmates are designed to reduce electricity consumption, prevent prevent greenhouse gases and fight global warming, along with providing long-lasting, economical and reliable lighting for homes and business.

Features & Benefits

- Specially designed frosted glass body with good heat dissipation
- Direct replacement for 54W T5 Fluorescent Tubes*
- For use with standard T5 electronic ballasts only*
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 40,000 hour lifespan
- 2 year warranty

* 27W - For use with high output ballasts only



Specifications

SKU	VBLFT-T5-27W-65-HO
Luminaire efficacy	136
EAN	9340994020112
Light Colour	Daylight
Wattage	27
Lumen output	3680
CRI	80
Beam Angle	270
Base Type	G5
Diameter	16
Length	1163
Lifespan	40000
Warranty	2
Constant current/voltage	Constant Current
LED source	Epistar
Material	Glass
Lamp Type	LED
Diffuser	Frosted
Working temperature	-20°C~40°C
Box Qty	40
Kelvin	6500K



Dimensional Drawings



Photometric information available upon request.