



3X5-F Series

VBLFT-325-F-30



Vibe T8 2FT 10W LED Tube 3000K Frost 150LM/W

Features & Benefits


- High quality aluminium body with excellent heat dissipation
- Direct replacement for T8 fluorescent Lamps
- Comes with frosted PC cover & rotatable end caps
- Equipped saving potential up to 60%
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 50,000 hour lifespan
- 5 year warranty

Specifications

SKU	VBLFT-325-F-30
Luminaire efficacy	140
EAN	9340994409887
Light Colour	Warm White
Wattage	10
Lumen output	1400
IP rating	20
CRI	80
Beam Angle	120
Base Type	G13
Diameter	26
Length	588
Lifespan	50000
Warranty	5
Dimmable	Non-Dimmable
Shatterproof	Shatterproof
LED source	Epistar
Lamp Type	LED
Input voltage	85V-265V AC 50-60HZ
Weatherproof	Non-weatherproof
Working temperature	-20°C ~ 45°C
Box Qty	25
Kelvin	3000K



Dimensional Drawings



Photometric information available upon request.



3X5-F Series

VBLFT-325-F-40



Vibe T8 2FT 10W LED Tube 4000K Frost 150LM/W

Features & Benefits


- High quality aluminium body with excellent heat dissipation
- Direct replacement for T8 fluorescent Lamps
- Comes with frosted PC cover & rotatable end caps
- Equipped saving potential up to 60%
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 50,000 hour lifespan
- 5 year warranty

Specifications

SKU	VBLFT-325-F-40
Luminaire efficacy	150
EAN	9340994409894
Light Colour	Cool White
Wattage	10
Lumen output	1500
IP rating	20
CRI	80
Beam Angle	120
Base Type	G13
Diameter	26
Length	588
Lifespan	50000
Warranty	5
Dimmable	Non-Dimmable
Shatterproof	Shatterproof
LED source	Epistar
Lamp Type	LED
Input voltage	85V-265V AC 50-60HZ
Diffuser	Frosted
Weatherproof	Non-weatherproof
Working temperature	-20°C ~ 45°C
Box Qty	25
Kelvin	4000K



Dimensional Drawings



Photometric information available upon request.



3X5-F Series

VBLFT-325-F-65



Earthmates are designed to reduce electricity consumption, prevent prevent greenhouse gases and fight global warming, along with providing long-lasting, economical and reliable lighting for homes and business.

Features & Benefits


- High quality aluminium body with excellent heat dissipation
- Direct replacement for T8 fluorescent Lamps
- Comes with frosted PC cover & rotatable end caps
- Equipped saving potential up to 60%
- Equipped with high power EPISTAR SMD LED chips
- Environmentally friendly
- 50,000 hour lifespan
- 5 year warranty

Specifications

SKU	VBLFT-325-F-65
Luminaire efficacy	153
EAN	9340994014906
Light Colour	Daylight
Wattage	10
Lumen output	1530
IP rating	20
CRI	80
Beam Angle	120
Base Type	G13
Diameter	26
Length	588
Lifespan	50000
Warranty	5
Dimmable	Non-Dimmable
Shatterproof	Shatterproof
LED source	Epistar
Lamp Type	LED
Input voltage	85V-265V AC 50-60HZ
Diffuser	Frosted
Weatherproof	Non-weatherproof
Working temperature	-20°C ~ 45°C
Box Qty	25
Kelvin	6500K



Dimensional Drawings



Photometric information available upon request.