


Prime CCT WIFI Recessed Downlights





Product Specifications

Name	Prime
Material	Aluminium + PC
Colour	Black or White
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Opal Polycarbonate
IC Rating	IC-4
UGR	<22
CRI	CRI>90
Dimmable	Yes - Controlled with TUYA App
IK Rating	IK08
Warranty	3 Years Replacement*



Compatible with major smart home systems.



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5513CCT-BLK	3000k - 6500k	330lm-340lm	240v AC	120°	CCT 12w Built in LED	9350418026804
	HV5513CCT-WHT	3000k - 6500k	330lm-340lm	240v AC	120°	CCT 12w Built in LED	9350418026798


*Items ordered after 01-01-2022

Prime CCT WIFI Recessed Downlights





Product Specifications

Name	Prime
Material	Aluminium + PC
Colour	Black or White
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Opal Polycarbonate
IC Rating	IC-4
UGR	<22
CRI	CRI>90
Dimmable	Yes - Controlled with TUYA App
IK Rating	IK08
Warranty	3 Years Replacement*



Compatible with major smart home systems.



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5513CCT-BLK	3000k - 6500k	330lm-340lm	240v AC	120°	CCT 12w Built in LED	9350418026804
	HV5513CCT-WHT	3000k - 6500k	330lm-340lm	240v AC	120°	CCT 12w Built in LED	9350418026798



*Items ordered after 01-01-2022

Prime RGBCW WIFI Recessed Downlights





Product Specifications

Name	Prime
Material	Aluminium + PC
Colour	Black or White
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Opal Polycarbonate
IC Rating	IC-4
UGR	<22
CRI	CRI>90
Dimmable	Yes - Controlled with TUYA App
IK Rating	IK08
Warranty	3 Years Replacement*



Compatible with major smart home systems.



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5513RGBCW-BLK	(RGBCW) RGB + 3000k - 5500k	300lm-320lm 3000K-5500K	240v AC	120°	RGBCW 12w Built in LED	9350418026828
	HV5513RGBCW-WHT	(RGBCW) RGB + 3000k - 5500k	300lm-320lm 3000K-5500K	240v AC	120°	RGBCW 12w Built in LED	9350418026811



*Items ordered after 01-01-2022

Prime RGBCW WIFI Recessed Downlights





Product Specifications

Name	Prime
Material	Aluminium + PC
Colour	Black or White
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Opal Polycarbonate
IC Rating	IC-4
UGR	<22
CRI	CRI>90
Dimmable	Yes - Controlled with TUYA App
IK Rating	IK08
Warranty	3 Years Replacement*



Compatible with major smart home systems.



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5513RGBCW-BLK	(RGBCW) RGB + 3000k - 5500k	300lm-320lm 3000K-5500K	240v AC	120°	RGBCW 12w Built in LED	9350418026828
	HV5513RGBCW-WHT	(RGBCW) RGB + 3000k - 5500k	300lm-320lm 3000K-5500K	240v AC	120°	RGBCW 12w Built in LED	9350418026811


*Items ordered after 01-01-2022

Prime CCT WIFI Recessed Downlights





Product Specifications

Name	Prime
Material	Aluminium + PC
Colour	Black or White
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Opal Polycarbonate
IC Rating	IC-4
UGR	<22
CRI	CRI>90
Dimmable	Yes - Controlled with TUYA App
IK Rating	IK08
Warranty	3 Years Replacement*



Compatible with major smart home systems.



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5514CCT-BLK	3000k - 6500k	330lm-340lm	240v AC	120°	CCT 12w Built in LED	9350418026842
	HV5514CCT-WHT	3000k - 6500k	330lm-340lm	240v AC	120°	CCT 12w Built in LED	9350418026835


*Items ordered after 01-01-2022

Prime CCT WIFI Recessed Downlights





Product Specifications

Name	Prime
Material	Aluminium + PC
Colour	Black or White
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Opal Polycarbonate
IC Rating	IC-4
UGR	<22
CRI	CRI>90
Dimmable	Yes - Controlled with TUYA App
IK Rating	IK08
Warranty	3 Years Replacement*



Compatible with major smart home systems.



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5514CCT-BLK	3000k - 6500k	330lm-340lm	240v AC	120°	CCT 12w Built in LED	9350418026842
	HV5514CCT-WHT	3000k - 6500k	330lm-340lm	240v AC	120°	CCT 12w Built in LED	9350418026835



*Items ordered after 01-01-2022

Prime RGBCW WIFI Recessed Downlights





Product Specifications

Name	Prime
Material	Aluminium + PC
Colour	Black or White
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Opal Polycarbonate
IC Rating	IC-4
UGR	<22
CRI	CRI>90
Dimmable	Yes - Controlled with TUYA App
IK Rating	IK08
Warranty	3 Years Replacement*



Compatible with major smart home systems.



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5514RGBCW-BLK	(RGBCW) RGB + 3000k - 5500k	300lm-320lm 3000K-5500K	240v AC	120°	RGBCW 12w Built in LED	9350418026866
	HV5514RGBCW-WHT	(RGBCW) RGB + 3000k - 5500k	300lm-320lm 3000K-5500K	240v AC	120°	RGBCW 12w Built in LED	9350418026859



*Items ordered after 01-01-2022

Prime RGBCW WIFI Recessed Downlights





Product Specifications

Name	Prime
Material	Aluminium + PC
Colour	Black or White
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Opal Polycarbonate
IC Rating	IC-4
UGR	<22
CRI	CRI>90
Dimmable	Yes - Controlled with TUYA App
IK Rating	IK08
Warranty	3 Years Replacement*



Compatible with major smart home systems.



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5514RGBCW-BLK	(RGBCW) RGB + 3000k - 5500k	300lm-320lm 3000K-5500K	240v AC	120°	RGBCW 12w Built in LED	9350418026866
	HV5514RGBCW-WHT	(RGBCW) RGB + 3000k - 5500k	300lm-320lm 3000K-5500K	240v AC	120°	RGBCW 12w Built in LED	9350418026859

*Items ordered after 01-01-2022