





Barline Aluminium 1500mm Wall Light



Product Specifications

| | |
|-------------------|--|
| Name | Barline |
| Material | Aluminium + Perspex |
| Colour | Poly Powder Coated Black or White |
| IP Rating | IP65 |
| Installation Type | Wall or Ceiling - Surface Mounted |
| Lamp Base | Built in LED |
| Protection Class | Class 1 (Requires Earth) |
| Max Wattage | 1x 45w (3000k & 5500k = 22w 4000k = 45w) |
| Lamp Expectancy | <30,000hrs |
| Diffuser Type | Frosted Perspex |
| CRI | CRI>80 |
| Dimmable | No |
| IK Rating | IK08 |
| Warranty | 3 Years Replacement* |



Product Ordering

| Image | Part Number | Colour Temp | Lumens | Input Voltage | Beam Angle | Included LED | Barcode |
|-------|--------------------|-------------------------|----------------------------|---------------|------------|---|---------------|
| | HV3586T-BLK | 3000k 4000k 5500k | 1380lm 2700lm 1495lm | 240v AC | 180° | TRI Colour 22w - 45w Built in LED | 9350418026514 |
| | HV3586T-WHT | 3000k 4000k 5500k | 1380lm 2700lm 1495lm | 240v AC | 180° | TRI Colour 22w - 45w Built in LED | 9350418026521 |





*Items ordered after 01-01-2022

Barline Aluminium 300mm Wall Light



Product Specifications

| | |
|-------------------|---|
| Name | Barline |
| Material | Aluminium + Perspex |
| Colour | Poly Powder Coated Black or White |
| IP Rating | IP65 |
| Installation Type | Wall or Ceiling - Surface Mounted |
| Lamp Base | Built in LED |
| Protection Class | 1 (Requires Earth) |
| Max Wattage | 1x 9w (3000k & 5500k = 4.5w 4000k = 9w) |
| Lamp Expectancy | <30,000hrs |
| Diffuser Type | Frosted Perspex |
| CRI | CRI>80 |
| Dimmable | No |
| IK Rating | IK08 |
| Warranty | 3 Years Replacement* |



Product Ordering

| Image | Part Number | Colour Temp | Lumens | Input Voltage | Beam Angle | Included LED | Barcode |
|-------|--------------------|-------------------------|-------------------------|---------------|------------|--|---------------|
| | HV3581T-BLK | 3000k 4000k 5500k | 270lm 540lm 290lm | 240v AC | 180° | TRI Colour 4.5w- 9w Built in LED | 9350418026453 |
| | HV3581T-WHT | 3000k 4000k 5500k | 270lm 540lm 290lm | 240v AC | 180° | TRI Colour 4.5w- 9w Built in LED | 9350418026460 |




*Items ordered after 01-01-2022

Barline Aluminium 600mm Wall Light



Product Specifications

| | |
|-------------------|---|
| Name | Barline |
| Material | Aluminium + Perspex |
| Colour | Poly Powder Coated Black or White |
| IP Rating | IP65 |
| Installation Type | Wall or Ceiling - Surface Mounted |
| Lamp Base | Built in LED |
| Protection Class | 1 (Requires Earth) |
| Max Wattage | 1x 18w (3000K & 5500K = 9w 4000k = 18w) |
| Lamp Expectancy | <30,000hrs |
| Diffuser Type | Frosted Perspex |
| CRI | CRI>80 |
| Dimmable | No |
| IK Rating | IK08 |
| Warranty | 3 Years Replacement* |



Product Ordering

| Image | Part Number | Colour Temp | Lumens | Input Voltage | Beam Angle | Included LED | Barcode |
|-------|--------------------|-------------------------|--------------------------|---------------|------------|--|---------------|
| | HV3582T-BLK | 3000k 4000k 5500k | 540lm 1080lm 585lm | 240v AC | 180° | TRI Colour 9w-18w Built in LED | 9350418026477 |
| | HV3582T-WHT | 3000k 4000k 5500k | 540lm 1080lm 585lm | 240v AC | 180° | TRI Colour 9w-18w Built in LED | 9350418026484 |





*Items ordered after 01-01-2022

Barline Aluminium 1000mm Wall Light



Product Specifications

| | |
|-------------------|--|
| Name | Barline |
| Material | Aluminium + Perspex |
| Colour | Poly Powder Coated Black or White |
| IP Rating | IP65 |
| Installation Type | Wall or Ceiling - Surface Mounted |
| Lamp Base | Built in LED |
| Protection Class | 1 (Requires Earth) |
| Max Wattage | 1x 30w (3000K & 5500K = 15w 4000k = 30w) |
| Lamp Expectancy | <30,000hrs |
| Diffuser Type | Frosted Perspex |
| CRI | CRI>80 |
| Dimmable | No |
| IK Rating | IK08 |
| Warranty | 3 Years Replacement* |



Product Ordering

| Image | Part Number | Colour Temp | Lumens | Input Voltage | Beam Angle | Included LED | Barcode |
|-------|--------------------|-------------------------|--------------------------|---------------|------------|---|---------------|
| | HV3584T-BLK | 3000k 4000k 5500k | 900lm 1800lm 975lm | 240v AC | 180° | TRI Colour 15w - 30w Built in LED | 9350418026491 |
| | HV3584T-WHT | 3000k 4000k 5500k | 900lm 1800lm 975lm | 240v AC | 180° | TRI Colour 15w - 30w Built in LED | 9350418026484 |

*Items ordered after 01-01-2022