

Last modification 2022-11-13

**NEO 150.LP-840**  
**9329501054932**



## Overview

<b>Family name</b>	Neo
<b>Categories</b>	Flood Lights
<b>Mounting</b>	Surface
<b>Usage</b>	Outdoor Lighting,Trade Selection

## Color / Material

<b>Fixture Color</b>	Clear,Black
<b>Fixture Material</b>	Glass,Metal
<b>Diffuser Color</b>	Clear
<b>Diffuser Material</b>	Glass
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

## Size

<b>Fixture Length (cm)</b>	35.0
<b>Fixture Width (cm)</b>	4.0
<b>Fixture Height (cm)</b>	30.5

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	150
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	13000
<b>Color Temperature</b>	Natural White
<b>Color Kelvin</b>	4000k
<b>Color Rendering</b>	>84
<b>Dimmable</b>	No
<b>Surge Protection</b>	Yes (1.5 Kva)
<b>IP rating</b>	IP65
<b>Lead and Plug</b>	Yes

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Approvals</b>	RCM
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

Barcode

**GTIN** 9329501054932





Last modification

2022-11-13

**NEO 050.LP-840**  
**9329501054925**



## Overview

<b>Family name</b>	Neo
<b>Categories</b>	Flood Lights
<b>Mounting</b>	Surface
<b>Usage</b>	Outdoor Lighting,Trade Selection

## Color / Material

<b>Fixture Color</b>	Clear,Black
<b>Fixture Material</b>	Glass,Metal
<b>Diffuser Color</b>	Clear
<b>Diffuser Material</b>	Glass
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

## Size

<b>Fixture Length (cm)</b>	21.5
<b>Fixture Width (cm)</b>	3.0
<b>Fixture Height (cm)</b>	18.0

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	50
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	4300
<b>Color Temperature</b>	Natural White
<b>Color Kelvin</b>	4000k
<b>Color Rendering</b>	>84
<b>Dimmable</b>	No
<b>Surge Protection</b>	Yes (1.5 Kva)
<b>IP rating</b>	IP65
<b>Lead and Plug</b>	Yes

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

# Data Sheet


---

<b>Approvals</b>	RCM
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501054925

## Image -dimensions









Last modification

2022-11-13

**NEO 030.LP-840**  
**9329501054918**



## Overview

<b>Family name</b>	Neo
<b>Categories</b>	Flood Lights
<b>Mounting</b>	Surface
<b>Usage</b>	Outdoor Lighting,Trade Selection

## Color / Material

<b>Fixture Color</b>	Clear,Black
<b>Fixture Material</b>	Glass,Metal
<b>Diffuser Color</b>	Clear
<b>Diffuser Material</b>	Glass
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

## Size

<b>Fixture Length (cm)</b>	17.5
<b>Fixture Width (cm)</b>	3.0
<b>Fixture Height (cm)</b>	15.0

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	30
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	2600
<b>Color Temperature</b>	Natural White
<b>Color Kelvin</b>	4000k
<b>Color Rendering</b>	>84
<b>Dimmable</b>	No
<b>Surge Protection</b>	Yes (1.5 Kva)
<b>IP rating</b>	IP65
<b>Lead and Plug</b>	Yes

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



<b>Approvals</b>	RCM
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

Barcode

**GTIN** 9329501054918



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.