



product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

DURO.20 Grey

SKU:UA7801GY

Practical and robust, the DURO LED oyster is polycarbonate, double insulated and has an IP66 rating, making it ideal for use in most outdoor spaces. DURO is available in black or grey polycarbonate. The polycarbonate diffuser is UV protected. DURO.20 is L

Description

Practical and robust, the DURO LED oyster is polycarbonate, double insulated and has an IP66 rating, making it ideal for use in most outdoor spaces. DURO is available in black or grey polycarbonate. The polycarbonate diffuser is UV protected. DURO.20 is L

Additional information



Brand	Urban Architectural Lighting
Colour	Grey
Bulb Type	Built In LED
Wattage	7W
Bulb Included	INBUILT.LED
Voltage	240V
Overall Height	29
Overall Width	9.5
Overall Depth	20
Item Dimensions	H290 W200 P95
Fitting Height	H290
Fitting Width	W200
Fitting Projection	P95
Primary Material	ACRYLIC
Lumen Output	525 lm

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to constant product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | www.oriel-lighting.com.au

Colour Temperature	4000K
IP Rating	IP66
Colour Rendition (CRI)	>Ra80
Classification	Class II Double Insulated
Supplier Code	UA7801GY
UPI	9324879214445
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | www.oriel-lighting.com.au



product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

DURO.20 Black

SKU:UA7801BK

Practical and robust, the DURO LED oyster is polycarbonate, double insulated and has an IP66 rating, making it ideal for use in most outdoor spaces. DURO is available in black or grey polycarbonate. The polycarbonate diffuser is UV protected. DURO.20 is L

Description

Practical and robust, the DURO LED oyster is polycarbonate, double insulated and has an IP66 rating, making it ideal for use in most outdoor spaces. DURO is available in black or grey polycarbonate. The polycarbonate diffuser is UV protected. DURO.20 is L

Additional information



Brand	Urban Architectural Lighting
Colour	BLACK
Bulb Type	Built In LED
Wattage	7W
Bulb Included	INBUILT.LED
Voltage	240V
Overall Height	29
Overall Width	9.5
Overall Depth	20
Item Dimensions	H290 W200 P95
Fitting Height	H290
Fitting Width	W200
Fitting Projection	P95
Primary Material	ACRYLIC
Lumen Output	525 lm

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a qualified electrical contractor. Due to constant product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | www.oriel-lighting.com.au

Colour Temperature	4000K
IP Rating	IP66
Colour Rendition (CRI)	>Ra80
Classification	Class II Double Insulated
Supplier Code	UA7801BK
UPI	9324879214438
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.orient-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriël Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | www.orient-lighting.com.au