



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## LED SOLUS.60


SKU:SL58064WH

SOLUS.60 IP44 VANITY LIGHT features a mirrored front, with a strip of frosted glass through the centre. A cool colour temperature (4000K) and good colour rendition, provide a nice light choice for a vanity. Available in 2 lengths.

### Description

SOLUS.60 IP44 VANITY LIGHT features a mirrored front, with a strip of frosted glass through the centre. A cool colour temperature (4000K) and good colour rendition, provide a nice light choice for a vanity. Available in 2 lengths.

### Additional information



<b>Brand</b>	Stylux Lighting
<b>Colour</b>	Clear
<b>Bulb Type</b>	Built In LED
<b>Wattage</b>	14w
<b>Bulb Included</b>	INBUILT.LED
<b>Voltage</b>	240V
<b>Overall Height</b>	10
<b>Overall Width</b>	64
<b>Overall Depth</b>	4.5
<b>Item Dimensions</b>	L640 H100 P45
<b>Fitting Height</b>	H100
<b>Fitting Length</b>	L640
<b>Fitting Projection</b>	P45
<b>Primary Material</b>	GLASS
<b>Lumen Output</b>	650lm

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a qualified electrical contractor. During product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

<b>Colour Temperature</b>	4000K
<b>IP Rating</b>	IP44
<b>Colour Rendition (CRI)</b>	>Ra80
<b>Classification</b>	Class II Double Insulated
<b>Supplier Code</b>	SL58064WH
<b>UPI</b>	9324879212830
<b>Electrician To Install</b>	This fitting should be installed by a licenced electrician
<b>Warranty / Guarantee</b>	1 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## LED SOLUS.120

SKU:SL58124WH

SOLUS.120 IP44 VANITY LIGHT features a mirrored front, with a strip of frosted glass through the centre. A cool colour temperature (4000K) and good colour rendition, provide a nice light choice for a vanity. Available in 2 lengths.

### Description

SOLUS.120 IP44 VANITY LIGHT features a mirrored front, with a strip of frosted glass through the centre. A cool colour temperature (4000K) and good colour rendition, provide a nice light choice for a vanity. Available in 2 lengths.

### Additional information



<b>Brand</b>	Stylux Lighting
<b>Colour</b>	Clear
<b>Bulb Type</b>	Built In LED
<b>Wattage</b>	24w
<b>Bulb Included</b>	INBUILT.LED
<b>Voltage</b>	240V
<b>Overall Height</b>	10
<b>Overall Width</b>	120
<b>Overall Depth</b>	4.5
<b>Item Dimensions</b>	L1200 H100 P45
<b>Fitting Height</b>	H100
<b>Fitting Length</b>	L1200
<b>Fitting Projection</b>	P45
<b>Primary Material</b>	GLASS
<b>Lumen Output</b>	1550lm

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a qualified electrical contractor. During product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

<b>Colour Temperature</b>	4000K
<b>IP Rating</b>	IP44
<b>Colour Rendition (CRI)</b>	>Ra80
<b>Classification</b>	Class II Double Insulated
<b>Supplier Code</b>	SL58124WH
<b>UPI</b>	9324879212847
<b>Electrician To Install</b>	This fitting should be installed by a licenced electrician
<b>Warranty / Guarantee</b>	1 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)