

Last modification

2022-10-31

LIMA 3S-AL85 9329501046746



Overview

Family name Lima Categories Stair Lights Mounting Recess

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture Color Aluminium **Fixture Material** Aluminium **Shade Material** Acrylic **Diffuser Material** Polycarbonate

Diffuser Color Frost

Size

Fixture Width (cm) 6.0 Fixture Height (cm) 6.0 **Cut Out** 50

Specification

Voltage Input 240V Wattage (max) 3

Globe Type LED integrated SMD

Globe / Light Source qty Globe / Light Source included Lumens 240 **Color Temperature** Cool White 5000k **Color Kelvin Color Rendering** >84 **Dimmable** No >0.90 **Power Factor Control Gear Included** Yes-inline

300 **Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation

Current Output



IP ratingIP20ApprovalsRCMAssembly RequiredNo

Box Contents Instruction

Installation Required Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501046746

Image -dimensions



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.







Last modification

2022-10-31

LIMA 3R-AL83 9329501046715



Overview

Family name Lima Categories Stair Lights Mounting Recess

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture Color Aluminium **Fixture Material** Aluminium **Shade Material** Acrylic

Diffuser Material Polycarbonate

Diffuser Color Frost

Size

Fixture Diameter (cm) 6.0 2.5 Fixture Height (cm) **Cut Out** 50

Specification

Voltage Input 240V Wattage (max) 3

Globe Type LED integrated SMD

Globe / Light Source qty Globe / Light Source included Lumens 240 **Color Temperature** Warm White

3000k **Color Kelvin Color Rendering** >84 **Dimmable** No >0.90 **Power Factor Control Gear Included** Yes-inline **Current Output** 300

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation



IP ratingIP20ApprovalsRCMAssembly RequiredNo

Box Contents Instruction

Installation Required Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501046715

Image -dimensions



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.







Last modification

2022-10-31

LIMA 3R-AL85 9329501046722



Overview

Family name Lima Categories Stair Lights Mounting Recess

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture Color Aluminium **Fixture Material** Aluminium **Shade Material** Acrylic

Diffuser Material Polycarbonate

Diffuser Color Frost

Size

Fixture Diameter (cm) 6.0 2.5 Fixture Height (cm) **Cut Out** 50

Specification

Voltage Input 240V Wattage (max) 3

Globe Type LED integrated SMD

Globe / Light Source qty Globe / Light Source included Lumens 240 **Color Temperature** Cool White 5000k **Color Kelvin Color Rendering** >84 **Dimmable** No >0.90 **Power Factor Control Gear Included** Yes-inline

300 **Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

Current Output



IP rating IP20
Approvals RCM
Assembly Required No

Box Contents Instruction

Installation Required Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501046722

Image -dimensions



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.







Last modification

2022-10-31

LIMA 3S-AL83 9329501046739



Overview

Family name Lima
Categories Stair Lights
Mounting Recess

Usage Indoor Lighting,Trade Selection

Color / Material

Fixture Color Aluminium
Fixture Material Aluminium
Shade Material Acrylic
Diffuser Material Polycarbonate

Polycarbonate

Diffuser Color Frost

Size

Fixture Width (cm) 6.0 Fixture Height (cm) 6.0 Cut Out 50

Specification

Voltage Input 240V Wattage (max) 3

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 240
Color Temperature Warm White

Color Kelvin 3000k
Color Rendering >84
Dimmable No
Power Factor >0.90
Control Gear Included Yes-inline
Current Output 300

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



IP ratingIP20ApprovalsRCMAssembly RequiredNo

Box Contents Instruction

Installation Required Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501046739

Image -dimensions



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



