

Last modification

2022-11-24

# SAFFI WB-AB 9329501048429



#### **Overview**

Family nameSaffiCategoriesWall LightsMountingSurfaceThis item includesGlassSwitchSlide SwitchUsageIndoor Lighting

## Color / Material

**Fixture Color** Antique Brass,Opal Matt

Fixture MaterialAluminium,GlassCanopy ColorAntique Brass

Diffuser MaterialGlassGlass ColorOpal Matt

## <u>Size</u>

Fixture Length (cm)16.0Fixture Height (cm)31.0Fixture Projection (cm)10.0

#### **Specification**

Voltage Input 240V Wattage (max) 12

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 960

**Color Temperature** Warm White; Natural White; Cool White

**Color Kelvin** 3 CCT (3000k - 4000k - 5000k)

Color Rendering>85DimmableNoPower Factor>0.85Current Output300

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



**Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP44
Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty \*3 Years

**Barcode** 

**GTIN** 9329501048429

### **Image -dimensions**



Note: Dimensions are only a guide and may vary due to manufacturing variations.

# Telbix.









Last modification

2022-11-24

# SAFFI WB-NK 9329501048405



#### **Overview**

Family nameSaffiCategoriesWall LightsMountingSurfaceThis item includesGlassSwitchSlide SwitchUsageIndoor Lighting

## Color / Material

Fixture ColorOpal Matt, NickelFixture MaterialAluminium, Glass

Canopy ColorNickelDiffuser MaterialGlassGlass ColorOpal Matt

## <u>Size</u>

Fixture Length (cm)16.0Fixture Height (cm)31.0Fixture Projection (cm)10.0

#### **Specification**

Voltage Input 240V Wattage (max) 12

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 960

**Color Temperature** Warm White; Natural White; Cool White

**Color Kelvin** 3 CCT (3000k - 4000k - 5000k)

Color Rendering>85DimmableNoPower Factor>0.85Current Output300

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



**Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP44
Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty \*3 Years

<u>Barcode</u>

**GTIN** 9329501048405

### **Image -dimensions**



Note: Dimensions are only a guide and may vary due to manufacturing variations.

# Telbix.









Last modification

2022-11-24

# SAFFI WB-BK 9329501048412



#### **Overview**

Family nameSaffiCategoriesWall LightsMountingSurfaceThis item includesGlassSwitchSlide SwitchUsageIndoor Lighting

### Color / Material

Fixture ColorBlack,Opal MattFixture MaterialAluminium,Glass

Canopy ColorBlackDiffuser MaterialGlassGlass ColorOpal Matt

## <u>Size</u>

Fixture Length (cm)16.0Fixture Height (cm)31.0Fixture Projection (cm)10.0

#### **Specification**

Voltage Input 240V Wattage (max) 12

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 960

**Color Temperature** Warm White; Natural White; Cool White

**Color Kelvin** 3 CCT (3000k - 4000k - 5000k)

Color Rendering >85
Dimmable No
Power Factor >0.85
Current Output 300



**Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP44
Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty \*3 Years

<u>Barcode</u>

**GTIN** 9329501048412

### **Image -dimensions**




Note: Dimensions are only a guide and may vary due to manufacturing variations.

# Telbix.







All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.