

Last modification

2022-11-27

## SERANO FL-GD 9329501053577



### Overview

<b>Family name</b>	Serano
<b>Categories</b>	Floor Lamps
<b>Switch</b>	Touch Switch
<b>Usage</b>	Indoor Lighting

### Color / Material

<b>Fixture Color</b>	Black,Gold
<b>Fixture Material</b>	Aluminium
<b>Base Color</b>	Black
<b>Base Material</b>	Aluminium

### Size

<b>Fixture Length (cm)</b>	23.0
<b>Fixture Height (cm)</b>	132.0

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	30
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	2400
<b>Color Temperature</b>	Warm White
<b>Color Kelvin</b>	3000k
<b>Color Rendering</b>	>85
<b>Dimmable</b>	Yes - Pushed Dimming
<b>Current Output</b>	1500
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Box Contents</b>	Instruction

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

**Care Instructions**


Do not use strong liquid cleaners,Wipe clean with a dry cloth

**Replacement Warranty**

\*3 Years

Barcode**GTIN**

9329501053577

Image -dimensions





12



Last modification

2022-11-27

## SERANO FL-SL 9329501053584



### Overview

<b>Family name</b>	Serano
<b>Categories</b>	Floor Lamps
<b>Switch</b>	Touch Switch
<b>Usage</b>	Indoor Lighting

### Color / Material

<b>Fixture Color</b>	Silver,Black
<b>Fixture Material</b>	Aluminium
<b>Base Color</b>	Black
<b>Base Material</b>	Aluminium

### Size

<b>Fixture Length (cm)</b>	23.0
<b>Fixture Height (cm)</b>	132.0

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	30
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	2400
<b>Color Temperature</b>	Warm White
<b>Color Kelvin</b>	3000k
<b>Color Rendering</b>	>85
<b>Dimmable</b>	Yes - Pushed Dimming
<b>Current Output</b>	1500
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Box Contents</b>	Instruction

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

**Care Instructions**


Do not use strong liquid cleaners,Wipe clean with a dry cloth

**Replacement Warranty**

\*3 Years

Barcode**GTIN**

9329501053584

Image -dimensions





12

