

Height (cm): 7.5  
 Projection (cm): 7.5  
 Width (cm): 14.6  
 40

### Otis 40

Item number: 2015401033 Chrome  
 EAN: 5704924002694

Packaging unit 3  
 Material: Aluminium/Plastic  
 IP44, Class 2 (Double isolated), 230V  
 LED MODUL, Light source incl. 14w led

Area: Indoor  
 Transformer/driver placement: I lampen

Otis is an elegant wall lamp that is perfect for the use in the bathroom due to its high degree of protection, IP44. Otis equipped with a 2 step-Moodmaker and can be installed both vertically and horizontally – making it perfect for your personal light wishes.

### Lightsource info (pr. light-source)

Lumen: 1300  
 Lumen/Watt: 100  
 Lifetime: 25000  
 On/Off: 20000  
 Colour temperature: 3000K  
 RA: 90  
 Dimmable: No

**nordlux®** 2015401033




This luminaire contains built-in LED lamps

The lamps cannot be changed in the luminaire.

874/2012





Height (cm): 7.5  
 Projection (cm): 7.5  
 Width (cm): 14.6  
 40

### Otis 40

Item number: 2015401001 White  
 EAN: 5704924002687

Packaging unit 3  
 Material: Aluminium/Plastic  
 IP44, Class 2 (Double isolated), 230V  
 LED MODUL, Light source incl. 14w led

Area: Indoor  
 Transformer/driver placement: I lampen

Otis is an elegant wall lamp that is perfect for the use in the bathroom due to its high degree of protection, IP44. Otis equipped with a 2 step-Moodmaker and can be installed both vertically and horizontally – making it perfect for your personal light wishes.

### Lightsource info (pr. light-source)

Lumen: 1300  
 Lumen/Watt: 100  
 Lifetime: 25000  
 On/Off: 20000  
 Colour temperature: 3000K  
 RA: 90  
 Dimmable: No

**nordlux®** 2015401001




This luminaire contains built-in LED lamps

The lamps cannot be changed in the luminaire.

874/2012





Height (cm): 7.5  
 Projection (cm): 7.5  
 Width (cm): 14.6  
 40

### Otis 40

Item number: 2015401055 Brushed Nickel  
 EAN: 5704924002700

Packaging unit 3  
 Material: Aluminium/Plastic  
 IP44, Class 2 (Double isolated), 230V  
 LED MODUL, Light source incl. 14w led

Area: Indoor  
 Transformer/driver placement: I lampen

Otis is an elegant wall lamp that is perfect for the use in the bathroom due to its high degree of protection, IP44. Otis equipped with a 2 step-Moodmaker and can be installed both vertically and horizontally – making it perfect for your personal light wishes.

### Lightsource info (pr. light-source)

Lumen: 1300  
 Lumen/Watt: 100  
 Lifetime: 25000  
 On/Off: 20000  
 Colour temperature: 3000K  
 RA: 90  
 Dimmable: No


**nordlux®** 2015401055

---

This luminaire contains built-in LED lamps

The lamps cannot be changed in the luminaire.

**874/2012**



Height (cm): 7.2  
 Projection (cm): 7.2  
 Width (cm): 14.6  
 60

### Otis 60

Item number: 2015411055 Brushed Nickel  
 EAN: 5704924002731

Packaging unit 3  
 Material: Aluminium/Plastic  
 IP44, Class 2 (Double isolated), 230V  
 LED MODUL, Light source incl. 17w led

Area: Indoor  
 Transformer/driver placement: I lampen

Otis is an elegant wall lamp that is perfect for the use in the bathroom due to its high degree of protection, IP44. Otis equipped with a 2 step-Moodmaker and can be installed both vertically and horizontally – making it perfect for your personal light wishes.

### Lightsource info (pr. light-source)

Lumen: 1650  
 Lumen/Watt: 103  
 Lifetime: 25000  
 On/Off: 20000  
 Colour temperature: 3000K  
 RA: 90  
 Dimmable: No

**nordlux®** 2015411055




This luminaire contains built-in LED lamps

The lamps cannot be changed in the luminaire.

874/2012





Height (cm): 7.5  
Projection (cm): 7.5  
Width (cm): 14.6  
60

### Otis 60

Item number: 2015411033 Chrome  
EAN: 5704924002724

Packaging unit 3  
Material: Aluminium/Plastic  
IP44, Class 2 (Double isolated), 230V  
LED MODUL, Light source incl. 17w led

Area: Indoor  
Transformer/driver placement: I lampen

Otis is an elegant wall lamp that is perfect for the use in the bathroom due to its high degree of protection, IP44. Otis equipped with a 2 step-Moodmaker and can be installed both vertically and horizontally – making it perfect for your personal light wishes.

### Lightsource info (pr. light-source)

Lumen: 1650  
Lumen/Watt: 103  
Lifetime: 25000  
On/Off: 20000  
Colour temperature: 3000K  
RA: 90  
Dimmable: No

**nordlux®** 2015411033



This luminaire contains built-in LED lamps

The lamps cannot be changed in the luminaire.

874/2012





Height (cm): 7.5  
Projection (cm): 7.5  
Width (cm): 14.6  
60

### Otis 60

Item number: 2015411001 White  
EAN: 5704924002717

Packaging unit 3  
Material: Aluminium/Plastic  
IP44, Class 2 (Double isolated), 230V  
LED MODUL, Light source incl. 17w led

Area: Indoor  
Transformer/driver placement: I lampen

Otis is an elegant wall lamp that is perfect for the use in the bathroom due to its high degree of protection, IP44. Otis equipped with a 2 step-Moodmaker and can be installed both vertically and horizontally – making it perfect for your personal light wishes.

### Lightsource info (pr. light-source)

Lumen: 1650  
Lumen/Watt: 103  
Lifetime: 25000  
On/Off: 20000  
Colour temperature: 3000K  
RA: 90  
Dimmable: No

**nordlux®** 2015411001



This luminaire contains built-in LED lamps

The lamps cannot be changed in the luminaire.

874/2012

