



## LED RGB Floods Lights

### VBLFL-836-4-C



Vibe 50W RGB 240V LED Floodlight IP65

#### Features & Benefits

- Powder coated die-cast Aluminium construction with tempered clear glass diffuser
- Complete with remote control to allow the user to achieve various colour options
- Comes complete with 1.5M flex & plug
- Equipped with energy efficient ELITE SMD LED Chips
- Tempered front glass
- IP65 rated
- 50,000 hour lifespan
- 3 year warranty




## Specifications

<b>SKU</b>	VBLFL-836-4-C
<b>EAN</b>	9340994011165
<b>Light Colour</b>	RGB
<b>Wattage</b>	50 W
<b>IP rating</b>	65
<b>Beam Angle</b>	120 Degrees
<b>Trim colour</b>	Black
<b>Length</b>	220 mm
<b>Width</b>	50 mm
<b>Height</b>	265 mm
<b>Lifespan</b>	50000 Hours
<b>Warranty</b>	3 Years
<b>Dimmable</b>	Dimmable
<b>Mounting type</b>	Surface
<b>LED source</b>	Epistar
<b>Material</b>	Die-cast Aluminium
<b>Accessories</b>	VBFB-800: 800mm Floodlight Extension Arm
<b>Lamp Type</b>	LED
<b>Input voltage</b>	240 Volt AC 50HZ
<b>Wiring method</b>	Flex & Plug
<b>Weatherproof</b>	Weatherproof
<b>Working temperature</b>	-20°C ~ 45°C



## Dimensional Drawings



Photometric information available upon request.



## LED RGB Flood Lights

### VBLFL-832-4-C



Vibe 10W RGB 240V LED Floodlight IP65

#### Features & Benefits

- Powder coated die-cast Aluminium construction with tempered clear glass diffuser
- Complete with remote control to allow the user to achieve various colour options
- Comes complete with 1.5M flex & plug
- Equipped with energy efficient ELITE SMD LED Chips
- Tempered front glass
- IP65 rated
- 50,000 hour lifespan
- 3 year warranty




## Specifications

<b>SKU</b>	VBLFL-832-4-C
<b>EAN</b>	9340994010632
<b>Light Colour</b>	RGB
<b>Wattage</b>	10 W
<b>IP rating</b>	65
<b>Beam Angle</b>	120 Degrees
<b>Trim colour</b>	Black
<b>Length</b>	107 mm
<b>Width</b>	32 mm
<b>Height</b>	166 mm
<b>Lifespan</b>	50000 Hours
<b>Warranty</b>	3 Years
<b>Dimmable</b>	Dimmable
<b>Mounting type</b>	Surface
<b>LED source</b>	Epistar
<b>Material</b>	Die-cast Aluminium
<b>Accessories</b>	VBFB-800: 800mm Floodlight Extension Arm
<b>Lamp Type</b>	LED
<b>Input voltage</b>	85V-265V AC 50-60HZ
<b>Diffuser</b>	Clear
<b>Wiring method</b>	Flex & Plug
<b>Weatherproof</b>	Weatherproof
<b>Working temperature</b>	-20°C ~ 45°C



## Dimensional Drawings



*Photometric information available upon request.*



## LED RGB Flood Lights

### VBLFL-834-4-C



Vibe 30W RGB 240V LED Floodlight IP65

#### Features & Benefits

- Powder coated die-cast Aluminium construction with tempered clear glass diffuser
- Complete with remote control to allow the user to achieve various colour options
- Comes complete with 1.5M flex & plug
- Equipped with energy efficient ELITE SMD LED Chips
- Tempered front glass
- IP65 rated
- 50,000 hour lifespan
- 3 year warranty




## Specifications

<b>SKU</b>	VBLFL-834-4-C
<b>EAN</b>	9340994020853
<b>Light Colour</b>	RGB
<b>Wattage</b>	30 W
<b>IP rating</b>	65
<b>Beam Angle</b>	120 Degrees
<b>Trim colour</b>	Black
<b>Length</b>	167 mm
<b>Width</b>	40 mm
<b>Height</b>	226 mm
<b>Lifespan</b>	50000 Hours
<b>Warranty</b>	3 Years
<b>Dimmable</b>	Dimmable
<b>Mounting type</b>	Surface
<b>LED source</b>	Epistar
<b>Material</b>	Die-cast Aluminium
<b>Accessories</b>	VBFB-800: 800mm Floodlight Extension Arm
<b>Lamp Type</b>	LED
<b>Input voltage</b>	240 Volt AC 50HZ
<b>Diffuser</b>	Clear
<b>Wiring method</b>	Flex & Plug
<b>Weatherproof</b>	Weatherproof
<b>Working temperature</b>	-20°C ~ 45°C



## Dimensional Drawings



*Photometric information available upon request.*