



20W Solar Floodlight with Camera and Solar Panel

VBLFLS-CAM-20W-5K



The VIBE 20W and 30W LED Solar Floodlights feature an integrated 1080p HD camera with a resolution of 2MP. With an IP66 rating, these lights are waterproof and suitable for outdoor applications. These intelligent WI-FI monitoring solar lights can be controlled by Tuya APP with multiple function including illumination, radar mode switch, 24-hour real-time monitoring, 2-way communication, video record, incident record, video playback, multiple viewers at the same time and more.

Features & Benefits

Equipped with high quality LED SMD chips
Built-in WIFI 1080p HD camera — day & night full-color
Easy set up and control with TuyaSmart app for IOS or Android
Die cast aluminum housing with glass cover
Easy to replace high quality Lithium battery
Multifunctional and portable design for various outdoor
applications
IP66 rated & corrosion resistant
30,000 hours lifespan
2 years warranty

Specifications

SKU	VBLFLS-CAM-20W-5K
EAN	9340994029337
Light Colour	Natural White
Wattage	20
Lumen output	1160
CRI	80
Beam Angle	120
Length	258
Width	213
Height	45
Lifespan	30000
Warranty	2
Dimmable	Non-Dimmable
LED source	SMD
Lamp Type	LED
Weatherproof	Weatherproof
Working temperature	-20-45
Kelvin	5000K



Photometric information available upon request.

Comes with Remote Control. Has a 5m lead (4.5m from Panel + 500mm at base of flood.) 2MP Camera, HD 1080p quality video/image







30W Solar Floodlight with Camera and Solar Panel

VBLFLS-CAM-30W-5K



The VIBE 20W and 30W LED Solar Floodlights feature an integrated 1080p HD camera with a resolution of 2MP. With an IP66 rating, these lights are waterproof and suitable for outdoor applications. These intelligent WI-FI monitoring solar lights can be controlled by Tuya APP with multiple function including illumination, radar mode switch, 24-hour real-time monitoring, 2-way communication, video record, incident record, video playback, multiple viewers at the same time and more.

Features & Benefits

Equipped with high quality LED SMD chips
Built-in WIFI 1080p HD camera — day & night full-color
Easy set up and control with TuyaSmart app for IOS or Android
Die cast aluminum housing with glass cover
Easy to replace high quality Lithium battery
Multifunctional and portable design for various outdoor
applications
IP66 rated & corrosion resistant
30,000 hours lifespan
2 years warranty

Specifications

SKU	VBLFLS-CAM-30W-5K
Luminaire efficacy	85
EAN	9340994029344
Light Colour	Natural White
Wattage	30
Lumen output	2558
CRI	80
Beam Angle	120
Length	312
Width	270
Height	50
Lifespan	30000
Warranty	2
Dimmable	Non-Dimmable
Mounting type	Surface
LED source	SMD
Lamp Type	LED
Wiring method	Flex & Plug or Hardwire
Weatherproof	Weatherproof
Working temperature	-20-45
Kelvin	5000K



Photometric information available upon request.

Comes with Remote Control. Has a 5m lead (4.5m from Panel + 500mm at base of flood.)

