

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2001	八珍汤	Ba Zhen Tang	Angelica sinensis (Oliv.) Diels (root) [DangGui] Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Atractylodes macrocephala Koidz. (rhizome, stir-baked) [ChaoBaiZhu] Paeonia lactiflora Pall. (root without bark, stir-baked) [ChaoBaiShao] Codonopsis pilosula (Franch.) Nannfeldt [DangShen] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Ligusticum chuanxiong Hort. [ChuanXiong] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	9.0g ** 9.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 4.5g ** 3.0g **
2002	六味地黄丸	Liu Wei Di Huang Wan	Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Cornus officinalis Sieb. & Zucc. [ShanZhuYu] Dioscorea opposita Thunb. (rhizome) [ShanYao] Alisma orientale (Sam.) Juzepczuk [ZeXie] Paeonia suffruticosa Andr. [MuDanPi] Poria cocos (Schw.) Wolf (sclerotium) [FuLing]	24.0g ** 12.0g ** 12.0g ** 9.0g ** 9.0g ** 9.0g **
2003	四物汤	Si Wu Tang	Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Paeonia lactiflora Pall. (root without bark) [BaiShao] Angelica sinensis (Oliv.) Diels (root) [DangGui] Ligusticum chuanxiong Hort. [ChuanXiong]	10.0g ** 10.0g ** 10.0g ** 10.0g **
2004	桑菊饮	Sang Ju Yin	Morus alba L. (leaf) [SangYe] Prunus armeniaca L. [KuXingRen] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng] Phragmites communis Trin. (rhizome) [LuGen] Forsythia suspensa (Thunb.) Vahl [LianQiao] Chrysanthemum morifolium Ramat. [JuHua] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Mentha haplocalyx Briq. [BoHe]	7.5g ** 6.0g ** 6.0g ** 6.0g ** 5.0g ** 3.0g ** 2.5g ** 2.5g **
2005	二陈汤	Er Chen Tang	Pinellia ternata (Thunb.) Makino ex Breit. (rhizome, licorice-cured) [FaBanXia] Citrus reticulata Blanco (outer peel) [JuHong] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Prunus mume (Sieb.) Sieb. et Zucc. (smoked fruit) [WuMei] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang]	15.0g ** 15.0g ** 9.0g ** 5.0g ** 4.0g ** 3.0g **
2006	六君子汤	Liu Jun Zi Tang	Pinellia ternata (Thunb.) Makino ex Breit. (rhizome, licorice-cured) [FaBanXia] Panax ginseng C. A. Meyer [RenShen] Atractylodes macrocephala Koidz. [BaiZhu] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	12.0g ** 10.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g **



## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2011	逍遥散	Xiao Yao San	Bupleurum chinense DC. [ChaiHu] Angelica sinensis (Oliv.) Diels (root, stir-baked) [ChaoDangGui] Paeonia lactiflora Pall. (root without bark) [BaiShao] Zingiber officinale Roscoe (fresh rhizome, roasted) [WeiJiang] Atractylodes macrocephala Koidz. [BaiZhu] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Mentha haplocalyx Briq. [BoHe]	10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 5.0g ** 5.0g **
2012	十全大补汤	Shi Quan Da Bu Tang	Angelica sinensis (Oliv.) Diels (root) [DangGui] Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Codonopsis pilosula (Franch.) Nannfeldt [DangShen] Atractylodes macrocephala Koidz. (rhizome, stir-baked) [ChaoBaiZhu] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Paeonia lactiflora Pall. (root without bark, stir-baked with wine) [JiuBaiShao] Astragalus membranaceus Bunge (stir-baked with honey) [ZhiHuangQi] Ligusticum chuanxiong Hort. [ChuanXiong] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Cinnamomum cassia J. Presl (bark) [RouGui]	12.0g ** 12.0g ** 8.0g ** 8.0g ** 8.0g ** 8.0g ** 8.0g ** 4.0g ** 4.0g ** 2.0g **
2013	小柴胡汤	Xiao Chai Hu Tang	Bupleurum chinense DC. [ChaiHu] Scutellaria baicalensis Georgi [HuangQin] Pinellia ternata (Thunb.) Makino ex Breit (rhizome, Stir-baked with ginger juice) [JiangBanXia] Zingiber officinale Rosc. (fresh rhizome) [ShengJiang] Panax ginseng C. A. Mey. [RenShen] Ziziphus jujuba Mill. [DaZao] Glycyrrhiza uralensis Fisch. (stir-baked with honey) [ZhiGanCao]	12.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g ** 5.0g **
2014	五苓散	Wu Ling San	Alisma orientale (Sam.) Juzepczuk [ZeXie] Polyporus umbellatus (Pers.) Fr. [ZhuLing] Atractylodes macrocephala Koidz. [BaiZhu] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Cinnamomum cassia J. Presl (twig) [GuiZhi]	15.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g **
2015	桂枝汤	Gui Zhi Tang	Cinnamomum cassia J. Presl (twig) [GuiZhi] Paeonia lactiflora Pall. (root without bark) [BaiShao] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Ziziphus jujuba Mill. [DaZao] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	10.0g ** 10.0g ** 10.0g ** 6.0g ** 6.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2016	柴葛解肌汤	Chai Ge Jie Ji Tang	<p>Bupleurum chinense DC. [ChaiHu]  Pueraria lobata (Willd.) Ohwi [GeGen]  Zingiber officinale Roscoe (fresh rhizome) [ShengJiang]  Scutellaria baicalensis Georgi [HuangQin]  Paeonia lactiflora Pall. (root without bark) [BaiShao]  Calcium sulfate [ShiGao]  Glycyrrhiza uralensis Fisch. ex DC. [GanCao]  Ziziphus jujuba Mill. [DaZao]  Notopterygium incisum K. C. Ting ex H. T. Chang [QiangHuo]  Angelica dahurica (Fischer ex Hoffm.) Franch. et Sav. [BaiZhi]  Platycodon grandiflorum (Jacq.) A. DC. [JieGeng]</p>	<p>10.0g **  10.0g **  10.0g **  10.0g **  6.0g **  6.0g **  3.0g **  3.0g **  3.0g **  3.0g **  3.0g **  3.0g **</p>
2017	银翘散	Yin Qiao San	<p>Lonicera japonica Thunb. (flower bud) [JinYinHua]  Forsythia suspensa (Thunb.) Vahl [LianQiao]  Phragmites communis Trin. (rhizome) [LuGen]  Mentha haplocalyx Briq. [BoHe]  Arctium lappa L. [NiuBangZi]  Platycodon grandiflorum (Jacq.) A. DC. [JieGeng]  Glycine max Merr. [DanDouChi]  Glycyrrhiza uralensis Fisch. ex DC. [GanCao]  Schizonepeta tenuifolia Briq. (aerial parts) [JingJie]  Lophatherum gracile Brongn. (stem and leaf) [DanZhuYe]</p>	<p>15.0g **  15.0g **  15.0g **  9.0g **  9.0g **  9.0g **  7.5g **  7.5g **  6.0g **  6.0g **</p>
2018	藿香正气散	Huo Xiang Zheng Qi San	<p>Pogostemon cablin (Blanco) Benth. [HuoXiang]  Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]  Atractylodes macrocephala Koidz. [BaiZhu]  Pinellia ternata (Thunb.) Makino ex Breit. (fermented with flour) [BanXiaQu]  Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi]  Magnolia officinalis Rehd. et Wils. (stem, twig, and root bark, stir-baked with ginger juice) [JiangHouPo]  Platycodon grandiflorum (Jacq.) A. DC. [JieGeng]  Perilla frutescens (L.) Britt. (leaf) [ZiSuYe]  Areca catechu Linn. (pericarp) [DaFuPi]  Poria cocos (Schw.) Wolf (sclerotium) [FuLing]  Angelica dahurica (Fischer ex Hoffm.) Franch. et Sav. [BaiZhi]  Zingiber officinale Roscoe (fresh rhizome) [ShengJiang]  Ziziphus jujuba Mill. [DaZao]</p>	<p>15.0g **  12.5g **  10.0g **  10.0g **  10.0g **  10.0g **  10.0g **  5.0g **  5.0g **  5.0g **  5.0g **  3.0g **  1.5g **</p>
2019	玉屏风散	Yu Ping Feng San	<p>Astragalus membranaceus Bunge [HuangQi]  Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng]  Atractylodes macrocephala Koidz. [BaiZhu]</p>	<p>18.0g **  6.0g **  6.0g **</p>

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2021	香砂六君子汤	Xiang Sha Liu Jun Zi Tang	Pinellia ternata (Thunb.) Makino ex Breit. (rhizome, licorice-cured) [FaBanXia] Panax ginseng C. A. Meyer [RenShen] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Atractylodes macrocephala Koidz. [BaiZhu] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Saussurea costus [MuXiang] Amomum villosum Lour. [ShaRen] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	12.0g ** 10.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g ** 6.0g **
2022	加味逍遥散	Jia Wei Xiao Yao San	Bupleurum chinense DC. [ChaiHu] Angelica sinensis (Oliv.) Diels (root, stir-baked) [ChaoDangGui] Paeonia lactiflora Pall. (root without bark) [BaiShao] Atractylodes macrocephala Koidz. [BaiZhu] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Paeonia suffruticosa Andr. [MuDanPi] Gardenia jasminoides J. Ellis [ZhiZi]	12.0g ** 12.0g ** 12.0g ** 12.0g ** 12.0g ** 6.0g ** 1.0g ** 1.0g **
2023	杞菊地黄丸	Qi Ju Di Huang Wan	Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Cornus officinalis Sieb. & Zucc. [ShanZhuYu] Dioscorea oppositifolia Thunb. (rhizome) [ShanYao] Lycium barbarum Mill. (fruit) [GouQiZi] Chrysanthemum morifolium Ramat. [JuHua] Paeonia suffruticosa Andr. [MuDanPi] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Alisma orientale (Sam.) Juzepczuk [ZeXie]	24.0g ** 12.0g ** 12.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g **
2024	知柏地黄丸	Zhi Bo Di Huang Wan	Anemarrhena asphodeloides Bge. [ZhiMu] Phellodendron chinense Schneid. [HuangBo] Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Cornus officinalis Sieb. & Zucc. [ShanZhuYu] Dioscorea oppositifolia Thunb. (rhizome) [ShanYao] Paeonia suffruticosa Andr. [MuDanPi] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Alisma orientale (Sam.) Juzepczuk [ZeXie]	30.0g ** 30.0g ** 12.0g ** 6.0g ** 6.0g ** 4.5g ** 4.5g ** 4.5g **
2025	止嗽散	Zhi Sou San	Platycodon grandiflorum (Jacq.) A. DC. [JieGeng] Schizonepeta tenuifolia Briq. (aerial parts) [JingJie] Aster tataricus L.f. [ZiWan] Stemona sessilifolia (Miq.) Miq. [BaiBu] Cynanchum stauntonii (Decne.) Schltr. ex Levl. [BaiQian] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 5.0g ** 4.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2026	平胃散	Ping Wei San	Atractylodes lancea (Thunb.) DC. [CangZhu] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Magnolia officinalis Rehd. et Wils. (stem, twig, and root bark, stir-baked with ginger juice) [JiangHouPo] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked) [ChaoGanCao] Ziziphus jujuba Mill. [DaZao] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang]	15.0g ** 9.0g ** 9.0g ** 4.0g ** 3.0g ** 2.0g **
2027	荆防败毒散	Jing Fang Bai Du San	Schizonepeta tenuifolia Briq. (aerial parts) [JingJie] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Bupleurum chinense DC. [ChaiHu] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng] Ligusticum chuanxiong Hort. [ChuanXiong] Notopterygium incisum K. C. Ting ex H. T. Chang [QiangHuo] Angelica pubescens Maxim. [DuHuo] Citrus x aurantium L. (nearly mature fruit) [ZhiKe] Peucedanum praeruptorum Dunn [QianHu] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 3.0g **
2029	九味羌活汤	Jiu Wei Qiang Huo Tang	Notopterygium incisum K. C. Ting ex H. T. Chang [QiangHuo] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Atractylodes lancea (Thunb.) DC. [CangZhu] Ligusticum chuanxiong Hort. [ChuanXiong] Angelica dahurica (Fischer ex Hoffm.) Franch. et Sav. [BaiZhi] Scutellaria baicalensis Georgi [HuangQin] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Rehmannia glutinosa Liboschitz [DiHuang] Asarum heterotropoides Fr. Schmidt [XiXin]	5.0g ** 5.0g ** 5.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 1.0g **
2030	五味消毒饮	Wu Wei Xiao Du Yin	Lonicera japonica Thunb. (flower bud) [JinYinHua] Chrysanthemum indicum L. [YeJuHua] Taraxacum mongolicum Hand-Mazz. [PuGongYing] Viola yedoensis Makino [ZiHuaDiDing] Semiaquilegia adoxoides (DC.) Makino [TianKuiZi]	20.0g ** 15.0g ** 15.0g ** 15.0g ** 15.0g **
2031	四逆汤	Si Ni Tang	Aconitum carmichaelii Debeaux (prepared, black slice) [ZhiFuZi (HeiShunPian)] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Zingiber officinale Roscoe (dried rhizome) [GanJiang]	15.0g ** 15.0g ** 10.0g **
2032	生脉散	Sheng Mai San	Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Panax ginseng C. A. Meyer [RenShen] Schisandra chinensis (Turcz.) Baill. [WuWeiZi]	15.0g ** 10.0g ** 6.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2033	大柴胡汤	Da Chai Hu Tang	Bupleurum chinense DC. [ChaiHu] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Scutellaria baicalensis Georgi [HuangQin] Paeonia lactiflora Pall. (root without bark) [BaiShao] Pinellia ternata (Thunb.) Makino ex Breit. (rhizome, licorice-cured) [FaBanXia] Citrus x aurantium L. (young fruit) [ZhiShi] Ziziphus jujuba Mill. [DaZao] Rheum palmatum L. [DaHuang]	15.0g ** 15.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 7.5g ** 6.0g **
2034	小建中汤	Xiao Jian Zhong Tang	Saccharum Granorum [YiTang] Paeonia lactiflora Pall. (root without bark, stir-baked with wine) [JiuBaiShao] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Cinnamomum cassia J. Presl (twig) [GuiZhi] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Ziziphus jujuba Mill. [DaZao]	30.0g ** 18.0g ** 10.0g ** 9.0g ** 6.0g ** 6.0g **
2035	五皮饮	Wu Pi Yin	Zingiber officinale Roscoe (peel of fresh rhizome) [ShengJiangPi] Morus alba L. (root bark) [SangBaiPi] Areca catechu Linn. (pericarp) [DaFuPi] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Poria cocos (Schw.) Wolf. (outer layer of sclerotium) [FuLingPi]	10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g **
2036	杏苏散	Xing Su San	Peucedanum praeruptorum Dunn [QianHu] Prunus armeniaca L. [KuXingRen] Perilla frutescens (L.) Britt. (leaf) [ZiSuYe] Pinellia ternata (Thunb.) Makino ex Breit. (rhizome, stir-baked with ginger juice) [JiangBanXia] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng] Citrus x aurantium L. (nearly mature fruit) [ZhiKe] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Ziziphus jujuba Mill. [DaZao] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	10.0g ** 10.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 4.5g ** 3.0g **
2037	真武汤	Zhen Wu Tang	Aconitum carmichaeli Debx. (prepared, black slice) [PaoFuPian] Paeonia lactiflora Pall. (root without bark) [BaiShao] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Zingiber officinale Rosc. (fresh rhizome) [ShengJiang] Atractylodes macrocephala Koidz. [BaiZhu]	9.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g **
2038	茵陈蒿汤	Yin Chen Hao Tang	Artemisia capillaris Thunb. [YinChen] Gardenia jasminoides J. Ellis [ZhiZi] Rheum palmatum L. [DaHuang]	30.0g ** 15.0g ** 10.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2039	参苓白术散	Shen Ling Bai Zhu San	Panax ginseng C. A. Meyer [RenShen] Atractylodes macrocephala Koidz. [BaiZhu] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Dioscorea oppositifolia Thunb. (rhizome) [ShanYao] Dolichos lablab L. (seed) [BaiBianDou] Nelumbo nucifera Gaertn. (seed) [LianZi] Coix lacryma-jobi L. var. ma-yuen (Roman.) Stapf [YiYiRen] Amomum villosum Lour. [ShaRen] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng]	10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 7.5g ** 5.0g ** 5.0g ** 5.0g ** 5.0g **
2040	理中汤	Li Zhong Tang	Panax ginseng C. A. Meyer [RenShen] Atractylodes macrocephala Koidz. [BaiZhu] Zingiber officinale Roscoe (dried rhizome) [GanJiang] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	10.0g ** 10.0g ** 10.0g ** 10.0g **
2041	龙胆泻肝汤	Long Dan Xie Gan Tang	Alisma orientale (Sam.) Juzepczuk [ZeXie] Scutellaria baicalensis Georgi [HuangQin] Gardenia jasminoides J. Ellis [ZhiZi] Akebia quinata Decne. (stem) [MuTong] Plantago asiatica L. (seed) [CheQianZi] Rehmannia glutinosa Liboschitz [ShengDiHuang] Gentiana manshurica Kitag [LongDan] Angelica sinensis (Oliv.) Diels (root) [DangGui] Bupleurum chinense DC. [ChaiHu] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	12.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g **
2042	玉女煎	Yu Nü Jian	Calcium sulfate [ShiGao] Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Anemarrhena asphodeloides Bge. [ZhiMu] Achyranthes bidentata Bl. [NiuXi]	15.0g ** 9.0g ** 6.0g ** 4.5g ** 4.5g **
2043	小承气汤	Xiao Cheng Qi Tang	Rheum palmatum L. [DaHuang] Citrus x aurantium L. (young fruit) [ZhiShi] Magnolia officinalis Rehd. et Wils. (stem, twig, and root bark) [HouPo]	12.0g ** 9.0g ** 6.0g **
2044	小青龙汤	Xiao Qing Long Tang	Ephedra sinica Stapf (stem) [MaHuang] Pinellia ternata (Thunb.) Makino ex Breit. (rhizome, licorice-cured) [FaBanXia] Paeonia lactiflora Pall. (root without bark) [BaiShao] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Cinnamomum cassia J. Presl (twig) [GuiZhi] Asarum heterotropoides Fr. Schmidt [XiXin] Zingiber officinale Roscoe (dried rhizome) [GanJiang] Schisandra chinensis (Turcz.) Baill. [WuWeiZi]	9.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g ** 3.0g ** 3.0g ** 3.0g **



## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2045	桃红四物汤	Tao Hong Si Wu Tang	Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Paeonia lactiflora Pall. (root without bark) [BaiShao] Prunus persica (L.) Batsch [TaoRen] Angelica sinensis (Oliv.) Diels (root) [DangGui] Ligusticum chuanxiong Hort. [ChuanXiong] Carthamus tinctorius L. [HongHua]	15.0g ** 12.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g **
2047	黄芪桂枝五物汤	Huang Qi Gui Zhi Wu Wu Tang	Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Ziziphus jujuba Mill. [DaZao] Astragalus membranaceus Bunge [HuangQi] Paeonia lactiflora Pall. (root without bark) [BaiShao] Cinnamomum cassia J. Presl (twig) [GuiZhi]	18.0g ** 12.0g ** 9.0g ** 9.0g ** 9.0g **
2048	附子理中汤	Fu Zi Li Zhong Tang	Aconitum carmichaelii Debx. (scalded with sand) [PaoFuPian] Atractylodes macrocephala Koidz. [BaiZhu] Glycyrrhiza uralensis Fisch.ex DC. (stir-baked with honey) [ZhiGanCao] Panax ginseng C. A. Mey. [RenShen] Zingiber officinale Rosc. (dried rhizome, quick fried) [PaoJiang]	6.0g ** 6.0g ** 6.0g ** 6.0g **
2050	黄芪建中汤	Huang Qi Jian Zhong Tang	Saccharum Granorum [YiTang] Paeonia lactiflora Pall. (root without bark) [BaiShao] Cinnamomum cassia J. Presl (twig) [GuiZhi] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Astragalus membranaceus Bunge [HuangQi] Ziziphus jujuba Mill. [DaZao] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	30.0g ** 18.0g ** 9.0g ** 9.0g ** 9.0g ** 7.5g ** 6.0g **
2051	茵陈五苓散	Yin Chen Wu Ling San	Artemisia capillaris Thunb. [YinChen] Alisma orientale (Sam.) Juzepczuk [ZeXie] Polyporus umbellatus (Pers.) Fr. [ZhuLing] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Atractylodes macrocephala Koidz. [BaiZhu] Cinnamomum cassia J. Presl (twig) [GuiZhi]	10.0g ** 1.5g ** 1.0g ** 1.0g ** 1.0g ** 1.0g **
2053	川芎茶调散	Chuan Xiong Cha Tiao San	Ligusticum chuanxiong Hort. [ChuanXiong] Schizonepeta tenuifolia Briq. (aerial parts) [JingJie] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Notopterygium incisum K. C. Ting ex H. T. Chang [QiangHuo] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Angelica dahurica (Fischer ex Hoffm.) Franch. et Sav. [BaiZhi] Mentha haplocalyx Briq. [BoHe] Asarum heterotropoides Fr. Schmidt [XiXin]	12.0g ** 12.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 3.0g ** 3.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2055	右归丸	You Gui Wan	Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Dioscorea oppositifolia Thunb. (rhizome) [ShanYao] Lycium barbarum L. (fruit) [GouQiZi] Cuscuta chinensis Lam. [TuSiZi] Eucommia ulmoides Oliver [DuZhong] Antler glue [LuJiaoJiao] Cornus officinalis Sieb. & Zucc. [ShanZhuYu] Angelica sinensis (Oliv.) Diels (root) [DangGui] Aconitum carmichaelii Debeaux (prepared, black slice) [ShuFuZi (HeiShunPian)] Cinnamomum cassia J. Presl (bark) [RouGui]	20.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 7.5g ** 7.5g ** 5.0g ** 5.0g **
2056	四妙散	Si Miao San	Angelica sinensis (Oliv.) Diels (root) [DangGui] Atractylodes macrocephala Koidz. (rhizome, stir-baked) [ChaoBaiZhu] Ligusticum chuanxiong Hort. [ChuanXiong] Scutellaria baicalensis Georgi [HuangQin]	6.0g ** 3.0g ** 3.0g ** 3.0g **
2057	血府逐瘀汤	Xue Fu Zhu Yu Tang	Prunus persica (L.) Batsch [TaoRen] Carthamus tinctorius L. [HongHua] Angelica sinensis (Oliv.) Diels (root) [DangGui] Rehmannia glutinosa Liboschitz [ShengDiHuang] Cyathula officinalis Kuan. [ChuanNiuXi] Ligusticum chuanxiong Hort. [ChuanXiong] Paeonia lactiflora Pall. (root with bark) [ChiShao] Citrus x aurantium L. (nearly mature fruit) [ZhiKe] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Bupleurum chinense DC. [ChaiHu]	12.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 6.0g ** 6.0g ** 6.0g ** 5.0g ** 3.0g ** 3.0g **
2058	防己黄芪汤	Fang Ji Huang Qi Tang	Astragalus membranaceus Bunge [HuangQi] Stephania tetrandra S. Moore [FangJi] Atractylodes macrocephala Koidz. [BaiZhu] Ziziphus jujuba Mill. [DaZao] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang]	15.0g ** 12.0g ** 10.0g ** 7.5g ** 5.0g ** 5.0g **
2059	柴胡疏肝汤	Chai Hu Shu Gan Tang	Bupleurum chinense DC. [ChaiHu] Citrus reticulata Blanco (dried rind of mature fruit, stir-baked with vinegar) [CuChenPi] Ligusticum chuanxiong Hort. [ChuanXiong] Paeonia lactiflora Pall. (root without bark) [BaiShao] Citrus x aurantium L. (nearly mature fruit, stir-baked with bran) [FuChaoZhiKe] Cyperus rotundus L. (rhizome) [XiangFu] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	6.0g ** 6.0g ** 4.5g ** 4.5g ** 4.5g ** 4.5g ** 1.5g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2061	左归丸	Zuo Gui Wan	Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Dioscorea oppositifolia Thunb. (rhizome, stir-baked with bran) [ChaoShanYao] Lycium barbarum L. (fruit) [GouQiZi] Cuscuta chinensis Lam. (stir-baked with salt) [YanTuSiZi] Cornus officinalis Sieb. & Zucc. [ShanZhuYu] Antler glue (stir-baked) [ChaoLuJiaoJiao] Tortoise carapace and plastron glue (stir-baked) [ChaoGuiJiaJiao] Cyathula officinalis Kuan. (stir-baked with wine) [JiuChuanNiuXi]	12.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 4.5g **
2062	人参养荣汤	Ren Shen Yang Rong Tang	Paeonia lactiflora Pall. (root without bark) [BaiShao] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Panax ginseng C. A. Meyer [RenShen] Atractylodes macrocephala Koidz. [BaiZhu] Astragalus membranaceus Bunge [HuangQi] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Cinnamomum cassia J. Presl (bark) [RouGui] Angelica sinensis (Oliv.) Diels (root) [DangGui] Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Schisandra chinensis (Turcz.) Baill. [WuWeiZi] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Ziziphus jujuba Mill. [DaZao] Polygala tenuifolia Willd. [YuanZhi]	7.5g ** 5.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 2.0g **
2063	大承气汤	Da Cheng Qi Tang	Magnolia officinalis Rehd. et Wils. (stem, twig, and root bark) [HouPo] Rheum palmatum L. [DaHuang] Citrus x aurantium L. (young fruit) [ZhiShi] Mirabilitum [MangXiao]	15.0g ** 12.0g ** 12.0g ** 12.0g **
2064	半夏泻心汤	Ban Xia Xie Xin Tang	Pinellia ternata (Thunb.) Makino ex Breit. (rhizome, stir-baked with ginger juice) [JiangBanXia] Scutellaria baicalensis Georgi [HuangQin] Zingiber officinale Roscoe (dried rhizome) [GanJiang] Ziziphus jujuba Mill. [DaZao] Panax ginseng C. A. Meyer [RenShen] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Coptis chinensis Franch. [HuangLian]	12.0g ** 9.0g ** 9.0g ** 7.5g ** 6.0g ** 6.0g ** 3.0g **
2065	四逆散	Si Ni San	Bupleurum chinense DC. [ChaiHu] Paeonia lactiflora Pall. (root without bark) [BaiShao] Citrus x aurantium L. (young fruit) [ZhiShi] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	6.0g ** 6.0g ** 6.0g ** 6.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2066	羌活胜湿汤	Qiang Huo Sheng Shi Tang	<p>Notopterygium incisum K. C. Ting ex H. T. Chang [QiangHuo]  Angelica pubescens Maxim. [DuHuo]  Ligusticum sinense Oliv. [GaoBen]  Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng]  Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]  Ligusticum chuanxiong Hort. [ChuanXiong]  Vitex trifolia L. [ManJingZi]</p>	<p>6.0g **  6.0g **  3.0g **  3.0g **  3.0g **  3.0g **  2.0g **</p>
2067	普济消毒饮	Pu Ji Xiao Du Yin	<p>Scutellaria baicalensis Georgi [HuangQin]  Coptis chinensis Franch. (rhizome) [HuangLian]  Citrus reticulata Blanco [ChenPi]  Glycyrrhiza uralensis Fisch. [GanCao]  Scrophularia ningpoensis Hemsl. [XuanShen]  Forsythia suspensa (Thunb). Vahl [LianQiao]  Isatis indigotica Fort. [BanLanGen]  Lasiosphaera fenzlii Reich. [MaBo]  Arctium lappa L. [NiuBangZi]  Mentha haplocalyr Briq. [BoHe]  Bombyx mori Linnaeus [JiangCan]  Cimicifuga heracleifolia Kom. (rhizome) [ShenMa]  Bupleurum chinense DC. [ChaiHu]  Platycodon grandiflorum (Jacq.) A.DC.[JieGeng]</p>	<p>15.0g **  15.0g **  6.0g **  6.0g **  6.0g **  3.0g **  3.0g **  3.0g **  3.0g **  3.0g **  1.9g **  1.9g **  6.0g **  6.0g **</p>
2068	补阳还五汤	Bu Yang Huan Wu Tang	<p>Astragalus membranaceus Bunge [HuangQi]  Angelica sinensis (Oliv.) Diels (root) [DangGuiWei]  Paeonia lactiflora Pall. (root with bark) [ChiShao]  Earthworm [DiLong]  Ligusticum chuanxiong Hort. [ChuanXiong]  Carthamus tinctorius L. [HongHua]  Prunus persica (L.) Batsch [TaoRen]</p>	<p>40.0g **  7.0g **  7.0g **  4.0g **  4.0g **  4.0g **  4.0g **</p>
2069	蠲痹汤	Juan Bi Tang	<p>Notopterygium incisum K. C. Ting ex H. T. Chang [QiangHuo]  Curcuma longa L. (rhizome) [JiangHuang]  Angelica sinensis (Oliv.) Diels (root) [DangGui]  Astragalus membranaceus Bunge (stir-baked with honey) [ZhiHuangQi]  Paeonia lactiflora Pall. (root with bark) [ChiShao]  Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng]  Glycyrrhiza uralensis Fisch. ex DC.(stir-baked with honey) [ZhiGanCao]  Zingiber officinale Roscoe (fresh rhizome) [ShengJiang]</p>	<p>9.0g **  9.0g **  9.0g **  9.0g **  9.0g **  9.0g **  3.0g **  3.0g **</p>
2070	升麻葛根汤	Sheng Ma Ge Gen Tang	<p>Paeonia lactiflora Pall. (root without bark) [BaiShao]  Pueraria lobata (Willd.) Ohwi [GeGen]  Cimicifuga heracleifolia Kom. [ShengMa]  Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]</p>	<p>6.0g **  3.0g **  3.0g **  3.0g **</p>

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2072	白头翁汤	Bai Tou Weng Tang	Pulsatilla chinensis (Bge.) Regel [BaiTouWeng] Phellodendron chinense Schneid.(stem bark) [Huangbo] Coptis chinensis Franch(rhizome) [HuangLian] Fraxinus rhynchophylla Hance(bark) [QinPi]	15.0g ** 12.0g ** 6.0g ** 12.0g **
2073	百合固金汤	Bai He Gu Jin Tang	Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Rehmannia glutinosa Liboschitz [ShengDiHuang] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Fritillaria cirrhosa D. Don. [ChuanBeiMu] Lilium brownii F. E. Br. [BaiHe] Angelica sinensis (Oliv.) Diels (root) [DangGui] Paeonia lactiflora Pall. (root without bark, stir-baked) [ChaoBaiShao] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Scrophularia ningpoensis Hemsl. [XuanShen] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng]	9.0g ** 6.0g ** 5.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g **
2074	保和丸	Bao He Wan	Crataegus pinnatifida Bge. [ShanZha] Pinellia ternata (Thunb.) Makino ex Briet. (rhizome, stir-baked with ginger juice) [JiangBanXia] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Medicated Leaven [ShenQu] Raphanus sativus Linn. (seed) [LaiFuZi] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Forsythia suspensa (Thunb.) Vahl [LianQiao]	18.0g ** 9.0g ** 9.0g ** 6.0g ** 3.0g ** 3.0g ** 3.0g **
2075	柴胡桂枝汤	Chai Hu Gui Zhi Tang	Bupleurum chinense DC. [ChaiHu] Ziziphus jujuba Mill.(fruit) [DaZao] Cinnamomum cassia Presl(twig). [GuiZhi] Scutellaria baicalensis Georgi [HuangQin] Panax ginseng C. A. Meyer [RenShen] Paeonia lactiflora Pall.(root) [BaiShao] Zingiber officinale Rosc.(fresh rhizome) [ShengJiang] Pinellia ternata (Thunb.)Makino ex Briet. (rhizome,processed with ginger) [JiangBanXia] Glycyrrhiza uralensis Fisch.ex DC. (stir-baked with honey) [ZhiGanCao]	12.0g ** 9.0g ** 4.9g ** 4.9g ** 4.9g ** 4.9g ** 4.9g ** 4.5g ** 3.0g **
2076	桃仁承气汤	Tao Ren Cheng Qi Tang	Prunus persica (L.) Batsch [TaoRen] Rheum palmatum L. [DaHuang] Mirabilitum [MangXiao] Cinnamomum cassia J. Presl (twig) [GuiZhi] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	15.0g ** 10.0g ** 10.0g ** 6.0g ** 6.0g **





## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2090	桂枝加芍药汤	Gui Zhi Jia Shao Yao Tang	Paeonia lactiflora Pall. (root without bark) [BaiShao] Cinnamomum cassia J. Presl (twig) [GuiZhi] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Ziziphus jujuba Mill. [DaZao] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	18.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g **
2093	酸枣仁汤	Suan Zao Ren Tang	Ziziphus jujuba var. spinosa Hu [SuanZaoRen] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Anemarrhena asphodeloides Bge. [ZhiMu] Ligusticum chuanxiong Hort. [ChuanXiong] Glycyrrhiza uralensis Fisch. ex DC [GanCao]	15.0g ** 12.0g ** 6.0g ** 6.0g ** 3.0g **
2095	调胃承气汤	Tiao Wei Cheng Qi Tang	Rheum palmatum L. [DaHuang] Mirabilitum [MangXiao] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	12.0g ** 12.0g ** 6.0g **
2096	大建中汤	Da Jian Zhong Tang	Saccharum Granorum [YiTang] Zingiber officinale Roscoe (dried rhizome) [GanJiang] Zanthoxylum schinifolium Siebold & Zucc. [HuaJiao] Panax ginseng C. A. Meyer [RenShen]	30.0g ** 12.0g ** 6.0g ** 6.0g **
2097	木香槟榔丸	Mu Xiang Bin Lang Wan	Cyperus rotundus L. (rhizome, stir-baked) [ChaoXiangFu] Ipomoea purpurea (L.) Roth [QianNiuZi] Phellodendron chinense Schneid. [HuangBo] Rheum palmatum L. [DaHuang] Saussurea costus [MuXiang] Areca catechu Linn. (seed) [BinLang] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Citrus reticulata Blanco (dried rind of green fruit) [QingPi] Curcuma phaeocaulis Valetton (rhizome) [EZhu] Coptis chinensis Franch. (stir-baked) [ChaoHuangLian]	12.0g ** 12.0g ** 9.0g ** 9.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g **
2098	甘麦大枣汤	Gan Mai Da Zao Tang	Triticum aestivum L. [XiaoMai] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Ziziphus jujuba Mill. [DaZao]	30.0g ** 9.0g ** 7.5g **
2099	白虎汤	Bai Hu Tang	Calcium sulfate [ShiGao] Oryza sativa Linn. (seed) [JingMi] Anemarrhena asphodeloides Bge. [ZhiMu] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	30.0g ** 15.0g ** 12.0g ** 6.0g **



## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2101	身痛逐淤汤	Shen Tong Zhu Yu Tang	Achyranthes bidentata Bl. [NiuXi]	9.0g **
			Angelica sinensis (Oliv.) Diels (root) [DangGui]	9.0g **
			Carthamus tinctorius L. [HongHua]	9.0g **
			Prunus persica (L.) Batsch [TaoRen]	9.0g **
			Flying squirrel feces (stir-baked with wine) [ChaoWuLingZhi]	6.0g **
			Glycyrrhiza uralensis Fisch. [GanCao]	6.0g **
			Ligusticum chuanxiong Hort. [ChuanXiong]	6.0g **
			Myrrha [MoYao]	6.0g **
			Earthworm [DiLong]	6.0g **
			Cyperus rotundus L. (rhizome) [XiangFu]	3.0g **
			Gentiana macrophylla Pall. (rhizome) [QinJiao]	3.0g **
Notopterygium incisum Ting ex H.T. Chang [QiangHuo]	3.0g **			
2103	炙甘草汤	Zhi Gan Cao Tang	Ziziphus jujuba Mill. [DaZao]	22.5g **
			Rehmannia glutinosa Liboschitz [ShengDiHuang]	9.0g **
			Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	6.0g **
			Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong]	5.0g **
			Cannabis sativa Linn. [HuoMaRen]	5.0g **
			Cinnamomum cassia J. Presl (twig) [GuiZhi]	4.5g **
			Zingiber officinale Roscoe (fresh rhizome) [ShengJiang]	4.5g **
			Gelatin [EJiao]	3.0g **
Panax ginseng C. A. Meyer [RenShen]	3.0g **			
2104	苓桂朮甘汤	Ling Gui Zhu Gan Tang	Poria cocos (Schw.) Wolf (sclerotium) [FuLing]	15.0g **
			Cinnamomum cassia J. Presl (twig) [GuiZhi]	10.0g **
			Atractylodes macrocephala Koidz. [BaiZhu]	10.0g **
			Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	5.0g **
2106	桂枝加葛根汤	Gui Zhi Jia Ge Gen Tang	Pueraria lobata(Willd.) Ohwi. [GeGen]	12.0g **
			Ephedra sinica Stapf(stem) [MaHuang]	6.0g **
			Zingiber officinale Rosc.(fresh rhizome). [ShengJiang]	9.0g **
			Cinnamomum cassia Presl(twig) [GuiZhi]	6.0g **
			Paeonia lactiflora Pall.(root) [BaiShao]	6.0g **
			Glycyrrhiza uralensis Fisch.ex DC.(stir-baked with honey) [ZhiGanCao]	6.0g **
Ziziphus jujuba Mill.(fruit) [DaZao]	6.0g **			

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2108	消风散	Xiao Feng San	Schizonepeta tenuifolia Briq. (aerial parts) [JingJie] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Cryptotympana atrata Fabricius [ChanTui] Arctium lappa L. [NiuBangZi] Atractylodes lancea (Thunb.) DC. [CangZhu] Sophora flavescens Ait. [KuShen] Linum usitatissimum L. [YaMaZi] Calcium sulfate [ShiGao] Anemarrhena asphodeloides Bge. [ZhiMu] Rehmannia glutinosa Liboschitz [ShengDiHuang] Angelica sinensis (Oliv.) Diels (root) [DangGui] Akebia quinata Decne. (stem) [MuTong] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 1.5g ** 1.5g **
2109	荆芥连翘汤	Jing Jie Lian Qiao Tang	Schizonepeta tenuifolia Briq. (aerial parts) [JingJie] Forsythia suspensa (Thunb.) Vahl [LianQiao] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Angelica sinensis (Oliv.) Diels (root) [DangGui] Ligusticum chuanxiong Hort. [ChuanXiong] Paeonia lactiflora Pall. (root without bark) [BaiShao] Bupleurum chinense DC. [ChaiHu] Citrus x aurantium L. (nearly mature fruit) [ZhiKe] Scutellaria baicalensis Georgi [HuangQin] Gardenia jasminoides J. Ellis [ZhiZi] Angelica dahurica (Fischer ex Hoffm.) Franch. et Sav. [BaiZhi] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	2.5g ** 2.5g ** 2.5g ** 2.5g ** 2.5g ** 2.5g ** 2.5g ** 2.5g ** 2.5g ** 2.5g ** 2.5g ** 2.0g **
2110	温胆汤	Wen Dan Tang	Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Pinellia ternata (Thunb.) Makino ex Briet. (rhizome, stir-baked with ginger juice) [JiangBanXia] Phyllostachys nigra (Lodd.) Munro (inner stem) [ZhuRu] Citrus x aurantium L. (young fruit, stir-baked with bran) [FuChaoZhiShi] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Ziziphus jujuba Mill. [DaZao]	9.0g ** 6.0g ** 6.0g ** 6.0g ** 5.0g ** 5.0g ** 3.0g ** 1.5g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2111	膈下逐瘀汤	Ge Xia Zhu Yu Tang	Prunus persica (L.) Batsch / Prunus davidiana (Carr.) Franch. [TaoRen] Angelica sinensis (Oliv.)Diels (root) [DangGui] Carthamus tinctorius L. [HongHua] Glycyrrhiza uralensis Fisch. [GanCao] Paeonia lactiflora Pall. (root with bark) [ChiShao] Lindera aggregata (Sims) Kosterm. [WuYao] Ligusticum chuanxiong Hort. [ChuanXiong] Paeonia suffruticosa Andr. [MuDanPi] Faeces Trogopteroni [WuLingZhi] Cyperus rotundus L. (rhizome) [XiangFu] Citrus aurantium L. (nearly mature fruit) [ZhiKe] Corydalis yanhusuo W. T. Wang [YanHuSuo]	9.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 4.5g ** 4.5g ** 3.0g **
2112	苍耳散	Cang Er San	Angelica dahurica (Fischer ex Hoffm.) Franch. et Sav. [BaiZhi] Magnolia biondii Pamp. [XinYi] Xanthium sibiricum Patrín ex Widder (fruit, stir-baked) [ChaoCangErZi] Mentha haplocalyx Briq. [BoHe]	20.0g ** 15.0g ** 10.0g ** 3.0g **
2114	吴茱萸汤	Wu Zhu Yu Tang	Ziziphus jujuba Mill. [DaZao] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Evodia rutaecarpa (Juss.) Benth. [WuZhuYu] Panax ginseng C. A. Meyer [RenShen]	18.0g ** 8.0g ** 6.0g ** 4.0g **
2115	沙参麦冬汤	Sha Shen Mai Dong Tang	Adenophora tetraphylla (Thunb.) Fisch. [NanShaShen] Polygonatum odoratum (Mill.) Druce [YuZhu] Dolichos lablab L. (seed) [BaiBianDou] Trichosanthes kirilowii Maxim. (root) [TianHuaFen] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Morus alba L. (leaf) [SangYe] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 6.0g ** 5.0g **
2116	芍药甘草汤	Shao Yao Gan Cao Tang	Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Paeonia lactiflora Pall.(root) [BaiShao]	12.5g ** 12.5g **
2119	益胃汤	Yi Wei Tang	Glehnia littoralis Fr. Schmidt ex Miq. [ShaShen] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Rock sugar [BingTang] Rehmannia glutinosa Libosch. [ShengDiHuang] Polygonatum odoratum (Mill.) Druce (rhizome, stir-baked) [ChaoYuZhu]	11.0g ** 19.0g ** 4.0g ** 19.0g ** 6.0g **
2120	当归六黄汤	Dang Gui Liu Huang Tang	Astragalus membranaceus Bunge [HuangQi] Angelica sinensis (Oliv.) Diels (root) [DangGui] Rehmannia glutinosa Liboschitz [ShengDiHuang] Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Coptis chinensis Franch. [HuangLian] Scutellaria baicalensis Georgi [HuangQin] Phellodendron chinense Schneid. [HuangBo]	18.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2121	槐花散	Huai Hua San	Sophora japonica L. (flower, stir-baked) [ChaoHuaiHua] Platycladus orientalis (L.) Franco (leaf and branch tip, stir-baked) [ChaoCeBaiYe] Schizonepeta tenuifolia Briq. (spike, stir-baked) [ChaoJingJieSui] Citrus x aurantium L. (nearly mature fruit, stir-baked) [ChaoZhiKe]	20.0g ** 15.0g ** 10.0g ** 10.0g **
2122	润肠丸	Run Chang Wan	Cannabis sativa Linn. [HuoMaRen] Prunus persica (L.) Batsch [TaoRen] Rheum palmatum L. [DaHuang] Angelica sinensis (Oliv.) Diels (lower part) [DangGuiWei] Notopterygium incisum K. C. Ting ex H. T. Chang [QiangHuo]	12.5g ** 10.0g ** 5.0g ** 5.0g ** 5.0g **
2125	归脾汤	Gui Pi Tang	Atractylodes macrocephala Koidz. [BaiZhu] Dimocarpus longan Lour. [LongYanRou] Poria cocos (Schw.) Wolf. (sclerotium with pine root) [FuShen] Ziziphus jujuba var. spinosa Hu (stir-baked) [ChaoSuanZaoRen] Astragalus membranaceus Bunge [HuangQi] Ziziphus jujuba Mill. [DaZao] Panax ginseng C. A. Meyer [RenShen] Saussurea costus [MuXiang] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Polygala tenuifolia Willd. (stir-baked with honey) [ZhiYuanZhi] Angelica sinensis (Oliv.) Diels (root) [DangGui]	15.0g ** 15.0g ** 15.0g ** 15.0g ** 15.0g ** 10.0g ** 7.5g ** 7.5g ** 5.0g ** 4.0g ** 1.5g ** 1.5g **
2126	一贯煎	Yi Guan Jian	Rehmannia glutinosa Liboschitz [ShengDiHuang] Lycium barbarum Mill. (fruit) [GouQiZi] Glehnia littoralis F. Schmidt ex Miq. [BeiShaShen] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Angelica sinensis (Oliv.) Diels (root) [DangGuiShen] Melia toosendan Sieb. & Zucc. (fruit) [ChuanLianZi]	30.0g ** 12.0g ** 10.0g ** 10.0g ** 10.0g ** 5.0g **
2127	桂枝芍药知母汤	Gui Zhi Shao Yao Zhi Mu Tang	Cinnamomum cassia Presl(twig) [GuiZhi] Paeonia lactiflora Pall.(root) [BaiShao] Glycyrrhiza uralensis Fisch.ex DC. [GanCao] Ephedra sinica Stapf(stem) [MaHuang] Zingiber officinale Rosc.(fresh rhizome) [ShengJiang] Atractylodes macrocephala Koidz.(rhizome) [BaiZhu] Anemarrhena asphodeloides Bge. (rhizome) [ZhiMu] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Aconitum carmichaeli Debx. (processed lateral root) [PaoFuPian]	12.0g ** 9.0g ** 6.0g ** 10.1g ** 15.0g ** 15.0g ** 12.0g ** 12.0g ** 10.1g **
2130	黄连阿胶汤	Huang Lian E Jiao Tang	Coptis chinensis Franch. [HuangLian] Equus asinus L. [EJiao] Scutellaria baicalensis Georgi [HuangQin] Paeonia lactiflora Pall. (root without bark) [BaiShao]	12.0g ** 9.0g ** 6.0g ** 6.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2131	葛根黄芩黄连汤	Ge Gen Huang Qin Huang Lian Tang	Pueraria lobata (Willd.) Ohwi [GeGen] Scutellaria baicalensis Georgi [HuangQin] Coptis chinensis Franch. [HuangLian] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	15.0g ** 9.0g ** 9.0g ** 6.0g **
2132	苏子降气汤	Su Zi Jiang Qi Tang	Perilla frutescens (L.) Britt. (fruit) [ZiSuZi] Pinellia ternata (Thunb.) Makino ex Briet. (rhizome, stir-baked with ginger juice) [JiangBanXia] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Cinnamomum cassia J. Presl (bark) [RouGui] Peucedanum praeruptorum Dunn [QianHu] Magnolia officinalis Rehd. et Wils. (stem, twig, and root bark) [HouPo] Angelica sinensis (Oliv.) Diels (root) [DangGui] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Ziziphus jujuba Mill. [DaZao] Perilla frutescens (L.) Britt. (leaf) [ZiSuYe]	15.0g ** 15.0g ** 12.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g ** 6.0g ** 2.0g ** 1.5g ** 1.0g **
2134	六一散	Liu Yi San	Magnesium silicate (hydrated) [HuaShi] Glycyrrhiza uralensis Fisch.ex DC. [GanCao]	18.0g ** 3.0g **
2135	金锁固精丸	Jin Suo Gu Jing Wan	Astragali Complanati Semen Praeparatum (stir-fried) [ChaoShaYuanZi] Euryales Semen [QianShi] Nelumbinis Stamen [LianXu] Fossilia Ossid Mastodi Praeparatum [DuanLongGu] Ostreae Concha Praeparatum [DuanMuLi] Nelumbinis Semen [LianZi]	15.9g ** 15.9g ** 1.5g ** 8.1g ** 8.1g ** 8.1g **
2136	香苏散	Xiang Su San	Cyperus rotundus L. (rhizome, stir-baked) [ChaoXiangFu] Perilla frutescens (L.) Britt. (leaf) [ZiSuYe] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	12.0g ** 12.0g ** 6.0g ** 3.0g **
2137	辛夷清肺汤	Xin Yi Qing Fei Tang	Eriobotrya japonica (Thunb.) Lindl.(leave) [PiPaYe] Calcium sulfate (hydrated) Gypsum Fibrosum [ShiGao] Anemarrhena asphodeloides Bge. (rhizome) [ZhiMu] Gardenia jasminoides Ellis(fruit) [ZhiZi] Scutellaria baicalensis Georgi [HuangQin] Lilium brownii F. E. Brown var. viridulum Baker [BaiHe] Ophiopogon japonicus (L. f) Ker-Gawl.(root tuber) [MaiDong] Magnolia biondii Pamp.(flower bud) [XinYi] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Cimicifuga heracleifolia Kom.(rhizome) [ShengMa]	4.2g ** 2.8g ** 2.8g ** 2.8g ** 2.8g ** 2.8g ** 2.8g ** 1.7g ** 1.4g ** 0.8g **
2140	黄连解毒汤	Huang Lian Jie Du Tang	Gardenia jasminoides J. Ellis [ZhiZi] Coptis chinensis Franch. [HuangLian] Scutellaria baicalensis Georgi [HuangQin] Phellodendron chinense Schneid. [HuangBo]	9.0g ** 9.0g ** 6.0g ** 6.0g **

Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2141	萹薹分清饮	Bi Xie Fen Qing Yin	Dioscorea hypoglauca Palib. [MianBiXie] Acorus gramineus Soland. [ShiChangPu] Lindera aggregata (Sims) Kosterm. [WuYao] Alpinia oxyphylla Miq. [YiZhiRen]	10.0g ** 10.0g ** 10.0g ** 10.0g **
2142	当归芍药散	Dang Gui Shao Yao San	Paeonia lactiflora Pall. (root without bark) [BaiShao] Alisma orientale (Sam.) Juzepczuk [ZeXie] Ligusticum chuanxiong Hort. [ChuanXiong] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Atractylodes macrocephala Koidz. [BaiZhu] Angelica sinensis (Oliv.) Diels (root) [DangGui]	20.0g ** 10.0g ** 10.0g ** 8.0g ** 8.0g ** 6.0g **
2143	调经丸	Tiao Jing Wan	Cyperus rotundus L. (rhizome) [XiangFu] Atractylodes macrocephala Koidz. [BaiZhu] Ligusticum chuanxiong Hort. [ChuanXiong] Citrus x aurantium L. (nearly mature fruit) [ZhiKe] Foeniculum vulgare Mill. [XiaoHuiXiang] Rehmannia glutinosa Liboschitz (prepared) [ShuDihuang] Angelica sinensis (Oliv.) Diels (root) [DangGui] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Angelica dahurica (Fischer ex Hoffm.) Franch. et Sav. [BaiZhi] Achyranthes bidentata Bl. [NiuXi] Sparganium stoloniferum Buch.-Ham. [SanLing] Curcuma phaeocaulis Valetton (rhizome, stir-baked with vinegar) [CuEZhu] Corydalis yanhusuo W. T. Wang [YanHuSuo] Mesona chinensis Benth. [LiangFenCao]	6.0g ** 4.5g ** 4.5g ** 4.5g ** 4.5g ** 4.5g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 1.5g **
2146	人参败毒散	Ren Shen Bai Du San	Bupleurum chinense DC. [ChaiHu] Peucedanum praeruptorum Dunn [QianHu] Ligusticum chuanxiong Hort. [ChuanXiong] Citrus x aurantium L. (nearly mature fruit, stir-baked with bran) [FuChaoZhiKe] Notopterygium incisum K. C. Ting ex H. T. Chang [QiangHuo] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Angelica pubescens Maxim. [DuHuo] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng] Panax ginseng C. A. Meyer [RenShen] Glycyrrhiza uralensis Fisch. ex DC. (prepared) [LanGanCao] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Mentha haplocalyx Briq. [BoHe]	9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 3.0g ** 3.0g **
2147	三黄泻心汤	San Huang Xie Xin Tang	Rheum palmatum L. [DaHuang] Coptis chinensis Franch. [HuangLian] Scutellaria baicalensis Georgi [HuangQin]	15.0g ** 7.5g ** 7.5g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2150	白虎加人参汤	Bai Hu Jia Ren Shen Tang	Calcium sulfate [ShiGao] Anemarrhena asphodeloides Bge. [ZhiMu] Panax ginseng C. A. Meyer [RenShen] Oryza sativa Linn. (seed) [JingMi] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	30.0g ** 15.0g ** 10.0g ** 10.0g ** 6.0g **
2151	完带汤	Wan Dai Tang	Atractylodes macrocephala Koidz. (rhizome, stir-baked with oven earth) [TuBaiZhu] Dioscorea oppositifolia Thunb. (rhizome, stir-baked) [ChaoShanYao] Paeonia lactiflora Pall. (root without bark, stir-baked) [ChaoBaiShao] Plantago asiatica L. (seed, stir-baked with wine) [JiuCheQianZi] Atractylodes lancea (Thunb.) DC. [CangZhu] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Panax ginseng C. A. Meyer [RenShen] Bupleurum chinense DC. [ChaiHu] Schizonepeta tenuifolia Briq. (spike) [JingJieSui] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi]	30.0g ** 30.0g ** 15.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g ** 2.0g ** 1.5g ** 1.5g **
2153	芎归胶艾汤	Xiong Gui Jiao Ai Tang	Rehmannia glutinosa Libosch. [ShengDiHuang] Paeonia lactiflora Pall. [BaiShao] Angelica sinensis (Oliv.) Diels. [DangGui] Equus asinus L. [Ejiao] Artemisia argyi Levl. et Vant. [AiYe] Ligusticum chuangxiong Hort. [ChuanXiong] Glycyrrhiza uralensis Fisch. [GanCao]	18g ** 12g ** 9g ** 9g ** 9g ** 6g ** 6g **
2160	八正散	Ba Zheng San	Dianthus superbus L. [QuMai] Plantago asiatica L. (seed) [CheQianZi] Polygonum aviculare L. [BianXu] Rheum palmatum L. (root and rhizome, roasted) [WeiDaHuang] Magnesium silicate (hydrated) [HuaShi] Akebia quinata Decne. (stem) [MuTong] Gardenia jasminoides J. Ellis [ZhiZi] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Juncus effusus L. [DengXinCao]	10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 10.0g ** 2.0g **
2161	大黄牡丹皮汤	Da Huang Mu Dan Pi Tang	Benincasa hispida (Thunb.) Cogn. (seed) [DongGuaZi] Rheum palmatum L. [DaHuang] Paeonia suffruticosa Andr. [MuDanPi] Prunus persica (L.) Batsch [TaoRen] Mirabilium [MangXiao]	30.0g ** 15.0g ** 10.0g ** 10.0g ** 10.0g **
2163	小陷胸汤	Xiao Xian Xiong Tang	Coptidis Rhizoma [HuangLian] Pinelliae Rhizoma Praeparatum [FaBanXia] Trichosanthis Fructus [GuaLou]	4.8g ** 9.6g ** 24g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2166	四神丸	Si Shen Wan	Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Ziziphus jujuba Mill. [DaZao] Psoralea corylifolia L. [BuGuZhi] Myristica fragrans Houtt. [RouDouKou] Schisandra chinensis (Turcz.) Baill. [WuWeiZi] Evodia rutaecarpa (Juss.) Benth. [WuZhuYu]	40.0g ** 25.0g ** 20.0g ** 10.0g ** 10.0g ** 5.0g **
2168	桂枝加厚朴杏子汤	Gui Zhi Jia Hou Po Xing Zi Tang	Prunus armeniaca L. [KuXingRen] Cinnamomum cassia J. Presl (twig) [GuiZhi] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Paeonia lactiflora Pall. (root without bark) [BaiShao] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Ziziphus jujuba Mill. [DaZao] Magnolia officinalis Rehd.et Wils. (stem, twig, and root bark) [HouPo]	10.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g ** 6.0g **
2169	桂枝加龙骨牡蛎汤	Gui Zhi Jia Long Gu Mu Li Tang	Cinnamomum cassia J. Presl (twig) [GuiZhi] Oyster Shell [MuLi] Os Draconis [LongGu] Paeonia lactiflora Pall. (root without bark) [BaiShao] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Ziziphus jujuba Mill. [DaZao]	9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g ** 2.0g **
2170	三子养亲汤	San Zi Yang Qin Tang	Perilla frutescens (L.) Britt. (fruit) [ZiSuZi] Raphanus sativus L. [LaiFuZi] Sinapis alba L. [BaiJieZi]	9.0g ** 9.0g ** 4.5g **
2172	清肺汤	Qing Fei Tang	Astragalus membranaceus Bunge [HuangQi] Alisma orientale (Sam.) Juzepczuk [ZeXie] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Atractylodes lancea (Thunb.) DC. [CangZhu] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Angelica sinensis (Oliv.) Diels (root) [DangGuiShen] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Schisandra chinensis (Turcz.) Baill. [WuWeiZi] Phellodendron chinense Schneid. [HuangBo] Citrus reticulata Blanco (dried rind of green fruit) [QingPi]	12.0g ** 6.0g ** 4.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 2.0g ** 1.5g **
2173	麻子仁丸	Ma Zi Ren Wan	Cannabis sativa Linn. [HuoMaRen] Prunus armeniaca L. [KuXingRen] Rheum palmatum L. [DaHuang] Magnolia officinalis Rehd. et Wils. (stem, twig, and root bark) [HouPo] Citrus x aurantium L. (young fruit, stir-baked with bran) [ZhiZhiShi] Paeonia lactiflora Pall. (root without bark) [BaiShao]	20.0g ** 10.0g ** 10.0g ** 6.0g ** 5.0g ** 5.0g **



## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2175	养阴清肺汤	Yang Yin Qing Fei Tang	Rehmannia glutinosa Liboschitz [ShengDiHuang] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Scrophularia ningpoensis Hemsl. [XuanShen] Fritillaria thunbergii Miq. [ZheBeiMu] Paeonia lactiflora Pall. (root without bark, stir-baked) [ChaoBaiShao] Paeonia suffruticosa Andr. [MuDanPi] Mentha haplocalyx Briq. [BoHe] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	6.0g ** 5.0g ** 5.0g ** 3.0g ** 3.0g ** 3.0g ** 2.0g ** 2.0g **
2177	泻白散	Xie Bai San	Lycium chinense Mill. (root) [DiGuPi] Morus alba L. (root bark, stir-baked) [ChaoSangBaiPi] Oryza sativa Linn. (seed) [JingMi] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	30.0g ** 30.0g ** 6.0g ** 3.0g **
2179	三痹汤	San Bi Tang	Dipsacus asper Wall. [XuDuan] Eucommia ulmoides Oliver [DuZhong] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Cinnamomum cassia J. Presl (bark) [RouGui] Asarum heterotropoides Fr. Schmidt [XiXin] Panax ginseng C. A. Meyer [RenShen] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Angelica sinensis (Oliv.) Diels (root) [DangGui] Paeonia lactiflora Pall. (root without bark) [BaiShao] Astragalus membranaceus Bunge [HuangQi] Achyranthes bidentata Bl. [NiuXi] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Gentiana macrophylla Pall. [QinJiao] Rehmannia glutinosa Liboschitz [ShengDiHuang] Ligusticum chuanxiong Hort. [ChuanXiong] Angelica pubescens Maxim. [DuHuo] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang]	5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 5.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g **
2183	甘露消毒丹	Gan Lu Xiao Du Dan	Magnesium silicate (hydrated) [HuaShi] Artemisia capillaris Thunb. [YinChen] Scutellaria baicalensis Georgi [HuangQin] Acorus gramineus Soland. [ShiChangPu] Akebia quinata Decne. (stem) [MuTong] Fritillaria cirrhosa D. Don. [ChuanBeiMu] Pogostemon cablin (Blanco) Benth. [HuoXiang] Forsythia suspensa (Thunb.) Vahl [LianQiao] Amomum kravanh Pierre ex Gapnep. [DouKou] Mentha haplocalyx Briq. [BoHe] Belamcanda chinensis (L.) DC. [SheGan]	15.0g ** 12.0g ** 10.0g ** 6.0g ** 5.0g ** 5.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2190	桂枝茯苓汤	Gui Zhi Fu Ling Tang	Cinnamomum cassia J. Presl (twig) [GuiZhi] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Paeonia suffruticosa Andr. [MuDanPi] Paeonia lactiflora Pall. (root without bark) [BaiShao] Prunus persica (L.) Batsch [TaoRen] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	11.5g ** 11.5g ** 11.5g ** 11.5g ** 11.5g ** 7.5g **
2192	桑杏汤	Sang Xing Tang	Glehnia littoralis Fr. Schmidt ex Miq. [SangYe] Prunus armeniaca L. var. ansu Maxim. [KuXingRen] Morus alba L. [BeiShaShen] Glycine max (L.) Merr. [DanDouChi] Pyrus bretschneideri Rehd. [LiPi] Fritillaria thunbergii Miq. [ZheBeiMu] Gardenia jasminoides Ellis [ZhiZi]	15.0g ** 11.5g ** 7.5g ** 7.5g ** 7.5g ** 7.5g ** 7.5g **
2194	痛泻要方	Tong Xie Yao Fang	Atractylodes macrocephala Koidz. (rhizome, stir-baked) [ChaoBaiZhu] Paeonia lactiflora Pall. (root without bark, stir-baked) [ChaoBaiShao] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Citrus reticulata Blanco (dried rind of mature fruit, stir-baked) [ChaoChenPi]	18.0g ** 12.0g ** 12.0g ** 9.0g **
2195	越鞠丸	Yue Ju Wan	Gardenia jasminoides Ellis [ZhiZi] Cyperus rotundus L. (rhizome) [XiangFu] Medicated leaven [ShenQu] Ligusticum chuanxiong Hort. [ChuanXiong] Atractylodes lancea (Thunb.) DC. [CangZhu]	10.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g **
2197	当归四逆汤	Dang Gui Si Ni Tang	Angelica sinensis (Oliv.) Diels (root) [DangGui] Ziziphus jujuba Mill. [DaZao] Cinnamomum cassia J. Presl (twig) [GuiZhi] Paeonia lactiflora Pall. (root without bark) [BaiShao] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Akebia quinata Decne. (stem) [MuTong] Asarum heterotropoides Fr. Schmidt [XiXin]	12.0g ** 12.0g ** 9.0g ** 9.0g ** 5.0g ** 3.0g ** 1.5g **
2201	橘皮竹茹汤	Ju Pi Zhu Ru Tang	Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Ziziphus jujuba Mill. [DaZao] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Phyllostachys nigra (Lodd.) Munro (inner stem) [ZhuRu] Codonopsis pilosula (Franch.) Nannfeldt [DangShen]	25.0g ** 15.0g ** 15.0g ** 15.0g ** 10.0g ** 3.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2204	甘露饮	Gan Lu Yin	Rehmannia glutinosa Liboschitz [ShengDiHuang] Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Asparagus cochinchinensis (Lour.) Merr. [TianDong] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Eriobotrya japonica (Thunb.) Lindley [PiPaYe] Scutellaria baicalensis Georgi [HuangQin] Dendrobium fimbriatum [ShiHu] Citrus x aurantium L. (nearly mature fruit, stir-baked with bran) [FuChaoZhiKe] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked) [ChaoGanCao] Artemisia capillaris Thunb. [YinChen]	6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g **
2205	竹叶石膏汤	Zhu Ye Shi Gao Tang	Calcium sulfate [ShiGao] Lophatherum gracile Brongn. (stem and leaf) [DanZhuYe] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Oryza sativa Linn. (seed) [JingMi] Pinellia ternata (Thunb.) Makino ex Briet. (rhizome, stir-baked with ginger juice) [JiangBanXia] Panax ginseng C. A. Meyer [RenShen] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	30.0g ** 15.0g ** 15.0g ** 15.0g ** 9.0g ** 5.0g ** 3.0g **
2211	越婢加术汤	Yue Bi Jia Zhu Tang	Ephedra sinica Stapf(stem) [MaHuang] Calcium sulfate(hydrated) [ShiGao] Zingiber officinale Rosc.(fresh rhizome) [ShengJiang] Glycyrrhiza uralensis Fisch.ex DC. [GanCao] Ziziphus jujuba Mill.(fruit) [DaZao] Atractylodes macrocephala Koidz. (rhizome) [BaiZhu]	9.0g ** 18.0g ** 9.0g ** 4.9g ** 7.5g ** 6.0g **
2213	温经汤	Wen Jing Tang	Evodia rutaecarpa (Juss.) Benth. [WuZhuYu] Angelica sinensis (Oliv.) Diels (root) [DangGui] Paeonia lactiflora Pall. (root without bark) [BaiShao] Pinellia ternata (Thunb.) Makino ex Briet. (rhizome, stir-baked with ginger juice) [JiangBanXia] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Gelatin [EJiao] Ligusticum chuanxiong Hort. [ChuanXiong] Panax ginseng C. A. Meyer [RenShen] Cinnamomum cassia J. Presl (twig) [GuiZhi] Paeonia suffruticosa Andr. [MuDanPi] Zingiber officinale Roscoe (fresh rhizome) [ShengJiang] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g **
2221	左金丸	Zuo Jin Wan	Coptis chinensis Franch(rhizome) [HuangLian] Evodia rutaecarpa(Juss.) Benth.(fruit) [WuZhuYu]	37.5g ** 4.5g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2222	玉泉散	Yu Quan San	Trichosanthes kirilowii Maxim. (root) [TianHuaFen] Rehmannia glutinosa Liboschitz [ShengDiHuang] Pueraria lobata (Willd.) Ohwi [GeGen] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Schisandra chinensis (Turcz.) Baill. [WuWeiZi] Oryza sativa Linn. var. glutinosa Matsum. [NuoMi] Glycyrrhiza uralensis Fisch. ex DC. [GanCao]	10.0g ** 10.0g ** 5.0g ** 5.0g ** 5.0g ** 2.0g ** 1.0g **
2223	甘草泻心汤	Gan Cao Xie Xin Tang	Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Pinellia ternata (Thunb.) Makino ex Briet. (rhizome, licorice-cured) [FaBanXia] Scutellaria baicalensis Georgi [HuangQin] Zingiber officinale Roscoe (dried rhizome) [GanJiang] Panax ginseng C. A. Meyer [RenShen] Ziziphus jujuba Mill. [DaZao] Coptis chinensis Franch. [HuangLian]	12.0g ** 12.0g ** 9.0g ** 9.0g ** 9.0g ** 6.0g ** 3.0g **
2228	益气聪明汤	Yi Qi Cong Ming Tang	Vitex trifolia L. var. simplicifolia Cham.(fruit) [ManJingZi] Astragalus membranaceus (Fisch.) Bge. [HuangQi] Codonopsis pilosula (Franch.) Nannf. [DangShen] Phellodendron chinense Schneid.(stem bark) [HuangBo] Paeonia lactiflora Pall.(root) [BaiShao] Glycyrrhiza uralensis Fisch.ex DC. (stir-baked with honey) [ZhiGanCao] Cimicifuga heracleifolia Kom.(rhizome) [ShengMa] Pueraria lobata(Willd.) Ohwi. [GeGen]	4.9g ** 4.9g ** 4.9g ** 3.0g ** 3.0g ** 1.9g ** 15.0g ** 9.0g **
2230	黄连上清丸	Huang Lian Shang Qing Wan	Rheum palmatum L. [DaHuang] Coptis chinensis Franch. [HuangLian] Scutellaria baicalensis Georgi [HuangQin] Phellodendron chinense Schneid. [HuangBo] Gardenia jasminoides J. Ellis [ZhiZi] Forsythia suspensa (Thunb.) Vahl [LianQiao] Curcuma longa L. (rhizome) [JiangHuang] Scrophularia ningpoensis Hemsl. [XuanShen] Mentha haplocalyx Briq. [BoHe] Angelica sinensis (Oliv.) Diels (lower part) [DangGuiWei] Chrysanthemum morifolium Ramat. [JuHua] Pueraria lobata (Willd.) Ohwi [GeGen] Ligusticum chuanxiong Hort. [ChuanXiong] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng] Trichosanthes kirilowii Maxim. (root) [TianHuaFen]	12.0g ** 8.0g ** 8.0g ** 8.0g ** 8.0g ** 6.0g ** 6.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 2.0g ** 2.0g ** 2.0g ** 2.0g **
2233	失笑散	Shi Xiao San	Faeces Troglodyteri (Flying Squirrel Feces)(processed with wine) [JiuWuLingZhi] Typha angustifolia L.(carbonized) [PuHuangTan]	18.8g ** 18.8g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2234	固经丸	Gu Jing Wan	Scutellaria baicalensis Georgi [HuangQin] Chinemys reevesii (Gray) [GuiBan] Paeonia lactiflora Pall. (root without bark) [BaiShao] Ailanthus altissima (Mill.) Swingle [ChunPi] Phellodendron chinensis Schneid. [HuangBo] Cyperus rotundus L. [XiangFu]	11.5g ** 11.5g ** 11.5g ** 8.0g ** 3.5g ** 2.5g **
2237	枳实导滞丸	Zhi Shi Dao Zhi Wan	Euryales Semen Praeparatum (stir-fried with bran) [FuChaoZhiShi] Atractylodis Macrocephalae Rhizoma [BaiZhu] Rhei Radix Et Rhizoma [DaHuang] Poria [FuLing] Massa Fermentata Praeparatum (stir-fried) [ChaoShenQu] Scutellariae Radix [HuangQin] Coptidis Rhizoma [HuangLian] Alismatis Rhizoma [ZeXie]	7.5g ** 4.5g ** 15g ** 4.5g ** 7.5g ** 4.5g ** 4.5g ** 3.0g **
2247	济川煎	Ji Chuan Jian	Angelica sinensis (Oliv.) Diels (root) [DangGui] Cistanche deserticola Ma [RouCongRong] Achyranthes bidentata Bl. [NiuXi] Alisma orientale (Sam.) Juzepczuk [ZeXie] Cimicifuga heracleifolia Kom. [ShengMa] Citrus x aurantium L. (nearly mature fruit) [ZhiKe]	19.0g ** 11.5g ** 7.5g ** 5.5g ** 4.0g ** 4.0g **
2249	清咽利膈汤	Qing Yan Li Ge Tang	Rheum palmatum L. [DaHuang] Mirabilitum [MangXiao] Lonicera japonica Thunb. (flower bud) [JinYinHua] Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Schizonepeta tenuifolia Briq. (aerial parts) [JingJie] Mentha haplocalyx Briq. [BoHe] Platycodon grandiflorum (Jacq.) A. DC. [JieGeng] Scutellaria baicalensis Georgi [HuangQin] Coptis chinensis Franch. [HuangLian] Arctium lappa L. [NiuBangZi] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Forsythia suspensa (Thunb.) Vahl [LianQiao] Gardenia jasminoides J. Ellis [ZhiZi] Scrophularia ningpoensis Hemsl. [XuanShen]	6.0g ** 6.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g ** 3.0g **
2250	清胃散	Qing Wei San	Rehmannia glutinosa Liboschitz [DiHuang] Paeonia suffruticosa Andr. [MuDanPi] Angelica sinensis (Oliv.) Diels [DangGuiShen] Cimicifuga heracleifolia Kom. [ShengMa] Coptis chinensis Franch. [HuangLian]	12.0g ** 9.0g ** 6.0g ** 6.0g ** 5.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2255	肾着汤	Shen Zhe Tang	Glycyrrhizae Radix et Rhizoma [GanCao] Atractylodis Macrocephalae Rhizoma [BaiZhu] Zingiberis Rhizoma [GanJiang] Poria [FuLing]	2.4g ** 4.8g ** 4.8g ** 7.2g **
2264	清暑益气汤	Qing Shu Yi Qi Tang	Citrullus lanatus (Thunb.) Matsum. & Nakai [XiGuaPi] Dendrobium nobile Lindl. [ShiHu] Nelumbo nucifera Gaertn. (stalk and pedical) [HeGeng] Oryza sativa Linn. (seed) [JingMi] Ophiopogon japonicus (L. f.) Ker-Gawl. [MaiDong] Lophatherum gracile Brongn. (stem and leaf) [DanZhuYe] Anemarrhena asphodeloides Bge. [ZhiMu] Panax quinquefolius L. [XiYangShen] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Coptis chinensis Franch. [HuangLian]	30.0g ** 15.0g ** 15.0g ** 15.0g ** 9.0g ** 6.0g ** 6.0g ** 5.0g ** 3.0g ** 3.0g **
2266	海藻玉壶汤	Hai Zao Yu Hu Tang	Sargassum fusiforme (Harv.) Setch. [HaiZao] Pinellia ternata (Thunb.) Makino ex Briet. (rhizome, processed with alum) [QingBanXia] Citrus reticulata Blanco (dried rind of green fruit) [QingPi] Fritillaria thunbergii Miq. [ZheBeiMu] Ligusticum chuanxiong Hort. [ChuanXiong] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Laminaria japonica Aresch. [KunBu] Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Forsythia suspensa (Thunb.) Vahl [LianQiao] Angelica sinensis (Oliv.) Diels (root) [DangGui] Angelica pubescens Maxim. [DuHuo]	4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g ** 4.0g **
2269	圣愈汤	Sheng Yu Tang	Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Panax ginseng C. A. Meyer [RenShen] Astragalus membranaceus Bunge (stir-baked with honey) [ZhiHuangQi] Paeonia lactiflora Pall. (root without bark, stir-baked with wine) [JiuBaiShao] Angelica sinensis (Oliv.) Diels (root, stir-baked with wine) [JiuDangGui] Ligusticum chuanxiong Hort. [ChuanXiong]	20.0g ** 20.0g ** 18.0g ** 15.0g ** 15.0g ** 8.0g **
2271	举元煎	Ju Yuan Jian	Panax ginseng C. A. Meyer [RenShen] Astragalus membranaceus Bunge [HuangQi] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao] Atractylodes macrocephala Koidz. [BaiZhu] Cimicifuga heracleifolia Kom. [ShengMa]	19.0g ** 19.0g ** 7.5g ** 7.5g ** 2.5g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2274	七宝美髯丹	Qi Bao Mei Ran Dan	Polygonum multiflorum Thunb. (dried root tuber, prepared) [ZhiHeShouWu] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Achyranthes bidentata Bl. (stir-baked with wine) [JiuNiuXi] Angelica sinensis (Oliv.) Diels (root, stir-baked with wine) [JiuDangGui] Lycium barbarum Mill. (fruit, stir-baked with wine) [JiuGouQiZi] Cuscuta chinensis Lam. (stir-baked with wine) [JiuTuSiZi] Psoralea corylifolia L. (stir-baked) [ChaoBuGuZhi]	15.0g ** 7.5g ** 7.5g ** 7.5g ** 7.5g ** 7.5g ** 6.0g **
2276	小蓟饮子	Xiao Ji Yin Zi	Rehmannia glutinosa Liboschitz [ShengDiHuang] Magnesium silicate (hydrated) [HuaShi] Cirsium setosum (willd.) M. Bieb. [XiaoJi] Nelumbo nucifera Gaertn. (node of rhizome) [OuJie] Typha angustifolia L. (stir-baked) [ChaoPuHuang] Angelica sinensis (Oliv.) Diels (root) [DangGui] Lophatherum gracile Brongn. (stem and leaf) [DanZhuYe] Gardenia jasminoides J. Ellis [ZhiZi] Akebia quinata Decne. (stem) [MuTong] Glycyrrhiza uralensis Fisch. ex DC. (stir-baked with honey) [ZhiGanCao]	9.0g ** 7.5g ** 7.5g ** 6.0g ** 6.0g ** 4.5g ** 4.5g ** 4.5g ** 4.5g ** 3.0g **
2280	缩泉丸	Suo Quan Wan	Lindera aggregata (Sims) Kosterm. [WuYao] Alpinia oxyphylla Miq. [YiZhiRen]	19.0g ** 19.0g **
2281	五仁丸	Wu Ren Wan	Citrus reticulata Blanco (dried rind of mature fruit) [ChenPi] Prunus armeniaca L. (stir-baked) [ChaoKuXingRen] Prunus persica (L.) Batsch [ChaoYuLiRen] Platycladus orientalis (L.) Franco (seed) [BoZiRen] Pinus Tabulaeformis Carr. (seed) [HaiSongZi] Prunus japonica Thunb. (stir-baked) [TaoRen]	30.0g ** 7.5g ** 4.0g ** 1.0g ** 1.0g ** 1.0g **
2282	枳实薤白桂枝汤	Zhi Shi Xie Bai Gui Zhi Tang	Citrus x aurantium L. (young fruit) [ZhiShi] Trichosanthes kirilowii Maxim. (fruit) [GuaLou] Magnolia officinalis Rehd. et Wils. (stem, twig, and root bark) [HouPo] Allium macrostemon Bunge [XieBai] Cinnamomum cassia J. Presl (twig) [GuiZhi]	15.0g ** 15.0g ** 15.0g ** 11.5g ** 7.5g **
2287	易黄汤	Yi Huang Tang	Dioscorea oppositifolia Thunb. (rhizome, stir-baked) [ChaoShanYao] Euryale ferox Salib. [QianShi] Phellodendron chinense Schneid. (stir-baked with salt) [YanHuangBo] Ginkgo biloba L. (seed) [BaiGuo] Plantago asiatica L. (seed, stir-baked with wine) [JiuCheQianZi]	19.0g ** 19.0g ** 4.0g ** 4.0g ** 2.0g **
2297	泻黄散	Xie Huang San	Saposhnikovia divaricata (Turcz.) Schischk. [FangFeng] Glycyrrhiza uralensis Fisch. ex DC. [GanCao] Pogostemon cablin (Blanco) Benth. [GuangHuoXiang] Calcium sulfate [ShiGao] Gardenia jasminoides J. Ellis [ZhiZi]	40.0g ** 30.0g ** 7.0g ** 5.0g ** 2.0g **

## Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2300	大补阴丸	Da Bu Yin Wan	Rehmannia glutinosa Liboschitz (prepared) [ShuDiHuang] Tortoise Plastron (stir-baked with vinegar) [ZhiGuiBan] Phellodendron chinense Schneid. (stir-baked) [ChaoHuangBo] Anemarrhena asphodeloides Bge. (stir-baked with wine) [JiuZhiZhiMu]	22.5g ** 22.5g ** 15.0g ** 15.0g **
2325	金匱肾气丸	Jin Kui Shen Qi Wan	Rehmannia glutinosa Liboschitz [ShengDiHuang] Dioscorea oppositifolia Thunb. (rhizome) [ShanYao] Cornus officinalis Sieb. & Zucc. [ShanZhuYu] Alisma orientale (Sam.) Juzepczuk [ZeXie] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Paeonia suffruticosa Andr. [MuDanPi] Cinnamomum cassia J. Presl (twig) [GuiZhi] Aconitum carmichaelii Debeaux (prepared, black slice) [ShuFuZi (HeiShunPian)]	24.0g ** 12.0g ** 12.0g ** 9.0g ** 9.0g ** 9.0g ** 3.0g ** 3.0g **
2336	梔子豉汤	Zhi Zi Chi Tang	Gardenia jasminoides J. Ellis [ZhiZi] Glycine max Merr. [DouChi]	12.0g ** 9.0g **
2338	青蒿鳖甲汤	Qing Hao Bie Jia Tang	Trionyx sinensis Wiegmann [BieJia] Rehmannia glutinosa Libosch. [ShengDiHuang] Paeonia suffruticosa Andr. [MuDanPi] Anemarrhena asphodeloides Bge. [ZhiMu] Artemisia annua L. [QingHao]	15.0g ** 12.0g ** 9.0g ** 6.0g ** 6.0g **
2343	四妙颗粒	Si Miao Ke Li	Coix lacryma-jobi L. var. ma-yuen (Roman.) Stapf [YiYiRen] Phellodendron chinense Schneid. [HuangBo] Atractylodes lancea (Thunb.) DC. [CangZhu] Cyathula officinalis Kuan. [ChuanNiuXi]	20.0g ** 10.0g ** 10.0g ** 9.0g **
2344	香薷饮	Xiang Ru Yin	Mosla chinensis Maxim. (dried aerial part) [XiangRu] Dolichos lablab L. (dried ripe seed, stir-baked) [ChaoBaiBianDou] Magnolia officinalis Rehd. et Wils. (dried stem bark, root bark or branch bark, baked with ginger) [JiangHouPo]	10.0g ** 5.0g ** 5.0g **
2351	三仁汤	San Ren Tang	Magnesium silicate (hydrated) [HuaShi] Coix lacryma-jobi L. var. ma-yuen (Roma.) Stapf [YiYiRen] Prunus armeniaca L. var. ansu Maxim. [KuXingRen] Pinellia ternata (Thunb.) Makino ex Briet. (rhizome, processed with alum) [QingBanXia] Tetrapanax papyrifer (Hook.) K. Koch [TongCao] Amomum kravanh Pierre ex Gagnep. [Doukou] Lophatherum gracile Brongn. [DanZhuYe] Magnolia officinalis Rehd. et wils. [HouPo]	11.3g ** 11.3g ** 9.4g ** 9.4g ** 3.8g ** 3.8g ** 3.8g ** 3.8g **



Nong's Formula Ingredients Details

Code	Chinese	PinYin	Ingredients	Dosage
2431	还少丹	Huan Shao Dan	Dioscorea opposita Thunb.(rhizome) [ShanYao] Poria cocos (Schw.) Wolf (sclerotium) [FuLing] Broussonetia papyrifera(L.) Vent.(fruit). [ChuShiZi] Morinda officinalis How [BaJiTian] Rehmannia glutinosa Libosch.(root tuber) [ShuDìHuang] Achyranthes bidentata Bl. [NiuXi] Cornus officinalis Sieb. et Zucc.(fruit) [ShanZhuYu] Eucommia ulmoides Oliv.(stem bark) [DuZhong] Schisandra chinensis (Turcz.) Baill.(fruit) [WuWeiZi] Cistanche deserticola Y. C. Ma( succulent stem) [RouCongRong] Polygala tenuifolia Willd. [YuanZhi] Foeniculum vulgare Mill.(fruit) [XiaoHuiXiang] Acorus tatarinowii Schott(rhizome) [ShiChangPu] Lycium barbarum L.(fruit) [GouQiZi]	9.0g ** 6.0g ** 6.0g ** 6.0g ** 3.0g ** 9.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 6.0g ** 3.0g ** 3.0g **