

INTRODUCTION

Thanks for choosing the electric scooter manufactured by us. Please read the manual before using the product and keep the warranty card properly. We wish you a pleasant, friendly convenient and environmentally time with your new scooter.

INSPECTION BEFORE RIDING

A WARNING!

Please make sure to do inspection before riding:

- 1. Make sure the outer packing is neat
- Make sure do not remove the barcode and chassis number as below. It is necessary to keep the barcode when you ask for warranty service.



- 3. Make sure the control panel can be turned on
- 4. Make sure the brake grips working properly
- Make sure the handlebar of the E-scooter is not shaky

- 6. Make sure the seat is installed firmly (If any)
- 7. Make sure the horn working properly
- 8. Make sure the light system working properly
- Make sure the Single and Dual drive switch working properly
- Make sure the Eco and Turbo mode switch working properly
- 11. Make sure the folding mechanism working normally

SAFETY PRECAUTIONS

SAFETY PRECAUTIONS

- Wearing helmet, knee and elbow pads while riding.
- Please keep the speed below 25km/h or obey traffic rules of your country.
- The waterproof grade of our scooters is IP65.
 Please won not be ride in rain or ride into puddle.
 Battery damage caused by water do not covered by warranty.
- 4. The E-scooter is for Adult only and for one person riding only.
- 5. Please test the scooter first as long as you get it (referring to warning above).
- 6. Make sure all screws are tightened up.
- Do not charge the scooter indoors. In case of a fire caused by charging the scooter indoors, we

will not cover any loss. Do not charge your scooter overnight or without attention. Please charge with the chargers provided by our company. Our company will not assume any responsibility for fire or battery explosions caused by the use of other chargers.

- Watch out for potential obstacles that could catch your wheel or force you to lose control like sharp bumps, curbs, drainage grates, and gaps (>5cm).
 Try to avoid going up or down any steps higher than 5 cm.
- 9. Do not use this product below 0C°.
- 10. Please make sure both of your feet are on the scooter and the kickstand is folded while forwarding. Keep your hand on the handlebar all the time.
- 11. Slow down your scooter when riding on wet, slick, bumpy, uneven or rough surfaces.
- 12. Do not try to clean your scooter with a waterhose nor any high pressure cleaner. Do not allow your scooter to be immersed in water. This may cause motor and circuit failure.
- 13. Any modification of the scooter is prohibited and will end your warranty. Our company can not be held responsible for any damage caused by modification of the scooter.

GET TO KNOW EACH PART

ELECTRIC SCOOTER ILLUSTRATION



Note

Some accessories may need to purchase additionally

CHECK ACCESSORIES AFTER UNPACKING

MAKE SURE YOU HAVE RECEIVED ALL ACCESSORIES

- 1. Check if there is a tool kit
- 2. Check if there is a charger
- 3. Check if there is a voltage lock key
- 4. Check if there is a seat (option)
- 5. Check if there is a manual













FOLDING OPERATION

POLE FOLDING



Step 1: Pull out the safty lock



Step 2: Twist this safety lock clockwise



Step 3:Step on the safety buckle with one foot, and pull down with both hands holding the handlebars

UNFOLDING OPERATION



Step1:Push down the folding lock,and push back the pole at the same time



Step 2:Twist this safety lock counterclockwise



Step3:Push this safety buckle in

SEAT FOLDING

SEAT FOLDING




Step 1: Press folding switch under neath the seat to adjust



Step 2: Loosen all the screws

HANDLEBAR ILLUSTRATION

GET TO KNOW THE HANDLEBAR OF YOUR E-SCOOTER





multifunction display



light switch



key ignition



turning light switch/ horn



ECO/TURBO button



SINGLE/DUAL button



MULTI-FUNCTIONAL DISPLAY

THETF-100 MULTI-FUNCTIONAL DISPLAY



POWER: Power Button (Press and Hold it for 3

seconds to turn on the power);

GEAR: Current Gear position (Gear: 1, 2, 3)

SWITCH GEAR: Short press the MODE button (to change the gear position- Three gear position for option.

SPEED: Real time Speed

SPEED UNIT: Metric unit(set P2 as 1 to be MPH and

0 to be KMH)

ODO: Accumulated mileage

BATTERY VOLTAGE: Current battery Capacity

Accelerator: Throttle

NOTE

Please be noted that the "Battery Voltage" displayed on the TF-100 is not very accurate. You can check your Voltage Lock to find real battery voltage.

MULTI-FUNCTIONAL DISPLAY

FAILURE DISPLAY

For **TF-100** multi-functional display model: you will see some digit on meter to show your E scooter status.

Error 1 Means motor problem
Error 2 Means display problem
Error 3 Means controller problem
Error 4 Brake problem
Error 5 Battery under-voltage
Error 6 Communication problem
Error 7 Communication problem



POWER TURN ON/OFF

- Insert the key into the voltage lock and press power button on the display for 3 seconds until voltage meter is turned on.
- 2. Turn the voltage lock off directly to turn off power.
- 3. Press the POWER button for 3 seconds to turn off the power.





ECO & TURBO / SINGLE & DUAL

ECO TURBO / SINGLE DUAL SWITCH

- 1. The red button (SINGLE) is Single and dual button, pressing it switches to dual motor.
- 2. The yellow button () is used for reducing the max speed of each gear.

NOTE

- 1. We strongly recommend you riding at SINGLE AND ECO mode at first time. When you are able to ride skillfully at low speed, you can try dual motors and at Turbo mode.
- 2. The default driving mode is rear driving mode.
- 3. Please be noted that the range will be different according to different driving mode, load weight, braking times, weather and road conditions etc. If you want to ride long distance per single charge, we recommend you riding scooter at Single motor and at ECO mode.
- 4. If you heard motor abnormal noise during riding, please stop accelerating immediately. And inspect your E scooter in time.
- 5. Please use dual motors when you are climbing slope.
- 6.Please be noted that our Max speed is tested under the condition of battery full charged, smooth ground, 70KG load and about 25℃ temperature.

RECHARGING OPERATION

RECHARGING BATTERY

- 1. Open the cover of charging port
- Insert the DC plug of power adapter to the charging port
- 3. Insert AC plug of power adapter to wall socket.

NOTE

- Must use original Power adapter to recharge your F-scooter.
- There are 2 charging ports on your electric scooter, we recommend recharging your E-scooter by single charger, which is able to prolong the battery life.
- Please do not recharge your E-scooter indoors, and do not recharge without person monitoring
- The standard battery capacity is based on 25℃, the battery capacity may decline as the temperature declining.
- 5. Please do not recharge E-scooter when the temperature is under 0°C.
- Please be noted that the under voltage for our 48V E scooter is 39V, and the under voltage for our 60V E scooter is 52V.

TROUBLE SHOOTINGS

COMMON FAULTS AND SOLUTIONS

■ Cannot start E-scooter

- 1: Confirm if the battery is out of electricity
- 2: Open the foot pedal and check if the battery fuse is disconnected or burned.
- 3: Open the foot pedal to check if the connection between accelerator main line and the controller loosened or not.
- 4: Check connection between battery and controller.

Cannot Recharge E-scooter

- 1: Connect the charger to charging port to see if the indicator light works or not.
- 2: Open the foot pedal to check if the battery fuse is disconnected, or burned out.

Cannot accelerate E-scooter

- 1: Confirm if the brake lever could bound back to its original position.
- 2: Open the foot pedal to check if the connection between controller and motor loosened or not.

Only one wheel running

If there is only one wheel running(dual Motors models), you need to check if it's motor problem or controller problem by exchanging the front and rear controllers motor wires and Hall wires.

AFTER RECEIPT OF YOUR E-SCOOTER

ABOUT ASSEMBLY

We have fulfilled over 95% assembling, you may be required to finish the rest of assembling. Because it will be safer by this way during delivery. For safe driving, please check and test everything before you start riding. If there is any issue, please contact your seller. If you don't have experience in assembly, please contact us or your seller to get assistance.

DAMAGE AND SCRATCHES

To avoid damage, we are using all-sided form and double cartons to pack E-scooters. If there is something broken after your receipt of E-scooter, please take videos of broken parts with the barcode and send to the person who is in charge of your purchase. They will offer you solution to solve the issue.

MAN-MADE DAMAGE

If it is man-made damage, you can contact us to buy accessories to do replacement. Or you can send your E-scooter to our after sales address for repairing, the cost of repair will be covered by buyer.

E-SCOOTER MAINTENANCE

E-SCOOTER MAINTENANCE

- Please charge your e-scooter after your receipt of it; and recharge it after your riding every time.
- Please check battery status regularly and recharge it in time if you do not ride it for long time.
- 3. Do not ride on rainy day or ride into puddles
- 4. It's forbidden to disassemble or modify E-scooter.
- 5. When braking performance starts to decline, please check whether there is brake oil in the tubing. If not, please add brake oil. If the brake efficiency is still not in a good condition, and there is audible sound, please replace the brake pads.
- Every 6 month, a small amount of lubricant should be used to maintain the folding of handlebar.
 (Please not use WD40 to lubricate the E-scooter, and not lubricate the front and rear wheels.)
- 7. When the tires are visually worn, please replace them immediately.
- 8. Check all screws regularly to make sure every of them is tightened.

WARRANTY GUARANTEE

If product has the following problems within warranty period, the product distributor will provide a complete after-sales service within the scope of the quality guarantee.

Item	Parts Name	Warranty
		Period
Main parts	Battery	1 year
	Motor	
	Main frame/folding	6 months
	system/suspension,	
	Steering stem,	
	Controller,	
	Dashboard,Charger	
	Light system,	3 months
Function parts	switch accessories,	
	fender, key system,	
	brake system	
	Surface paint,logo	No warranty
Appearance	stickers, anti-slip	
parts	sticker, other	
	accessories not	
	shown in list.	

A CAUTION!

To ensure your safety during use, do not disassemble or modify the scooter.

This will cause some unpredictable security risks. Products that are disassembled or modified without permission will not be able to enjoy free warranty service.

During the warranty period, if any of the following circumstances causes a failure or damage will not be covered by the scooter's quality assurance:

- 1. If you do not regularly maintain your scooter according to the manual.
- 2. If you use your scooter for inappropriate purposes such as performing stunts and other dangerous activities resulting in product damage or malfunction.
- 3. If you arbitrarily remove or disassemble any parts of the scooter or if you use non original spare parts.
- 4. If you have any traffic accidents or other accidental collisions.
- 5. If you have any damage caused by riding on inappropriate surfaces.
- 6. Commercial or other unauthorized use of the scooter
- 7. Any damage caused by natural disasters
- 8. There may be other reasons not explicitly listed in this manual that can lead to a void of your warranty. Each individual warranty case may also be considered by the dealers or the company.

Our warranty only provided after receipt of warranty card or original purchase certificate or proof provided by our dealers. Please keep any of them properly.

