

CLP: REACH Regulation (EU) 2020/878

Printed on 22 Mar 2024

Name: VACAY VIBES 3 Revised 18/03/2024 10:00:03

Section 1: I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier

Product Name VACAY VIBES FRAGRANCE

Alternative Name

REACH Registration Number Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Randalls Candles

Unit 14-16 Campbells Meadow

Business Park Kings Lynn Norfolk PE30 4YR

Telephone Number

01945 880247

Email Address

contact@randallscandles.co.uk

1.4 Emergency Telephone Number 07951140648

Section 2: Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin. Irrit. 2;H315 Skin Sens. 1B;H317 Eye Dam. 1;H318

Aquatic Chronic 3; H412

Refer to section 16 for the wording of listed classification and hazard statement codes

2.2 Label elements

CLP: REACH Regulation (EU) 2020/878

Printed on 22 Mar 2024

Name: VACAY VIBES

3 Revised 18/03/2024 10:00:03

CLP: Labelling according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

#### **Hazard Statements**

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H412 Harmful to aquatic life with long lasting effects

### **Precautionary Statements**

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P501 Dispose of contents/container to approved disposal site, in

accordance with local regulations.

#### 2.3 Other Hazards

Contains alpha-iso-Methylionone, Citronellol, Coumarin, Hexyl Cinnamal, Limonene and Linalool which may produce an allergic reaction

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

No further information available at this time

### Section 3: Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of fragrance ingredients

CLP: REACH Regulation (EU) 2020/878 Name: VACAY VIBES

Printed on 22 Mar 2024

3 Revised 18/03/2024 10:00:03

### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc. (%)	SCL / ATE / M-Factor
CAS 53219-21-9 EINECS 258-432-2 REACH	Dihydromyrcenol (2-Methyl-6-methyleneoct-7-en-2-ol) Skin. Irrit. 2;H315,Eye Irrit. 2;H319	>=10%,<25%	
CAS 63500-71-0 EINECS 405-040-6 REACH	Florol (2-iso Butyl-4-hydroxy-4-methyl tetrahydro pyran)  Eye Irrit. 2;H319	>=5%,<10%	
CAS 98-55-5 EINECS 202-680-6 REACH	alpha-Terpineol (para-Menth-1-en-8-ol) (Lindenol) Skin. Irrit. 2;H315,Eye Irrit. 2;H319	>=5%,<10%	
CAS 78-70-6 EINECS 201-134-4 REACH	Coriandrol (Linalool) (3,7-Dimethyl-1,6-octadien-3-ol) Skin. Irrit. 2;H315,Skin Sens. 1B;H317,Eye Irrit. 2;H319	>=3%,<5%	
CAS 106-22-9 EINECS 203-375-0 REACH	dl-Citronellol (3,7-Dimethyl-6-octen-1-ol) (Dihydrogeraniol) Skin. Irrit. 2;H315,Skin Sens. 1B;H317,Eye Irrit. 2;H319	>=3%,<5%	
CAS 103-45-7 EINECS 203-113-5 REACH	Phenethyl acetate (Phenyl ethyl acetate)  Eye Dam. 1;H318	>=3%,<5%	
CAS 103-95-7 EINECS 203-161-7 REACH	Cyclamen aldehyde (2-Methyl-3-(p-isopropylphenyl) propionaldehyde) (repr. Cat 3) Skin. Irrit. 2; H315, Skin Sens. 1B; H317, Aquatic Chronic 3; H412	>=3%,<5%	
CAS 91-64-5 EINECS 202-086-7 REACH	1-Benzopyran-2-one (Coumarin)  Acute Tox. 4;H302,Skin Sens. 1B;H317,Aquatic Chronic 3;H412	>=1%,<3%	LD50(oral): 500 mg/kg
CAS 101-86-0 EINECS 202-983-3 REACH	alpha-Hexyl cinnamic aldehyde (HCA) (2-Hexyl-phenyl-2-propenal)  Skin Sens. 1B; H317, Aquatic Acute 1; H400, Aquatic Chronic 2; H411	>=1%,<3%	
CAS 120-14-9 EINECS 204-373-2 REACH	3,4-Dimethoxybenzaldehyde (Veratraldehyde) Acute Tox. 4;H302,Skin Sens. 1B;H317	>=1%,<3%	LD50(oral): 2000 mg/kg
CAS 103-26-4 EINECS 203-093-8 REACH	Methyl cinnamate Skin Sens. 1B;H317	>=1%,<3%	
CAS 60-12-8 EINECS 200-456-2 REACH	Phenethyl alcohol (Phenyl ethyl alcohol)  Acute Tox. 4;H302,Eye Irrit. 2;H319	>=1%,<3%	

CLP: REACH Regulation (EU) 2020/878

Printed on 22 Mar 2024

Name: VACAY VIBES

3 Revised 18/03/2024 10:00:03

CAS 78-69-3 EINECS 201-133-9 REACH	Tetrahydrolinalool Skin. Irrit. 2;H315,Skin Sens. 1B;H317,Eye Irrit. 2;H319	>=1%,<3%	
CAS 68039-49-6 EINECS 268-264-1 REACH	Triplal (2,4-Dimethyl-3-cyclohexene-1-carboxaldehyde)  Skin. Irrit. 2;H315,Skin Sens. 1B;H317,Eye Irrit. 2;H319,Aquatic Chronic 3;H412	>=0.1%,<1%	
CAS 127-51-5 EINECS 204-846-3 REACH	alpha-iso-Methylionone Skin. Irrit. 2;H315,Skin Sens. 1B;H317,Aquatic Chronic 2;H411	>=0.1%,<1%	
CAS 110-41-8 EINECS 203-765-0 REACH	Aldehyde C-12 MNA (2-Methyl undecanal)  Skin. Irrit. 2;H315,Skin Sens. 1B;H317,Aquatic Acute 1;H400,Aquatic Chronic 1;H410	>=0.1%,<1%	
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)  Flam. Liq. 3;H226,Asp. Tox. 1;H304,Skin. Irrit. 2;H315,Skin Sens. 1B;H317,Aquatic Acute 1;H400,Aquatic Chronic 1;H410	>=0.1%,<1%	

Refer to section 16 for the wording of listed classification and hazard statement codes

### Section 4: First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water and seek medical advice if necessary.

After ingestion

Wash mouth with plenty of water and obtain medical advice immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed No further information available at this time

Section 5: Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

CLP: REACH Regulation (EU) 2020/878

Printed on 22 Mar 2024

Name: VACAY VIBES

3 Revised 18/03/2024 10:00:03

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear protective clothing and avoid inhalation of vapours. Keep containers cool with water spray

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

Avoid inhalation, skin and eye contact.

Ensure proper ventilation.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7: Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

7.3 Specific end uses

No further information available

Section 8: Exposure controls / personal protection

8.1 Control Parameters

Occupational exposure limits:

CLP: REACH Regulation (EU) 2020/878

Printed on 22 Mar 2024

Name: VACAY VIBES

3 Revised 18/03/2024 10:00:03

#### UK / WEL

(Workplace exposure limits, EH40/2005, 2020)

CAS	Long-term (8hr TWA) mg/m3	Long-term (8hr TWA) ppm	Short-term (15min) mg/m3	Short-term (15min) ppm	Notes
84-66-2		5		10	

No information

#### 8.2 Exposure controls

Engineering controls

No information

Individual protection measures

Refer to Section 5 for specific fire / chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye / face protection

Wear safety goggles.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

No information

### Section 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Flash Point (°C) Above 61
Physical state Liquid

CLP: REACH Regulation (EU) 2020/878

Name: VACAY VIBES

3 Revised 18/03/2024 10:00:03

Printed on 22 Mar 2024

#### 9.2 Other information

Information with regard to physical hazard classes

No further information available

Other safety characteristics

No further information available

#### Section 10: Stability and reactivity

10.1 Reactivity

Not determined

10.2 Chemical Stability

Not determined

10.3 Possibility of hazardous reactions

Not determined

10.4 Conditions to avoid

Extreme temperatures

10.5 Incompatible materials

Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.

10.6 Hazardous decomposition products

Not determined

#### Section 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

1-Benzopyran-2-one (Coumarin) CAS: LD50(oral): 500 mg/kg LD50(dermal): Not applicable LC50(inhalation): Not applicable

3,4-Dimethoxybenzaldehyde LD50(oral): 2000 mg/kg LD50(dermal): Not (Veratraldehyde) CAS: 120-14-9 applicable LC50(inhalation): Not applicable

para-Methyl-acetophenone LD50(oral): 1400 mg/kg LD50(dermal): Not applicable LC50(inhalation): Not applicable

Methyl benzoate CAS: 93-58-3 LD50(oral): 1300 mg/kg LD50(dermal): Not applicable LC50(inhalation): Not applicable

Phonethyl alcohol (Phonyl ethyl alcohol) ATE (oral): 500 mg/kg | D50(dormal): Not

Phenethyl alcohol (Phenyl ethyl alcohol)
CAS: 60-12-8

ATE(oral): 500 mg/kg LD50(dermal): Not applicable LC50(inhalation): Not applicable

CLP: REACH Regulation (EU) 2020/878

Name: VACAY VIBES

3 Revised 18/03/2024 10:00:03

Phenethyl alcohol (Phenyl ethyl alcohol)

CAS: 60-12-8

ATE(oral): 500 mg/kg LD50(dermal): Not applicable LC50(inhalation): Not applicable

Printed on 22 Mar 2024

Skin corrosion / irritation

No data

Serious eye damage / irritation

No data

Respiratory or skin sensitisation

No data

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

Specific Target Organ - single exposure

No data

Specific Target Organ - repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

11.2 Information on other hazards

Endocrine disrupting properties

CLP: REACH Regulation (EU) 2020/878

Printed on 22 Mar 2024

Name: VACAY VIBES

3 Revised 18/03/2024 10:00:03

No data

Other information

No data

#### Section 12: Ecological information

12.1 Toxicity

No data available. Avoid soil, surface water and water-bearing stratum contamination.

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

No data

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

No data

12.7 Other adverse effects

No data available

12.8 Additional information

No data

Section 13: Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14: Transport information

14.1 UN number or ID number

Not regulated

14.2 UN proper shipping name

14.3 Transport hazard class(es)

CLP: REACH Regulation (EU) 2020/878

Printed on 22 Mar 2024

Name: VACAY VIBES

3 Revised 18/03/2024 10:00:03

#### 14.4 Packing group

**Tunnel Code** 

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

No relevant information available

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

#### Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No relevant information available at this time

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

### Section 16: Other information

### Full list of precautionary phrases

P273	Avoid release to t	he environment.

P280 Wear protective gloves and eye protection P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice.

Dispose of contents/container to approved disposal site, in accordance P501

with local regulations.

## Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
ATO 4	Acute toxicity, oral, category 4
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2	Eye damage/irritation, category 2

CLP: REACH Regulation (EU) 2020/878 Name: VACAY VIBES

Printed on 22 Mar 2024

3 Revised 18/03/2024 10:00:03

EH A1	Aquatic hazard, acute, category 1
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any	hazard statements listed in section 3
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects