













# KEY FEATURES OF COMPOSITE BATTEN CLADDING





Bison composite batten cladding offers the low maintenance, high quality and the robustness you'd expect from a composite building material

#### **VISUAL AESTHETICS**

Our **wood plastic composite cladding planks** give the appearance of timber or Cedar slatted cladding with a lifelike woodgrain timber finish available in two colours: Ash Grey or Oak. Combined with colour matched accessories Bison Composite Batten Cladding can be installed Vertically or horizontally.

#### **EASY TO INSTALL**

With minimal trims and planks sized ideally for vertical cladding, Bison Batten Cladding is a simple and easy to use system with minimal need for cutting, offering the elegant design and easy installation of Cedar or Siberian Larch cladding with all the benefits of a composite material.

#### **HARD-WEARING**

Bison's hard-wearing capping ensures the material stands up to all weather conditions, is UV stable, scratch resistant and non-porous. Being a composite material ensures it is resistant to rot, mould and insects.

#### **MULTI PURPOSE USES**

Bison Cladding can be utilised for a wide variety of projects including but not limited to cladding, slatted fencing, internal feature walls or even planters.

#### **LOW MAINTENANCE**

Low maintenance product that will not need staining or painting. Simply hose or jet wash clean when required.

#### **ENVIRONMENTALLY FRIENDLY**

Manufactured from 82% recycled material (wood fibre and HDPE plastic). Remaining ingredients are additives for bonding, UV stabilisers and colour pigments.

#### **BENEFITS AND FEATURES INCLUDE**



LOW MAINTENANCE



LIGHT



UV STABILITY



SCRATCH RESISTANT



MOULD RESISTANT



NON POROUS



95% RECYCLABLE



TIMBER



Available in 2 colours



ASH GREY



OAK





## BISON WPC BATTEN CLADDING PLANK

BT1PLANK-\*\*
Main Cladding Plank Material

#### **DETAILS**

**COLOUR -** Oak or Ash Grey

**LENGTH -** 2700mm

**WIDTH -** 219mm

COVER WIDTH - 200mm

**INDIVIDUAL BATTEN WIDTH - 36.5mm** 

**GAPS BETWEEN BATTENS - 13.5mm** 

**DEPTH -** 26mm

**COVERAGE -** 0.54m<sup>2</sup> per board (or 1.85 boards per M<sup>2</sup> without wastage)

FIRE RATING - B f1-S1

WEIGHT - 8Kg per board



### BISON BATTEN CLADDING L CORNER

BT1CORNER-\*\* For external corners of building and window/door reveals

#### **DETAILS**

**COLOUR -** Oak or Ash Grey

**LENGTH - 2500mm** 

LEGS DIMS - Legs Dims - 56mm x 51mm



### BISON BATTEN CLADDING STEEL DRIP TRIM

BT1DRIP-\*\*
For window or door heads

#### **DETAILS**

**COLOUR -** Brown or Grey

**LENGTH -** 2000mm

HIDDEN LEG (behind cladding) - 20mm

KICK OUT LEG - 30mm

FACE LEG - 15mm

**5MM WELTED SAFETY DRIP EDGE** 

**MATERIAL THICKNESS - 1mm** 



Images not to scale



Can't decide on a colour?
Order a sample box via our website at www.bisonsystems.co.uk





### BISON BATTEN CLADDING EDGE BOARD

BT1EB-\*\* For deeper reveals and other finishing details

#### **DETAILS**

**COLOUR -** Oak or Ash Grey

**LENGTH - 2500mm** 

**WIDTH - 140mm** 

THICKNESS - 12mm



### BISON BATTEN CLADDING COLOUR SCREW

BT1CSCREW-\*\* For any visible fixings including corners

#### **DETAILS**

**COLOUR -** Brown or Grey

**QUANTITY - 100** per bag

LENGTH - 35mm

**DIAMETER -** Diameter - 4mm

**HEAD -** Countersunk Pozi head

MATERIAL - Stainless Steel





Images not to scale

### BISON BATTEN CLADDING FIXING SCREW

BT1SCREW Main fixing for cladding, hidden by the lap of the plank

#### **DETAILS**

**COLOUR - N/A** 

**QUANTITY - 100** per bag

LENGTH - 25mm

**DIAMETER -** Diameter - 4mm

**HEAD -** Countersunk Pozi head

MATERIAL - Stainless Steel



CS3309

#### FOR MORE INFORMATION

For more information on Batten Cladding or our other composite products visit www.bisonsystems.co.uk
Tel: 01342 337 160 email: info@bisonsystems.co.uk



