superlunar

BX 03

Install

Requires Ableton Live 11 and above.

If you need help, or have questions, please contact us at **hi@suprlunr.com**

Installation

First, extract the downloaded Zip file. There are three simple ways to install BX-30.

— Double-click the BX30.adg file.

— Drag the BX30.adg file into Ableton Live.

— Click "Add Folder..." under Places in the Ableton Live Browser.

Use

BX-03 EQ is based on Peter Baxandall's legendary 1950s EQ found in every home stereo. The broad shelving curves let you make pleasing tweaks without changing the elements of your mix. Remove sub-frequency rumble, tighten the low-end, control high-end bite, or add some air. Sweeten it all up by adding warmth and saturation with the Color control. The BX-03 Ableton Live Rack is perfect for mix bus and tracking applications.

Dial in the perfect sound with BX-30's simple interface.

Lo Cut
Low-pass filters with 12dB/octave slope.

Lo Shelf
Low-frequency control from 70Hz to 360Hz.

Lo Gain
Boost or cut the low-frequency shelf +-5dB.

Hi Cut
High-pass filters with 12dB/octave slope.

Hi Shelf
High-frequency control from 2kHz to 18kHz.

Hi Gain
Boost or cut the high-frequency shelf +-5dB.

Color
Adds subtle warmth and saturation.

Output
Adjust the level going out of BX30.