

# Selector® 3782 Short Backset Escape Locks





## Description

These locks have various latching functions operated generally by key or handle outside and by turnknob, key or handle inside. These locks comply with building regulations for single-action escape doors.

## Product Details


<b>Furniture</b>	Compatible with Lockwood 4800 and 5800 Series Furniture. Refer to <a href="http://lockweb.com.au">lockweb.com.au</a> for further details.
<b>Latch</b>	Deadlatch only.
<b>Standard Finishes</b>	Stainless Steel (SS) Other finishes available via finish kit conversions.

# Selector® 3782 Short Backset Escape Locks



## Selector® 3782 Short Backset Escape Locks

Part Number	3782	4782	5782	6782
Dimension X	23	25.4	30	38
Dimension Y	40	42.4	47	55
Minimum internal depth of door	40	43	47	55



# Selector® 3782 Short Backset Escape Locks


## Escape Lock

**Part Number** 3782--

**Outside:** Handle always rigid.

**Inside:** Opened by handle at all times

This function requires the locking bar to be positioned in the locked position once lock is set.




## Anti-vandal Escape Lock<sup>#</sup>

**Part Number** 3782V-

Single cylinder.

**Outside:** Opened by handle when unlocked. Key locks or unlocks outside handle and retracts bolt after unlocking lock.

**Inside:** Opened by handle at all times.




## Anti-vandal Escape Lock with Turn<sup>#</sup>

**Part Number** 3782VT

Cylinder and turnknob.

**Outside:** Opened by handle when unlocked. Key locks or unlocks outside handle and retracts bolt after unlocking lock.

**Inside:** Opened by handle at all times. Turnknob locks or unlocks outside handle.



## Key Entry Escape Lock


**Part Number** 3782X-

Single cylinder.

**Outside:** Opened by key at all times. Handle always rigid.

**Inside:** Opened by handle at all times.

This function requires the locking bar to be positioned in the locked position once lock is set.



### Notes:

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4782, or if 30mm or 38mm lock is required, substitute 5 for 5 or 6 respectively i.e. 5782, 6782

\*Anti-lockout - Closing the door or retracting latch bolt unlocks the lock, preventing lockout situations.

#Latch bolt can be held within the lock. Lock function recommended for use in holdback application.

### Legend

Hub Setting



Anti-lockout Selection



Cam or Adaptor



# Selector® 3782 Short Backset Escape Locks


## Key Entry Escape Lock with Turn#

**Part Number** 3782XT

Cylinder and turnknob.

**Outside:** Opened by key at all times. Opened by handle when unlocked. Key locks outside handle.

**Inside:** Opened by handle at all times. Turnknob locks or unlocks outside handle.




## Escape Lock with Internal Cylinder#

**Part Number** 3782-V

Cylinder inside.

**Outside:** Opened by handle when unlocked.

**Inside:** Opened by handle at all times. Cylinder locks or unlocks outside handle and retracts bolt after unlocking lock.




## Escape Lock with Turn#

**Part Number** 3782-T

Turnknob inside.

**Outside:** Opened by handle when unlocked.

**Inside:** Opened by handle at all times. Turnknob locks or unlocks outside handle.




## Key Entry Escape Lock with Internal Cylinder#

**Part Number** 3782XV

Double Cylinder.

**Outside:** Opened by key at all times. Opened by handle when unlocked. Key locks outside handle.

**Inside:** Opened by handle at all times. Key locks or unlocks outside handle and retracts bolt after unlocking lock.



**Notes:**

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4782, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5782, 6782

\*Anti-lockout - Closing the door or retracting latch bolt unlocks the lock, preventing lockout situations.

#Latch bolt can be held within the lock. Lock function recommended for use in holdback application.

Legend	
Hub Setting	
Anti-lockout Selection	
Cam or Adaptor	

# Selector® 3782 Short Backset Escape Locks


## Anti-lockout Escape Lock with Turn\*

**Part Number** 3782-TA

Turnknob inside.

**Outside:** Opened by handle when unlocked.

**Inside:** Opened by handle at all times. Turnknob locks or unlocks outside handle.




## Anti-lockout Anti-vandal Escape Lock with Turn\*

**Part Number** 3782VTA

Cylinder and turnknob.

**Outside:** Opened by handle when unlocked. Key locks or unlocks outside handle and retracts bolt after unlocking lock.

**Inside:** Opened by handle at all times. Turnknob locks or unlocks outside handle.



### Notes:

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4782, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5782, 6782

\*Anti-lockout - Closing the door or retracting latch bolt unlocks the lock, preventing lockout situations.

#Latch bolt can be held within the lock. Lock function recommended for use in holdback application.

### Legend

Hub Setting



Anti-lockout Selection



Cam or Adaptor

