

# Plate Door Handles



We take the worry out of  
protecting what's valuable to you.  
Lockwood: *no worries*<sup>®</sup>

**LOCKWOOD**

**ASSA ABLOY**

**25YEAR**

**MECHANICAL  
WARRANTY**

[www.lockweb.com.au](http://www.lockweb.com.au)

**We take the worry out of  
protecting what's valuable to you.**  
**Lockwood: *no worries***<sup>®</sup>

# Contents



## 1800 Series

Square End Brass Plate Furniture

page 4



## 2800 Series

Round End Brass Plate Furniture

page 6



## 4800 Series

Narrow Stile Square End Brass Plate Furniture

page 9



## 5800 Series

Narrow Stile Round End Brass Plate Furniture

page 11



## Brass Levers

page 15



## 200 Series Artefact

Square Corner Plate Furniture

page 23



## 202 Series Artefact

Radius Corner Plate Furniture

page 25



## 212 Series Artefact

Oval Corner Plate Furniture

page 28



## 224 Series Artefact

Rectangular Plate Furniture

page 30



## Detention Series

Square and Rectangular Furniture

page 33



## Palladium Series

Door Handles

page 43



## Diecast Levers

page 47

**Brass Furniture Thicker Door Accessories** \_\_\_\_\_ 49

**Lockwood Door Furniture Handing Convention** \_\_\_\_\_ 50


# 1800 Series Square End Brass Plate Furniture



For a smart look choose this rectangular plate with bevelled edges and corners. It features concealed fixing on the outside plate.

## Application

Designed for use with Lockwood Selector and Synergy Mortice Locks and Latches.



## Product Details

### Door Thickness

External plates are supplied with fixing screws to suit door thickness between 32 and 45mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.

### Dimensions

166 x 48 x 12mm

### Fixing

Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.

### Handing

Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure.

### Standard Finishes

Satin Chrome Brushed (SC)

### Non Standard Finishes

Polished Brass (PB)  
Chrome Plate (CP)  
Polyester Powdercoat (PC)\*

### Special Finishes

Polished Brass Unlaqured (BU)  
Satin Brass (SB)  
Architectural Bronze (AZ)  
Architectural Bronze Unlaqured (AU)  
Antique Copper (AC)  
Oil Rubbed Bronze (ORB)

### Turn Functions

Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

\* For the Powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance



Successfully tested up to 4 hours on fire door assemblies in accordance with Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets.

S3

High security for maximum protection (AS4145.2:2008).

D3

High durability for maximum frequency usage.



Tested to AS 4145.2 2008 for Neutral Salt Spray with SC Finish Passing C10 Extreme Corrosion Resistance - 1000 hours.




Australian Made



AS1428.1 Compliance  
The range includes AS1428.1 compliant levers and turns as shown.


# 1800 Series Levers and Functions

## Levers and Knobs to Suit



For lever images and dimensions, see page 15.

## Plates and Functions



\* Refer to ordering procedure for part number when ordering with 3770 Series.

### Plates and Functions Legend

|                |  |                   |  |                           |  |
|----------------|--|-------------------|--|---------------------------|--|
| Cylinder Hole  |  | Fixed Lever       |  | Indicating Turnknob       |  |
| Turnknob       |  | Disabled Turnknob |  | Indicating Emergency Turn |  |
| Emergency Turn |  | LED               |  | Lever                     |  |


# 2800 Series Round End Brass Plate Furniture



For a smart look choose this rectangular plate with bevelled edges and round ends. It features concealed fixing on the outside plate.

## Application

Designed for use with Lockwood Selector and Synergy Mortice Locks and Latches.







## Product Details

|                              |   |
|------------------------------|---|
| <b>Door Thickness</b>        | External plates are supplied with fixing screws to suit door thickness between 32 and 45mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section. |
| <b>Dimensions</b>            | 166 x 48 x 12mm   |
| <b>Fixing</b>                | Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.  |
| <b>Handing</b>               | Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure.  |
| <b>Standard Finishes</b>     | Satin Chrome Brushed (SC)   |
| <b>Non Standard Finishes</b> | Polished Brass (PB)<br>Chrome Plate (CP)<br>Polyester Powdercoat (PC)*  |
| <b>Special Finishes</b>      | Polished Brass Unlaqured (BU)<br>Satin Brass (SB)<br>Architectural Bronze (AZ)<br>Architectural Bronze Unlaqured (AU)<br>Antique Copper (AC)<br>Oil Rubbed Bronze (ORB)                                     |
| <b>Turn Functions</b>        | Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.  |


\* For the Powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance

-  Successfully tested up to 4 hours on fire door assemblies in accordance with Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets.
- S3** High security for maximum protection (AS4145.2:2008).
- D3** High durability for maximum frequency usage.
-  Tested to AS 4145.2 2008 for Neutral Salt Spray with SC Finish Passing C10 Extreme Corrosion Resistance - 1000 hours.
-  Australian Made
-  AS1428.1 Compliance  
The range includes AS1428.1 compliant levers and turns as shown.


# 2800 Series Levers and Functions

## Levers and Knobs to Suit



For lever images and dimensions, see page 15.

## Plates and Functions



\* Refer to ordering procedure for part number when ordering with 3770 Series

### Plates and Functions Legend

|                |  |                   |  |                           |  |
|----------------|--|-------------------|--|---------------------------|--|
| Cylinder Hole  |  | Fixed Lever       |  | Indicating Turnknob       |  |
| Turnknob       |  | Disabled Turnknob |  | Indicating Emergency Turn |  |
| Emergency Turn |  | LED               |  | Lever                     |  |

# 1800 and 2800 Series Ordering Procedure

## For example:

Sample part number 1801/41LCP is made up of several selections. Choose your product by selecting an option from each section.

|            |                |             |         |        |
|------------|----------------|-------------|---------|--------|
| Plate Type | Plate Function | Lever/ Knob | Handing | Finish |
| 18         | 01             | 41          | L       | CP     |

### Plate Type

|                     |    |
|---------------------|----|
| Exterior Square End | 18 |
| Interior Square End | 19 |
| Exterior Round End  | 28 |
| Interior Round End  | 29 |

### Plate Function

|   |    |
|---|----|
| Cylinder Only   | 00 |
| Cylinder & Lever                                      | 01 |
| Emergency Turn & Lever                                | 03 |
| Turnknob & Lever                                      | 04 |
| Lever Only  | 05 |
| Turnknob Only   | 06 |
| Plain Plate   | 07 |
| Cylinder & Fixed lever                                | 08 |
| Fixed Lever Only                                      | 09 |
| Two Cylinders   | 10 |
| Privacy Indicating<br>Emergency Turn Only             | 13 |
| Privacy Indicating<br>Emergency Turn & Lever          | 14 |
| Privacy Indicating<br>Turnknob Only                   | 15 |
| Privacy Indicating<br>Turnknob & Lever                | 16 |
| Privacy Indicating<br>Emergency Turn & Lower Cylinder | 19 |
| Cylinder, Lever & LED                                 | 20 |
| Cylinder, Fixed<br>Lever & LED                        | 21 |
| Lever & LED   | 22 |
| Cylinder & LED  | 23 |

### Plate Function - Handed - Selector

|   |     |
|---|-----|
| Disabled Accessible Turnknob<br>& Lever - Selector            | 39S |
| Privacy Indicating<br>Disabled Turnknob<br>& Lever - Selector | 41S |

### Plate Function - Handed - Synergy

|  |    |
|--|----|
| Disabled Accessible Turnknob<br>& Lever - Synergy            | 39 |
| Privacy Indicating<br>Disabled Turnknob<br>& Lever - Synergy | 41 |

### Lever/Knob Type

|     |    |     |
|-----|----|-----|
| 20  | 60 | 79  |
| 32  | 65 | 79B |
| 44  | 66 | 83  |
| 45  | 67 | 97  |
| 55  | 71 |     |
| 55A | 78 |     |

### AS1428.1 Compliant Levers

|    |    |    |
|----|----|----|
| 59 | 76 | 85 |
| 70 | 77 | 90 |
| 74 | 80 | 92 |

### Handed Levers

|    |    |    |
|----|----|----|
| 41 | 53 | 61 |
|----|----|----|

### Handing

|              |   |
|--------------|---|
| Right Handed | R |
| Left Handed  | L |

NB: Omit if non-handed

### Finish

|                                     |     |
|-------------------------------------|-----|
| Satin Chrome                        | SC  |
| Polished Brass                      | PB  |
| Chrome Plate                        | CP  |
| Polished Brass<br>Unlacquered       | BU  |
| Polyester Powdercoat                | PC* |
| Satin Brass                         | SB  |
| Architectural Bronze<br>Unlacquered | AU  |
| Antique Copper                      | AC  |
| Oil Rubbed Bronze                   | ORB |

\* For the powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.



# 4800 Series Narrow Stile Brass Plate Furniture




A slimline, rectangular brass plate that adds style to your choice of lever.

## Application

Designed for use with Lockwood Selector and Synergy Series short and standard backset mortice locks.

Additionally there are functions that are designed to work with Lockwood 3540 Series short backset mortice deadbolts.

**Note:** Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.







## Product Details

|                              |   |
|------------------------------|---|
| <b>Door Thickness</b>        | External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section. |
| <b>Dimensions</b>            | 185 x 26 x 11.5mm   |
| <b>Fixing</b>                | Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.  |
| <b>Handing</b>               | Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure.  |
| <b>Standard Finishes</b>     | Satin Chrome Brushed (SC)   |
| <b>Non Standard Finishes</b> | Polished Brass (PB)<br>Chrome Plate (CP)<br>Polyester Powdercoat (PC)*  |
| <b>Special Finishes</b>      | Polished Brass Unlaquered (BU)<br>Satin Brass (SB)<br>Architectural Bronze (AZ)<br>Architectural Bronze Unlaquered (AU)<br>Antique Copper (AC)<br>Oil Rubbed Bronze (ORB)                                   |
| <b>Turn Functions</b>        | Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.  |


\* For the Powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance

|   |   |
|---|---|
|  | Fire Rated (3770 and 3570 Series only).   |
| <b>S3</b>   | High security for maximum protection (AS4145.2:2008).                                   |
| <b>D3</b>   | High durability for maximum frequency usage.  |
|  | Anti-Corrosion  |
|  | Australian Made   |
|  | AS1428.1 Compliance<br>The range includes AS1428.1 compliant levers and turns as shown. |


# 4800 Series Levers and Functions

## Levers and Knobs to Suit




For lever images and dimensions, see page 15.


## 4800/4900 Plates and Functions (3780 & 3580 Series)



## Functions for 3540 Series



## 4600/4700 Plates and Functions (3770 & 3570 Series)



For parts in red, lever and plain plate versions use the 4800/4900 versions.

### Plates and Functions Legend

|                   |  |
|-------------------|--|
| Cylinder Hole     |  |
| Turnknob          |  |
| Emergency Turn    |  |
| Fixed Lever       |  |
| Disabled Turnknob |  |
| LED               |  |
| Lever             |  |

# 5800 Series Narrow Stile Brass Plate Furniture




Functional, yet elegant, the soft lines of this round ended brass plate complement a wide range of levers.

## Application

Designed for use with Lockwood Selector and Synergy Series short and standard backset mortice locks.

Additionally there are functions that are designed to work with Lockwood 3540 Series short backset mortice deadbolts.

**Note:** Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.







## Product Details

|                              |   |
|------------------------------|---|
| <b>Dimensions</b>            | 185 x 26 x 11.5mm   |
| <b>Door Thickness</b>        | External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section. |
| <b>Fixing</b>                | Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.  |
| <b>Handing</b>               | Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure.  |
| <b>Standard Finishes</b>     | Satin Chrome Brushed (SC)   |
| <b>Non Standard Finishes</b> | Polished Brass (PB)<br>Chrome Plate (CP)<br>Polyester Powdercoat (PC)*  |
| <b>Special Finishes</b>      | Polished Brass Unlaqured (BU)<br>Satin Brass (SB)<br>Architectural Bronze (AZ)<br>Architectural Bronze Unlaqured (AU)<br>Antique Copper (AC)<br>Oil Rubbed Bronze (ORB)                                     |
| <b>Turn Functions</b>        | Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.  |


\* For the Powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance

-  Fire Rated (3770 & 3570 Series only)
- S3** High security for maximum protection (AS4145.2:2008).
- D3** High durability for maximum frequency usage.
-  Anti-Corrosion
-  Australian Made
-  AS1428.1 Compliance  
The range includes AS1428.1 compliant levers and turns as shown.


# 5800 Series Levers and Functions

## Levers to Suit




For detailed information regarding brass levers refer to page 15.


## 5800/5900 Plates and Functions (3780 & 3580 Series)



## Functions for 3540 Series



## 5600/5700 Plates and Functions (3770 & 3570 Series)



## Plates and Functions Legend

|                   |  |
|-------------------|--|
| Cylinder Hole     |  |
| Turnknob          |  |
| Emergency Turn    |  |
| Fixed Lever       |  |
| Disabled Turnknob |  |
| LED               |  |
| Lever             |  |

For parts in red, lever and plain plate versions use the 5800/5900 versions.

# 4800 & 5800 Series Ordering Procedure

## Example:

Sample part number 4801/53LCP is made up of several selections. Choose your product by selecting an option from each section.

| Plate Type | Plate Function | Lever Type | Handing | Finish |
|------------|----------------|------------|---------|--------|
| 48         | 01             | 53         | L       | CP     |

| Plate Type                |    |
|---------------------------|----|
| <b>3770 / 3570 Series</b> |    |
| Exterior Square End       | 46 |
| Interior Square End       | 47 |
| Exterior Round End        | 56 |
| Interior Round End        | 57 |
| <b>3780 / 3580 Series</b> |    |
| Exterior Square End       | 48 |
| Interior Square End       | 49 |
| Exterior Round End        | 58 |
| Interior Round End        | 59 |

| Plate Function                       |    |
|--------------------------------------|----|
| Cylinder Only                        | 00 |
| Cylinder & Lever                     | 01 |
| Emergency Turn & Lever               | 03 |
| Turnknob & Lever                     | 04 |
| Lever Only                           | 05 |
| Turnknob Only                        | 06 |
| Plain Plate                          | 07 |
| Two Cylinders                        | 10 |
| Cylinder, Lever & LED                | 20 |
| Lever & LED                          | 22 |
| Cylinder & LED                       | 23 |
| Disabled Accessible Turnknob & Lever | 39 |

| Plate Function - Handed     |    |
|-----------------------------|----|
| Fixed Lever & Cylinder      | 08 |
| Fixed Lever Only            | 09 |
| Cylinder, Fixed Lever & LED | 21 |

| Lever Type |    |     |
|------------|----|-----|
| 32         | 65 | 79  |
| 44         | 66 | 79B |
| 45         | 67 | 83  |
| 55         | 71 | 97  |
| 55A        | 74 |     |
| 60         | 78 |     |

| AS1428.1 Compliant Levers |    |    |
|---------------------------|----|----|
| 59                        | 76 | 85 |
| 70                        | 77 | 90 |
| 74                        | 80 | 92 |

| Handed Levers |    |    |
|---------------|----|----|
| 41            | 53 | 61 |

| Handing      |   |
|--------------|---|
| Right Handed | R |
| Left Handed  | L |

NB: Omit if non-handed

| Finish                         |     |
|--------------------------------|-----|
| Satin Chrome                   | SC  |
| Polished Brass                 | PB  |
| Chrome Plate                   | CP  |
| Polished Brass Unlaqured       | BU  |
| Polyester Powdercoat           | PC* |
| Satin Brass                    | SB  |
| Architectural Bronze Unlaqured | AU  |
| Antique Copper                 | AC  |
| Oil Rubbed Bronze              | ORB |

\*For the powdercoat colour range, see the Dulux Powdercoat Range at the end of this catalogue section.

## 3540 Furniture Ordering Procedure

| Plate Type | Plate Function | Lever Type | Finish |
|------------|----------------|------------|--------|
| 48         | 80             | 70         | SC     |

| Platform Name       |    |
|---------------------|----|
| Exterior Square End | 48 |
| Interior Square End | 49 |
| Exterior Round End  | 58 |
| Interior Round End  | 59 |

| Plate Function        |    |
|-----------------------|----|
| Lever Only            | 80 |
| Lever - Angled Up 45° | 81 |

| Lever Type |    |
|------------|----|
| 67         | 97 |

| AS1428.1 Compliant Levers |    |
|---------------------------|----|
| 70                        | 77 |

| Finish               |    |
|----------------------|----|
| Satin Chrome         | SC |
| Polished Brass       | PB |
| Chrome Plate         | CP |
| Polyester Powdercoat | PC |

Note: No other finish options available.

# 4800 & 5800 Series Lever Suitability

## Application

All narrow style door furniture will be closer to the door frame. Lever handles with 90 degree angles can cause the lever stem to hit the door frame and prevent the door from opening. The table below provides a guide to lever compatibility and each model of short backset lock from 3782 to 6782. Based on 12mm doorstop.

| Lever Number | 3782         | 4782   | 5782 | 6782 |
|--------------|--------------|--------|------|------|
|              | 3540<br>23mm | 25.4mm | 30mm | 38mm |
| 32           | X            | X      | ✓    | ✓    |
| 41           | X            | X      | ✓    | ✓    |
| 44           | X            | X      | X    | X    |
| 45           | X            | X      | ✓    | ✓    |
| 53           | X            | X      | ✓    | ✓    |
| 55           | X            | X      | X    | X    |
| 55A          | X            | X      | ✓    | ✓    |
| 59           | X            | X      | ✓    | ✓    |
| 60           | X            | X      | ✓    | ✓    |
| 61           | X            | ✓      | ✓    | ✓    |
| 65           | X            | X      | ✓    | ✓    |
| 66           | X            | X      | ✓    | ✓    |
| 67           | ✓            | ✓      | ✓    | ✓    |
| 70           | ✓            | ✓      | ✓    | ✓    |
| 71           | X            | X      | ✓    | ✓    |
| 74           | X            | X      | ✓    | ✓    |
| 76           | X            | X      | ✓    | ✓    |
| 77           | ✓            | ✓      | ✓    | ✓    |
| 78           | X            | X      | ✓    | ✓    |
| 79           | X            | X      | X    | X    |
| 79B          | X            | X      | ✓    | ✓    |
| 80           | X            | ✓      | ✓    | ✓    |
| 83           | X            | X      | ✓    | ✓    |
| 85           | X            | X      | ✓    | ✓    |
| 90           | X            | X      | ✓    | ✓    |
| 92           | X            | X      | ✓    | ✓    |
| 97           | ✓            | ✓      | ✓    | ✓    |

# Brass Levers and Knobs

Finger clearance is defined as the clearance between the lever and the base of the rose or plate at the centre of the lever. The tables below are calculated using an assembled plate/rose thickness of 12.5mm. Due to different bearing bush, the projection and finger clearance of levers in the 4800/5800 Series is 2.5mm larger than the value shown (except Lever 90).


## For use on the following door furniture series:

- 1220 Series
- 1420 Series
- 1360 Series
- 1370 Series
- 1800 Series
- 2800 Series
- 4800 Series
- 5800 Series
- Artefact Series

### Knob 20


|                   |      |
|-------------------|------|
| <b>Diameter</b>   | 50mm |
| <b>Projection</b> | 73mm |

Not compatible with 1220 Symphony internal rose.



### Lever 32


|                         |         |
|-------------------------|---------|
| <b>Length</b>           | 107.5mm |
| <b>Projection</b>       | 53mm    |
| <b>Finger clearance</b> | 35.5mm  |



### Intermezzo 41

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 130mm  |
| <b>Projection</b>       | 61.5mm |
| <b>Finger clearance</b> | 40.5mm |


\* Lever is an asymmetrical design and therefore must be handed.



# Brass Levers and Knobs


## Arpeggio 44

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 125mm  |
| <b>Projection</b>       | 59.5mm |
| <b>Finger clearance</b> | 42mm   |



## Sonata 45


|                         |         |
|-------------------------|---------|
| <b>Length</b>           | 117.5mm |
| <b>Projection</b>       | 57mm    |
| <b>Finger clearance</b> | 40mm    |



## Veloce 53


|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 123mm  |
| <b>Projection</b>       | 73.5mm |
| <b>Finger clearance</b> | 45mm   |

\*Lever is an asymmetrical design and therefore must be handed.



## Lever 55

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 124mm  |
| <b>Projection</b>       | 62.5mm |
| <b>Finger clearance</b> | 40.3mm |






# Brass Levers and Knobs


## Lever 55A

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 115mm  |
| <b>Projection</b>       | 62.5mm |
| <b>Finger clearance</b> | 40.3mm |




## Overture 59

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 121mm  |
| <b>Projection</b>       | 57.5mm |
| <b>Finger clearance</b> | 38mm   |




## Lever 60

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 121mm  |
| <b>Projection</b>       | 65mm   |
| <b>Finger clearance</b> | 54.2mm |



## Lever 61

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 120mm  |
| <b>Projection</b>       | 52.5mm |
| <b>Finger clearance</b> | 25.5mm |




\*Lever is an asymmetrical design and therefore must be handed.

# Brass Levers and Knobs


## Lever 65

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 121mm  |
| <b>Projection</b>       | 51mm   |
| <b>Finger clearance</b> | 43.5mm |




## Lever 66

|                         |       |
|-------------------------|-------|
| <b>Length</b>           | 125mm |
| <b>Projection</b>       | 50mm  |
| <b>Finger clearance</b> | 42mm  |




## Lever 67

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 127mm  |
| <b>Projection</b>       | 48.5mm |
| <b>Finger clearance</b> | 40.5mm |



## Lever 70

|                         |       |
|-------------------------|-------|
| <b>Length</b>           | 121mm |
| <b>Projection</b>       | 53mm  |
| <b>Finger clearance</b> | 37mm  |




# Brass Levers and Knobs

## Tempo 71

**Length** 118mm

**Projection** 62mm

**Finger clearance** 44.5mm




## Ving 74

**Length** 120mm

**Projection** 53mm

**Finger clearance** 45mm




## Lever 76

**Length** 125mm

**Projection** 50mm

**Finger clearance** 42mm




## Lever 77

**Length** 121mm

**Projection** 51mm


**Finger clearance** 40.5mm



# Brass Levers and Knobs


## Candenza 78

|                         |       |
|-------------------------|-------|
| <b>Length</b>           | 118mm |
| <b>Projection</b>       | 52mm  |
| <b>Finger clearance</b> | 30mm  |




## Tenor 79

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 124mm  |
| <b>Projection</b>       | 50.5mm |
| <b>Finger clearance</b> | 40.5mm |




## Lever 79B

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 118mm  |
| <b>Projection</b>       | 50.5mm |
| <b>Finger clearance</b> | 40.5mm |



## Lever 80


|                         |       |
|-------------------------|-------|
| <b>Length</b>           | 123mm |
| <b>Projection</b>       | 49mm  |
| <b>Finger clearance</b> | 40mm  |



# Brass Levers and Knobs


## Lever 83

|                         |        |
|-------------------------|--------|
| <b>Length</b>           | 112mm  |
| <b>Projection</b>       | 62mm   |
| <b>Finger clearance</b> | 33.5mm |




## Lever 85

|                         |         |
|-------------------------|---------|
| <b>Length</b>           | 125.5mm |
| <b>Projection</b>       | 51mm    |
| <b>Finger clearance</b> | 43.5mm  |




## Lever 90

|                         |         |
|-------------------------|---------|
| <b>Length</b>           | 118.5mm |
| <b>Projection</b>       | 52mm    |
| <b>Finger clearance</b> | 45mm    |



## Lever 92

|                         |         |
|-------------------------|---------|
| <b>Length</b>           | 118.5mm |
| <b>Projection</b>       | 52mm    |
| <b>Finger clearance</b> | 45mm    |




# Brass Levers and Knobs

## Chorus Line 97

**Length** 120mm

**Projection** 50.5mm

**Finger clearance** 34.6mm





# 200 Series Artefact Square Corner Plate Furniture



The 200 Series Door Furniture is 162mm square with square corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.



SS/Brass      Aluminium

## Product Details

|                              |  |
|------------------------------|--|
| <b>Dimensions</b>            | 162 x 162 x 3mm - aluminium<br>162 x 162 x 2mm - stainless steel and brass   |
| <b>Door Thickness</b>        | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.  |
| <b>Standard Finishes</b>     | Natural Anodised Aluminium (NT)<br>Satin Stainless Steel (SS)  |
| <b>Fixing</b>                | Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed. |
| <b>Finishes Non Standard</b> | Polished Stainless Steel (PS)<br>Powdercoat (PC)*<br>316 Marine Grade (MG)<br>Polished Brass (PB)  |
| <b>Handing</b>               | All plates are handed with the exception of plain plates and pull handles.   |
| <b>Materials</b>             | Aluminium, brass and stainless steel   |

**Note:** When using flush pulls back to back the minimum door thickness is 40mm.

\* For the Powdercoat color range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance



Fire Rated

**S3**

High security for maximum protection (AS4145.2:2008).

**D3**


High durability for maximum frequency usage.



Anti-Corrosion

# 200 Series Levers and Functions

## Levers and Knob to Suit




For lever images and dimensions, see page 15.


\*1 Stainless Steel Only

\*2 Aluminium Only

## Pull Handle to Suit



## Plates



\*3 Replace NN with NS when ordering with 3770 Series

\*4 Recommended for sliding doors only

### Plates and Functions Legend

Cylinder Hole



Emergency Turn



LED



Turnknob



Disabled Turnknob



Indicating Emergency Turn







# 202 Series Artefact Round Corner Plate Furniture



The 202 Series Door Furniture is 162mm square with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.



## Product Details

|                              |  |
|------------------------------|--|
| <b>Dimensions</b>            | 162 x 162 x 3mm - aluminium<br>162 x 162 x 2mm - stainless steel and brass   |
| <b>Door Thickness</b>        | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.  |
| <b>Fixing</b>                | Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed. |
| <b>Standard Finishes</b>     | Natural Anodised Aluminium (NT)<br>Satin Stainless Steel (SS)  |
| <b>Finishes Non Standard</b> | Polished Stainless Steel (PS)<br>Powdercoat (PC)*<br>316 Marine Grade (MG)<br>Polished Brass (PB)  |
| <b>Handing</b>               | All plates are handed with the exception of plain plates and pull handles.   |
| <b>Materials</b>             | Aluminium, brass and stainless steel   |

**Note:** When using flush pulls back to back the minimum door thickness is 40mm.

\* For the Powdercoat color range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance



Fire Rated

**S3**

High security for maximum protection (AS4145.2:2008).

**D3**


High durability for maximum frequency usage.



Anti-Corrosion

# 202 Series Levers and Functions

## Levers and Knob to Suit




For lever images and dimensions, see page 15.


\*1 Stainless Steel Only

\*2 Aluminium Only

## Pull Handle to Suit



## Plates



\*3 Replace NN with NS when ordering with 3770 Series

\*4 Recommended for sliding doors only

### Plates and Functions Legend

|               |  |                   |  |                           |  |
|---------------|--|-------------------|--|---------------------------|--|
| Cylinder Hole |  | Emergency Turn    |  | LED                       |  |
| Turnknob      |  | Disabled Turnknob |  | Indicating Emergency Turn |  |

# 200/202 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 20001NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

| Plate Type | Plate Function | Engraving | Cylinder Type | Lever/Knob/Pull Handle | Handing | Finish |
|------------|----------------|-----------|---------------|------------------------|---------|--------|
| 200        | 01             | N         | A             | 96                     | L       | SS     |

| Plate Type   | Plate Function   | Engraving - Handed   | Lever/ Knob Type   | Finish   |
|--|--|--|--|--|
| Exterior Plate (162 x 162)<br>– Square Corners 200 | Plain Plate 07<br>Pull Handle Only 24  | A – G Outlined Infill<br>R – X Full Infill   | 20 66 80<br>32 67 83<br>44 70 90<br>45 71 92<br>55 74 96<br>55A 78 97<br>60 79 98*1<br>65 79B 98*2                     | <b>Stainless Steel Finishes</b><br>Satin Stainless Steel SS<br>Polished Stainless Steel PS<br>Powdercoat PC<br>316 Marine Grade MG |
| Interior Plate (162 x 162)<br>– Square Corners 201 | <b>Plate Function - Handed</b>   | Male symbol A R<br>Male text B S<br>Female symbol C T<br>Female text D U<br>Disabled symbol E V<br>Push text F W<br>Pull text G X<br>Unisex symbol H Y<br>No option N  | <b>AS1428.1 Compliant Levers</b><br>59 85 96*2<br>76 88*2 96*3<br>77 96*1  | <b>Aluminium Finishes</b><br>Natural Anodised NT   |
| Exterior Plate (162 x 162)<br>– Radius Corners 202 | Cylinder Only 00<br>Cylinder & Lever 01<br>Emergency Turn Only 02<br>Emergency Turn & Lever 03<br>Turnknob & Lever 04<br>Lever Only 05<br>Turnknob Only 06<br>Cylinder & Fixed Lever 08<br>Fixed Lever Only 09<br>Dual Cylinder 10   | <b>Cylinder Type</b><br>Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders A<br>Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders B<br>No Cylinder Function – Selector S*<br>No Cylinder Function – Synergy N | <b>Handed Levers</b><br>41 53 61   | <b>Brass Finishes</b><br>Polished Brass PB   |
| Interior Plate (162 x 162)<br>– Radius Corners 203 | Privacy Indicating Emergency Turn Only 13<br>Privacy Indicating Emergency Turn & Lever 14<br>Privacy Indicating Turnknob & Lever 16<br>Cylinder, Lever & LED 20<br>Cylinder, Fixed Lever & LED 21<br>Lever & LED 22<br>Cylinder & LED 23<br>Pull Handle & Cylinder 25<br>Pull Handle & Emergency Turn 26<br>Pull Handle & Turnknob 27<br>Pull Handle & Privacy Indicating Emergency Turn 28<br>Pull Handle & Dual Cylinder 30<br>Flush Pull Only 31<br>Flush Pull & Cylinder 32<br>Flush Pull & Emergency Turn 33<br>Flush Pull & Turnknob 34<br>Flush Pull & Privacy Indicator Emergency Turn 35<br>Flush Pull & Dual Cylinder 37<br>Disabled Turnknob & Lever 39<br>Pull Handle & Disabled Turnknob 42 | <i>For all in-filled engraving, black gloss is the standard.</i><br><i>*Only applies to 13, 14, 16 and 39 functions</i>  | <b>Pull Handles</b><br>P1 P1*1 75*2  |  |
|  |  |  | <b>Pull Handles - Horizontal</b><br>HP1 HP1*1 H75*2  |  |
|  |  |  | <i>Handles are brass unless indicated otherwise</i><br>*1 = Stainless Steel<br>*2 = Aluminium<br>*3 = 316 Marine Grade |  |
|  |  |  | <b>Handing</b><br>Left Handed L<br>Right Handed R  |  |



# 212 Series Artefact Oval Plate Furniture



The 212 Series Door Furniture is 162mm long x 50mm wide with radius ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.



SS/Brass

Aluminium

## Product Details

**Dimensions** 162 x 50 x 3mm - aluminium  
162 x 50 x 2mm - stainless steel and brass

**Materials** Aluminium, stainless steel or brass

**Door Thickness** 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

**Standard Finishes** Natural Anodised Aluminium (NT)  
Stainless Steel (SS)

**Non Standard Finishes** Polished Stainless Steel (PS)  
Powdercoat (PC)  
316 Marine Grade (MG)  
Polished Brass (PB)

## Standards and Compliance



Fire Rated

**S3**

High security for maximum protection (AS4145.2:2008).

**D3**


High durability for maximum frequency usage.




Anti-Corrosion

# 212 Series Levers and Functions


## Levers and Knob to Suit




20\*1



88\*2



96




98

For lever images and dimensions, see page 15.


\*1 Stainless Steel Only

\*2 Aluminium Only

## Pull Handle to Suit



75  
Aluminium



P1  
Stainless Steel

## Plates




21200NA




21300NA



21202NN



21206NN




21306NN




21207NN




21307NN




21210NA




21213NN\*3




21201NA




21301NA




21203NN




21204NN




21304NN




21205NN




21305NN




21214NN\*3




21339NN\*3




21220NA



21320NA



21222NN



21322NN

\*3 Replace NN with NS when ordering with 3770 Series

### Plates and Functions Legend

Cylinder Hole



Emergency Turn



LED



Turnknob



Disabled Turnknob



Indicating Emergency Turn



# 224 Series Artefact Rectangular Plate Furniture



The 224 Series Door Furniture is 162mm long x 50mm wide with square ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.

## Product Details

|                       |   |
|-----------------------|---|
| <b>Dimensions</b>     | 162 x 50 x 2mm - stainless steel  |
| <b>Materials</b>      | Stainless steel only.   |
| <b>Door Thickness</b> | 35mm to 45mm as supplied. Maximum 65mm.<br>For thicker door parts, see page 53. |
| <b>Finishes</b>       | Stainless Steel (SS)  |

## Standards and Compliance



Fire Rated

**S3**


High security for maximum protection (AS4145.2:2008).

**D3**

High durability for maximum frequency usage.




Anti-Corrosion




# 224 Series Levers and Functions

## Levers and Knob to Suit




For lever images and dimensions, see page 15.

## Pull Handle to Suit



## Plates



\* Replace NN with NS when ordering with 3770 Series

**Plates and Functions Legend**

|               |  |                   |  |                           |  |
|---------------|--|-------------------|--|---------------------------|--|
| Cylinder Hole |  | Emergency Turn    |  | LED                       |  |
| Turnknob      |  | Disabled Turnknob |  | Indicating Emergency Turn |  |

# 212/224 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 21201NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

| Plate Type | Plate Function | Engraving | Cylinder Type | Lever/Knob/Pull Handle | Handing | Finish |
|------------|----------------|-----------|---------------|------------------------|---------|--------|
| 212        | 01             | N         | A             | 96                     | L       | SS     |

| Plate Type                                     | Plate Function                                  | Engraving - Handed   | Lever/ Knob Type                                    | Finish                                   |
|--|---|--|---|--|
| Exterior Plate (162 x 50)<br>- Oval 212        | Cylinder Only 00                                | <b>A - G Outlined Infill</b>   | 20 66 83  | <b>Stainless Steel Finishes</b>          |
| Interior Plate (162 x 50)<br>- Oval 213        | Cylinder & Lever 01                             | <b>R - X Full Infill</b>   | 32 67 90  | Satin Stainless Steel SS                 |
| Exterior Plate (162 x 50)<br>- Rectangular 224 | Emergency Turn Only 02                          | Male symbol A R  | 44 71 92  | Polished Stainless Steel PS              |
| Interior Plate (162 x 50)<br>- Rectangular 225 | Emergency Turn & Lever 03                       | Male text B S  | 45 74 97  | Powdercoat PC                            |
|  | Turnknob & Lever 04                             | Female symbol C T  | 55 78 98*1  | 316 Marine Grade MG                      |
|  | Lever Only 05                                   | Female text D U  | 55A 79 98*2   | <b>Aluminium Finishes*4</b>              |
|  | Turnknob Only 06                                | Disabled symbol E V  | 60 79B  | Natural Anodised NT                      |
|  | Plain Plate 07                                  | Push text F W  | 65 80   | <b>Brass Finishes*4</b>                  |
|  | Dual Cylinder 10                                | Pull text G X  |   | Polished Brass PB                        |
|  | Privacy Indicating<br>Emergency Turn Only 13    | Unisex symbol H Y  | <b>AS1428.1 Compliant Levers</b>                    |  |
|  | Privacy Indicating<br>Emergency Turn & Lever 14 | No option N  | 59 85 96*2  |  |
|  | Privacy Indicating<br>Turnknob & Lever 16       | <i>For all in-filled engraving, black gloss is the standard.</i>           | 76 88*2   | <i>*4 Only available with 212 Series</i> |
|  | Cylinder, Lever & LED 20                        | <b>Cylinder Type</b>   | 77 96*1   |  |
|  | Cylinder, Fixed Lever & LED 21                  | Oval Cylinder -<br>32mm (H) x 18mm (W)<br>Lockwood 570 Cylinders A         |   |  |
|  | Lever & LED 22                                  | Guarded Oval Cylinder -<br>32mm (H) x 18mm (W)<br>Lockwood 570 Cylinders B | <b>Handed Levers</b>                                |  |
|  | Cylinder & LED 23                               | No Cylinder Function -<br>Selector S*                                      | 41 53 61  |  |
|  | <b>Plate Function - Handed</b>                  | No Cylinder Function -<br>Synergy N  | <b>Angled Levers</b>                                |  |
|  | Cylinder & Fixed Lever 08                       |  | 98A   |  |
|  | Fixed Lever Only 09                             |  | <b>Pull Handles</b>                                 |  |
|  | Disabled Turnknob & Lever 39                    |  | P1 P1*1 75*2  |  |
|  |   | <i>*Only applies to 13, 14, 16 and 39 functions</i>                        | <i>Handles are brass unless indicated otherwise</i> |  |
|  |   |  | <i>*1 = Stainless Steel</i>                         |  |
|  |   |  | <i>*2 = Aluminium</i>                               |  |
|  |   |  | <b>Handing</b>                                      |  |
|  |   |  | Left Handed L                                       |  |
|  |   |  | Right Handed R                                      |  |



# Detention Series Square Plate Furniture



A heavy duty plate designed for use in hospitals and detention facilities. Styled for institutional use, this plate has six fixing points to ensure that it is well secured to the door. Plates are designed to be free of ligature points.

## Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

## Features and Specifications

- Anti-ligature - Knob 21 & 22
- Covers fixing holes from existing Artefact 200 Series Furniture
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

## Product Details

|                        |  |
|------------------------|--|
| <b>Dimensions</b>      | 162mm x 180mm x 2mm: base plate<br>161mm x 75mm x 3mm: bevelled top plate                                    |
| <b>Door Thickness*</b> | 35mm minimum, 45mm maximum   |
| <b>Finishes</b>        | Satin Stainless Steel (SS)   |
| <b>Fixing</b>          | Six fixing points<br>220D series plates have concealed fixings<br>221D series plates have visible fixings    |
| <b>Handing</b>         | All plates are handed except 220D07, 220D24 and 220D31, which are non-handed when ordered without engraving. |
| <b>Materials</b>       | Stainless steel  |

**\*Note:** A minimum door thickness of 50mm is required to fit flush pulls back to back.

## Standards and Compliance



Fire Rated

**S3**

High security for maximum protection (AS4145.2:1993).


**D3**

High durability for maximum frequency usage.



Anti-Corrosion

# Detention Series Square Plate Lever/Knobs and Functions



Legend:


|  |                             |  |                                   |  |                  |  |             |  |                |
|--|-----------------------------|--|-----------------------------------|--|------------------|--|-------------|--|----------------|
|  | Cylinder Hole               |  | Lever/Knob                        |  | Fixed Lever/Knob |  | Turnknob    |  | Emergency Turn |
|  | Privacy Indicating Turnknob |  | Privacy Indicating Emergency Turn |  | LED              |  | Pull Handle |  | Flush Pull     |

Cylinder guards must be ordered separately. Only the plate functions shown above in red are available with engraving.


\* Refer to ordering procedure for part number when ordering with 3770 Series

## Lever and Knob Selection


Standard Knob 21



Webbed Knob 22



Lever 23



# Detention Series Rectangular Plate Furniture



This smaller plate range has been designed for use in detention facilities such as hospitals where domestic aesthetics are preferred over institutional type styling. Plates are designed to be free of ligature points.

## Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

## Features and Specifications

- Anti-ligature - Knob 21 & 22
- Covers fixing holes from existing 212 Series Artefact Plates
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

## Product Details

|                       |  |
|-----------------------|--|
| <b>Dimensions</b>     | 162mm x 76mm x 2mm: base plate<br>161mm x 75mm x 3mm: bevelled top plate                                   |
| <b>Door Thickness</b> | 35mm minimum, 45mm maximum   |
| <b>Finishes</b>       | Satin Stainless Steel (SS)   |
| <b>Fixing</b>         | Four fixing points<br>222D series plates have concealed fixings<br>223D series plates have visible fixings |
| <b>Handing</b>        | Only plates with 23 Lever and / or turnknobs are handed  |
| <b>Materials</b>      | Stainless steel  |

## Standards and Compliance



Fire Rated

**S3**

High security for maximum protection (AS4145.2:1993).


**D3**

High durability for maximum frequency usage.



Anti-Corrosion

# Detention Series Rectangular Plate Lever/Knobs & Functions





|  |                             |  |                                   |  |                  |  |             |  |                |
|--|-----------------------------|--|-----------------------------------|--|------------------|--|-------------|--|----------------|
|  | Cylinder Hole               |  | Lever/Knob                        |  | Fixed Lever/Knob |  | Turnknob    |  | Emergency Turn |
|  | Privacy Indicating Turnknob |  | Privacy Indicating Emergency Turn |  | LED              |  | Pull Handle |  |                |


\* Refer to ordering procedure for part number when ordering with 3770 Series

## Lever and Knob Selection



Standard Knob 21



Webbed Knob 22




Lever 23



# Detention Series – Knobs and Levers


## Standard Knob 21

Simple yet functional, this knob has soft edges to minimise impact injuries and anti-ligature features that make it suitable for use in detention facilities.




## Webbed Knob 22

The webbed knob combines pleasing aesthetics, comfortable grip and anti-ligature features to provide a solution for any environment.




## Lever 23

Ergonomically designed to maximise grip, the detention lever is suitable for use in hospitals and minimum security applications. It caters especially for the elderly or people with arthritic conditions.




# Detention Series – Turns


Emergency Turn




Turnknob



Privacy Indicating  
Emergency Turn




Privacy Indicating Turnknob



# Detention Series – Pulls


## Flush Pull

The detention flush pull has been designed to maximise grip and eliminate the possibility of hiding objects in the cavity.



## Standard Pull

The detention pull allows for a firm grip and can be used to open heavy doors. Also designed to be free of hanging points.



# Detention Series – Accessories

## Cylinder Guards

| Part Number | Door Thickness Suitability |
|-------------|----------------------------|
|-------------|----------------------------|

|             |                    |
|-------------|--------------------|
| 220D00/40SS | Suit doors 35-40mm |
|-------------|--------------------|

|             |                    |
|-------------|--------------------|
| 220D00/45SS | Suit doors 40-45mm |
|-------------|--------------------|

|             |                    |
|-------------|--------------------|
| 220D00/50SS | Suit doors 45-50mm |
|-------------|--------------------|

|             |                    |
|-------------|--------------------|
| 220D00/55SS | Suit doors 50-55mm |
|-------------|--------------------|

|             |                    |
|-------------|--------------------|
| 220D00/60SS | Suit doors 55-60mm |
|-------------|--------------------|



Cylinder guards must be fitted with any cylinder plate function. Guards are available to suit different door thicknesses.

## Fixing Screws

| Part Number | Description | Door Thickness Suitability |
|-------------|-------------|----------------------------|
|-------------|-------------|----------------------------|

|           |                         |           |
|-----------|-------------------------|-----------|
| 220D11/45 | Torx Anti-tamper Screws | 35 - 45mm |
|-----------|-------------------------|-----------|

|           |                         |           |
|-----------|-------------------------|-----------|
| 220D11/55 | Torx Anti-tamper Screws | 45 - 55mm |
|-----------|-------------------------|-----------|

|           |                         |           |
|-----------|-------------------------|-----------|
| 220D11/65 | Torx Anti-tamper Screws | 55 - 65mm |
|-----------|-------------------------|-----------|

|           |                 |           |
|-----------|-----------------|-----------|
| 220D12/45 | Standard Screws | 35 - 45mm |
|-----------|-----------------|-----------|

|           |                 |           |
|-----------|-----------------|-----------|
| 220D12/55 | Standard Screws | 45 - 55mm |
|-----------|-----------------|-----------|

|           |                 |           |
|-----------|-----------------|-----------|
| 220D12/65 | Standard Screws | 55 - 65mm |
|-----------|-----------------|-----------|

|           |                  |           |
|-----------|------------------|-----------|
| 220D13/50 | Snake-eye Screws | 35 - 50mm |
|-----------|------------------|-----------|

Torx anti-tamper, snake-eye and standard screws are available in accessory packs to suit different door thicknesses. Only standard screws to suit doors 35mm – 45mm thick are supplied with furniture. Other variations need to be ordered separately using part numbers specified.

All accessory packs contain six screws for the six mounting points per plate.

Screws are a M4 threaded screw with micro-encapsulation to provide resistance against coming loose. Screws are supplied with concealed fix furniture. For screws longer than 65mm, order SP0655MBK (75mm screws).



# Detention Series Square Plate Furniture Ordering Procedure

When ordering 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 or 67 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 220D01NA/21LSS is made up of several sections. Choose your product by selecting an option from each section.

|              |                 |                          |                      |                    |                |               |
|--------------|-----------------|--------------------------|----------------------|--------------------|----------------|---------------|
| <b>Plate</b> | <b>Function</b> | <b>Engraving Options</b> | <b>Cylinder Type</b> | <b>Lever/ Knob</b> | <b>Handing</b> | <b>Finish</b> |
| 220          | D               | N                        | A                    | 21                 | L              | SS            |

## Plate

|                                |     |
|--------------------------------|-----|
| Concealed Fix<br>162mm x 180mm | 220 |
| Visible Fix<br>162mm x 180mm   | 221 |

## Function

|                  |    |
|------------------|----|
| Plain Plate      | 07 |
| Pull Handle Only | 24 |
| Flush Pull Only  | 31 |

## Function - Handed

|   |    |
|---|----|
| Cylinder Only                                       | 00 |
| Cylinder and Lever/Knob                             | 01 |
| Emergency Turn Only                                 | 02 |
| Emergency Turn and Lever                            | 03 |
| Turnknob and Lever/Knob                             | 04 |
| Lever/Knob Only                                     | 05 |
| Turnknob Only                                       | 06 |
| Cylinder and Fixed<br>Lever/Knob                    | 08 |
| Fixed Lever/Knob Only                               | 09 |
| Privacy Indicating<br>Emergency Turn Only           | 13 |
| Privacy Indicating Emergency<br>Turn and Lever/Knob | 14 |
| Privacy Indicating<br>Turnknob Only                 | 15 |
| Privacy Indicating Turnknob<br>and Lever/Knob       | 16 |
| Cylinder, Lever/Knob and LED                        | 20 |
| Cylinder, Fixed Lever/Knob<br>and LED               | 21 |
| Lever/Knob and LED                                  | 22 |
| Cylinder and LED                                    | 23 |
| Pull Handle and Cylinder                            | 25 |
| Pull Handle and<br>Emergency Turn                   | 26 |

## Function - Handed cont.

|   |    |
|---|----|
| Pull Handle and Turnknob  | 27 |
| Pull Handle and Privacy<br>Indicating Emergency Turn                  | 28 |
| Pull Handle and Privacy<br>Indicating Turnknob                        | 29 |
| Flush Pull and Cylinder   | 32 |
| Flush Pull and<br>Emergency Turn                                      | 33 |
| Flush Pull and Turnknob   | 34 |
| Flush Pull and Privacy<br>Indicating Emergency Turn                   | 35 |
| Flush Pull and Privacy<br>Indicating Turnknob                         | 36 |
| Pull Handle and<br>Lever/Knob   | 56 |
| Pull Handle, Cylinder<br>and Lever/Knob                               | 57 |
| Pull Handle, Emergency<br>Turn and Lever/Knob                         | 58 |
| Pull Handle, Turnknob<br>and Lever/Knob                               | 59 |
| Pull Handle, Privacy Indicating<br>Emergency Turn and<br>Lever/Knob   | 60 |
| Pull Handle, Privacy Indicating<br>Turnknob and Lever/Knob            | 61 |
| Flush Pull and Lever/Knob   | 62 |
| Flush Pull and Cylinder and<br>Lever/Knob                             | 63 |
| Flush Pull and Emergency Turn<br>and Lever/Knob                       | 64 |
| Flush Pull and Turnknob<br>and Lever/Knob                             | 65 |
| Flush Pull and Privacy<br>Indicating Emergency Turn<br>and Lever/Knob | 66 |
| Flush Pull and Privacy<br>Indicating Turnknob<br>and Lever/Knob       | 67 |

## Engraving Options

|                 |   |   |
|-----------------|---|---|
| Male Symbol     | A | R |
| Male Text       | B | S |
| Female Symbol   | C | T |
| Female Text     | D | U |
| Disabled Symbol | E | V |
| Push Text       | F | W |
| Pull Text       | G | X |
| Unisex Symbol   | H | Y |
| No Option       |   | N |

For all in-filled engraving, black gloss is the standard.

A-G Outlined Infill  
R-X Full Infill

## Cylinder Type

|  |                 |
|--|-----------------|
| Australian Oval                        | A               |
| No Cylinder - Selector                 | S <sup>1</sup>  |
| No Cylinder - Synergy                  | N               |
| No Cylinder / No<br>Tailbar - Selector | SN <sup>2</sup> |
| No Cylinder / No<br>Tailbar - Synergy  | NN              |

<sup>1</sup>Only applies to 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 and 67 functions.

<sup>2</sup>Only applies to 15, 16, 61 and 67 functions.

## Knob

|               |    |
|---------------|----|
| Standard Knob | 21 |
| Webbed Knob   | 22 |

## Lever - Handed

|       |    |
|-------|----|
| Lever | 23 |
|-------|----|

## Handing

|              |   |
|--------------|---|
| Left Handed  | L |
| Right Handed | R |

## Finish

|                       |    |
|-----------------------|----|
| Satin Stainless Steel | SS |
|-----------------------|----|

**Note:** Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard.

# Detention Series Rectangular Plate Furniture Ordering Procedure

When ordering 04, 06, 13, 14, 15 or 16 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 222D04NS/21LSS is made up of several sections. Choose your product by selecting an option from each section.

| Plate | Function | Engraving Options | Cylinder Type | Lever/ Knob | Handing | Finish |    |
|-------|----------|-------------------|---------------|-------------|---------|--------|----|
| 222   | D        | 04                | N             | S           | 21      | L      | SS |


  

| Plate   | Engraving Options   | Knob   | Finish  |
|---|---|--|---|
| <b>Concealed Fix</b><br>162mm x 76mm <span style="float: right;">222</span>   | Male Symbol    A    R<br>Male Text        B    S<br>Female Symbol   C    T<br>Female Text     D    U<br>Disabled Symbol E    V<br>Push Text        F    W<br>Pull Text        G    X<br>Unisex Symbol   H    Y<br>No Option           N | Standard Knob    21<br>Webbed Knob     22                                      | Satin Stainless Steel    SS   |
| <b>Visible Fix</b><br>162mm x 76mm <span style="float: right;">223</span>   | For all in-filled engraving, black gloss is the standard.<br>A-G    Outlined Infill<br>R-X    Full Infill   | <b>Lever - Handed</b><br>Lever                    23                           | <b>Note:</b> Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard. |
| <b>Function</b>   | <b>Cylinder Type</b><br>Australian Oval            A<br>No Cylinder - Selector    S* <sup>1</sup><br>No Cylinder - Synergy     N<br>No Cylinder / No Tailbar - Selector    SN* <sup>2</sup><br>No Cylinder / No Tailbar - Synergy    NN | <b>Handing</b><br>Left Handed                L<br>Right Handed               R |   |
| Cylinder Only <span style="float: right;">00</span><br>Cylinder and Lever/Knob <span style="float: right;">01</span><br>Emergency Turn Only <span style="float: right;">02</span><br>Emergency Turn and Lever <span style="float: right;">03</span><br>Lever/Knob Only <span style="float: right;">05</span><br>Plain Plate <span style="float: right;">07</span><br>Cylinder and Fixed Lever/Knob <span style="float: right;">08</span><br>Fixed Lever/Knob Only <span style="float: right;">09</span><br>Privacy Indicating Emergency Turn Only <span style="float: right;">13</span><br>Privacy Indicating Emergency Turn and Lever/Knob <span style="float: right;">14</span><br>Cylinder, Lever/Knob and LED <span style="float: right;">20</span><br>Cylinder, Fixed Lever/Knob and LED <span style="float: right;">21</span><br>Lever/Knob and LED <span style="float: right;">22</span><br>Cylinder and LED <span style="float: right;">23</span> | * <sup>1</sup> Only applies to 04, 06, 13, 14, 15 and 16 functions.<br>* <sup>2</sup> Only applies to 15 and 16 functions.  |  |   |
| <b>Function - Handed</b>  |   |  |   |
| Turnknob and Lever/Knob <span style="float: right;">04</span><br>Turnknob only <span style="float: right;">06</span><br>Privacy Indicating Turnknob Only <span style="float: right;">15</span><br>Privacy Indicating Turnknob and Lever/Knob <span style="float: right;">16</span>  |   |  |   |

# Palladium® Series Door Furniture




The Palladium Series represents the highest standard in residential and semi-commercial door hardware and is brought to you through modern innovative designs, combined with quality manufacturing. A range of lever options is available to enable a common style throughout the home.



## Product Details


|                       |   |
|-----------------------|---|
| <b>Dimensions</b>     | 222 x 30 x 9mm  |
| <b>Door Thickness</b> | Minimum 32mm - maximum 45mm door thickness.   |
| <b>Finishes</b>       | Satin Chrome Pearl (SP)<br>Black (BLK)<br>Polyester Powdercoat (PPC)                    |
| <b>Fixing</b>         | Hole centres at 181mm   |
| <b>Handing</b>        | Easy, field selectable handing.   |
| <b>Materials</b>      | All plates and levers in the Palladium Series are constructed from solid zinc die-cast. |
| <b>Screws</b>         | M4 Trilobial thread cutting screws  |
| <b>Keying</b>         | Use with Euro profile cylinder  |
| <b>Application</b>    | Used with Optimum and Union mortice locks, see table on page 48.                        |

## Standards and Compliance

|   |  |
|---|--|
| <b>S3</b>   | High security for maximum protection (AS4145.2:2008).  |
| <b>D8</b>   | Tested to AS4145.2 2008 for Durability passing D8 - 500,000 cycles.                                |
|  | Tested to AS4145.2 2008 for Neutral Salt Spray passing C6 Normal Corrosion Resistance - 168 Hours. |

## French Door - PLFD Versions


These are used on the fixed door of a set of double doors. The outside furniture has no visible screws, no cylinder hole and the handle is fixed. The inside furniture has visible screw fixings, is used to operate two way locking and has a cylinder hole. This works with the cylinder supplied with the two way lock.



PLFD/85/##

## Double Cylinder - PL4 Versions


These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. Handles operate bolts when used with a compatible multi point lock.



PL4/85/##

## Indicating with Snib - PX4 Versions


These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. The snib on the inside locks and unlocks the handles and the indicator is red when the cylinder is locked.




PX4/85/##

# Palladium® Series Door Furniture


## Summit® L1



## Aria® #27




## Acacia® #29



# Palladium® Series Door Furniture

## Gidgee® L37




# Diecast Levers

## Acacia® #29

|                         |       |
|-------------------------|-------|
| <b>Part Number</b>      | #29   |
| <b>Length</b>           | 122mm |
| <b>Projection</b>       | 56mm  |
| <b>Finger clearance</b> | 41mm  |


\*Design Registered Australia/New Zealand.



## Aria® S27

|                         |       |
|-------------------------|-------|
| <b>Part Number</b>      | #27   |
| <b>Length</b>           | 123mm |
| <b>Projection</b>       | 48mm  |
| <b>Finger clearance</b> | 36mm  |


\*Design Registered Australia/New Zealand.



## Gidgee® #37

|                         |       |
|-------------------------|-------|
| <b>Part Number</b>      | #37   |
| <b>Length</b>           | 122mm |
| <b>Projection</b>       | 53mm  |
| <b>Finger clearance</b> | 37mm  |


\*Design Registered Australia/New Zealand.



## Summit® #L1

|                         |       |
|-------------------------|-------|
| <b>Part Number</b>      | #L1   |
| <b>Length</b>           | 124mm |
| <b>Projection</b>       | 57mm  |
| <b>Finger clearance</b> | 37mm  |

\*Design Registered Australia/New Zealand.



# Palladium® Series Ordering Procedure

Sample part number PL4/85/27SC is made up of several sections.  
Choose your product by selecting an option from each section.

## Palladium

| Platform Name | Function | Pitch | Lever | Finish |
|---------------|----------|-------|-------|--------|
| PL            | 4        | 85    | 27    | SP     |

| Platform Name | Function | Pitch  | Lever         | Finish   |   |
|---------------|----------|--|---------------|--|---|
| Palladium     | PL       | Double Cylinder 4<br>French Door FD<br><i>Note: PLFD versions only available in lever 1 and 27</i> | 85mm Pitch 85 | Summit L1<br>Aria 27<br>Acacia 29<br>Gidgee 37 | Satin Chrome Pearl SP<br>Black BLK<br>Polyester Powder Coat PPC |

## Palladium Xtra

| Platform Name | Function | Pitch | Lever | Finish |
|---------------|----------|-------|-------|--------|
| PX            | 4        | 85    | 34    | SP     |

| Platform Name  | Function | Pitch             | Lever         | Finish   |   |
|----------------|----------|-------------------|---------------|--|---|
| Palladium Xtra | PX       | Double Cylinder 4 | 85mm Pitch 85 | Summit L1<br>Aria 27<br>Acacia 29<br>Gidgee 37 | Satin Chrome Pearl SP<br>Black BLK<br>Polyester Powder Coat PPC |

## Application

| Item Number    | Product Name   | PL | PX | PLFD |
|----------------|--|----|----|------|
| OP30/1LAN/SS   | OPTIMUM 1PT HINGED 30MM BACKSET TP                                     | ✓  | ✗  | ✗    |
| OP30/2PTL/SS   | OPTIMUM 2PT HINGED 24MM BOLT 30MM BACKSET TP                           | ✓  | ✓  | ✗    |
| OP30/2PTL/SSBL | OPTIMUM 2PT HINGED BEVEL BOLT 24MM BOLT 30MM BACKSET PK=25             | ✓  | ✓  | ✗    |
| OP30/2PTS/SS   | OPTIMUM 2PT HINGED 13MM BOLT 30MM BACKSET TP                           | ✓  | ✓  | ✗    |
| OP30/2PTS/SSBL | OPTIMUM 2PT HINGED BEVEL BOLT 30MM BACKSET PK=25 TP                    | ✓  | ✓  | ✗    |
| OP30/4PTS/SSBL | OPTIMUM 4PT HINGED SHOOT BEVEL BOLT 30MM BACKSET PK=25 TP              | ✓  | ✓  | ✗    |
| OP30/4RML/SS   | OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM BACKSET                      | ✓  | ✓  | ✗    |
| OP30/4RML/SSBL | OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM B/SET BEVEL BOLT & 2 PACKERS | ✓  | ✓  | ✗    |
| OP30/4RMS/SS   | OPTIMUM 4PT HINGED REMOTES 13MM BOLT 30MM BACKSET                      | ✓  | ✓  | ✗    |
| OP30/4SBL/SS   | OPTIMUM 4PT HINGED SHOOT BOLT 24MM BOLT 30MM BACKSET TP                | ✓  | ✓  | ✗    |
| OP30/4SBS/SS   | OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 30MM BACKSET TP                | ✓  | ✓  | ✗    |
| OP40/2PTL/SS   | OPTIMUM 2PT HINGED 24MM BOLT 40MM BACKSET TP                           | ✓  | ✓  | ✗    |
| OP40/4SBS/SS   | OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 40MM BACKSET TP                | ✓  | ✓  | ✗    |
| OP50/2PTL/SS   | OPTIMUM 2PT HINGED 24MM BOLT 50MM BACKSET                              | ✓  | ✓  | ✗    |
| U-X925-SS-M5   | UNION 85MM PITCH EURO MORTICE LOCK 25MM BACKSET TP                     | ✓  | ✗  | ✗    |
| U-X930-SS-M5   | UNION 85MM PITCH EURO MORTICE LOCK 30MM BACKSET                        | ✓  | ✗  | ✗    |
| U-X935-SS-M5   | UNION 85MM PITCH EURO MORTICE LOCK 35MM BACKSET                        | ✓  | ✗  | ✗    |
| P84318NRA      | TBL FR DR NO FURN/CYL *NO RODS   | ✗  | ✗  | ✓    |


**Note:** For further information, please refer to the Euro Profile Mortice Locks catalogue.



# Brass Furniture Thicker Door Accessories

Lockwood Brass Door Furniture is suitable for use across a wide range of door thicknesses. In certain applications longer screws, spindles and turnknob tailbars may be required.

## Screws




### Screws

| Part Number  | Pack Size | Length (A) | Threaded Length (B) | Door Thickness |       |
|--------------|-----------|------------|---------------------|----------------|-------|
|              |           |            |                     | Min            | Max   |
| SPA20-V3 NSS | 20        | 65mm       | 40mm                | 32mm           | 50mm  |
| SP0655MBK    | 10        | 75mm       | 40mm                | 42mm           | 60mm  |
| SP1800-608ZP | 10        | 120mm      | 75mm                | 52mm           | 105mm |
| SP1800-208SS | 10        | 215mm      | 125mm               | 97mm           | 200mm |

**Note:** Item shown is red is the standard screw that is supplied with furniture.

Consideration should be given to screw finish on furniture platforms featuring visible fixing.

## Mortice Lock Spindles



### Mortice Lock Spindles

| Part Number | Pack Size | Length (A) | Door Thickness |       |
|-------------|-----------|------------|----------------|-------|
|             |           |            | Min            | Max   |
| SP3570-5018 | 10        | 33mm       | 35mm           | 50mm  |
| SP3570-5228 | 10        | 45mm       | 50mm           | 75mm  |
| SP3570-5238 | 1         | 58mm       | 75mm           | 100mm |

In thicker door scenarios when Lockwood Brass Door Furniture is used with Lockwood Selector or Synergy Series Mortice Locks, longer spindles may be required.

## Turnknob Tailbars

The door thickness range for a turnknob tailbar will depend on whether the turn is in a cylinder and turn configuration or a privacy (turn and turn) configuration



### Turnknob Tailbars

| Part Number | Pack Size | Length |
|-------------|-----------|--------|
| SP571-38ZP  | 10        | 47mm   |
| SP571-138ZP | 1         | 98mm   |

**Note:** Item shown is red is the standard tailbar that is supplied with furniture.

# Lockwood Door Furniture Handing Convention

Applicable for All Handed Furniture





**ASSA ABLOY**

**Lockwood** is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

**ASSA ABLOY** is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

**ASSA ABLOY** is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

**25YEAR  
MECHANICAL  
WARRANTY**

### **The Lockwood 25 Year Mechanical Warranty**

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit [www.lockweb.com.au](http://www.lockweb.com.au) or call **1300WARRANTY**

**ASSA ABLOY Australia Pty Ltd**  
235 Huntingdale Road  
Oakleigh, Victoria, 3166  
Australia

**1300 LOCK UP (1300 562 587)**  
[lockweb.com.au](http://lockweb.com.au)

**ASSA ABLOY New Zealand Ltd**  
6 Armstrong Road  
Albany, Auckland, 0632  
New Zealand

**[info.nz@assaabloy.com](mailto:info.nz@assaabloy.com)**  
**Telephone +64 9415 7111**  
**[assaabloy.co.nz](http://assaabloy.co.nz)**

#### **Disclaimer**

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2016 copyright by ASSA ABLOY All rights reserved

