Page : 1 / 14 Revision nr : 1.0

# ANYCUBIC

# **Standard Resin V2**

Issue date : 18/08/2023

Supersedes :

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking Product identifier <u>1.1.</u> Product form : Mixture Trade name : ANYCUBIC Standard Resin V2 UFI : X120-G081-700C-X8DW 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. **Relevant identified uses** Intended for general public Main use category : Consumer use Use of the substance/mixture : Resin 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Shenzhen Anycubic Technology Co.,Ltd 1201-1314, Unit B, Block 3, Vanke Times Square, No.85 Longcheng Avenue, Longcheng Street, Longgang District 518000 Shenzhen, Guangdong Province - China T +86 17688757950

weiwulin@anycubic.com

#### 1.4. Emergency telephone number

Emergency number

: +86 17688757950 Only available during office hours.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
STOT SE 3	H335
Aquatic Chronic 2	H411

Full text of H- and EUH-statements: see section 16

Page : 2 / 14 Revision nr : 1.0

Issue date : 18/08/2023

# ANYCUBIC Standard Resin V2

## Supersedes :

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

:

Hazard pictograms (CLP)

	GHS05 GHS07 GHS09
Signal word	: Danger
Contains	: (octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate; 7,7,9(or 7,9,9)-
	trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; 1,2-
	Ethanediyl bisacrylate
Hazard statements (CLP)	: H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H318 - Causes serious eye damage.
	H335 - May cause respiratory irritation. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P271 - Use only outdoors or in a well-ventilated area.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER/doctor. P391 - Collect spillage.
	P405 - Store locked up.
	P501 - Dispose of contents and container to an approved waste disposal plant.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable
2.3. Other hazards	
Other hazards	: Results of PBT and vPvB assessment : Contains no PBT/vPvB substances ≥ 0.1% assessed
	in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate	(CAS-No.) 43048-08-4 (EC-No.) 256-062-6	20 – 45	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12- diazahexadecane-1,16-diyl bismethacrylate	(CAS-No.) 72869-86-4 (EC-No.) 276-957-5	20 – 25	Skin Sens. 1B, H317 Aquatic Chronic 2, H411

	SAFETY DATA SHEET	Page : 3 / 14
	Revision nr : 1.0	
		Issue date : 18/08/2023
	ANYCUBIC	Supersedes :
	Standard Resin V2	

1,2-Ethanediyl bisacrylate	(CAS-No.) 26570-48-9	15 – 20	Skin Irrit. 2, H315
	(EC-No.) 607-960-5		Eye Dam. 1, H318
			Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.
Inhalation	: Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	: Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
Ingestion	: Rinse mouth thoroughly with water. Get medical advice/attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Inhalation	: May cause respiratory irritation.
Skin contact	: May cause an allergic skin reaction. Causes skin irritation. The following symptoms may occur: Redness, Pain.
Eyes contact	: Causes serious eye damage. The following symptoms may occur: Redness, Pain, Blurred vision.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
4.3. Indication of any immediate medic	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.
Unsuitable extinguishing media	: Strong water jet.
5.2. Special hazards arising from the su	bstance or mixture
Specific hazards	: Not flammable. Heating will cause a rise in pressure with a risk of bursting.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2).
5.3. Advice for firefighters	
Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
Other information	: Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

Page : 4 / 14 Revision nr : 1.0

## Issue date : 18/08/2023

# **ANYCUBIC**

# **Standard Resin V2**

Supersedes :

SECTION 6: Accidental re	lease measures
6.1. Personal precautions	s, protective equipment and emergency procedures
6.1.1. For non-emergency	personnel
For non-emergency personnel	: Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
6.1.2. For emergency respo	onders
For emergency responders	: Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.
6.2. Environmental preca	utions
Do not allow to enter into surfa	ace water or drains. Notify authorities if product enters sewers or public waters.
6.3. Methods and materi	al for containment and cleaning up
Methods for cleaning up	: Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other s	
	e equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.
SECTION 7: Handling and	storage
7.1. Precautions for safe	handling
Precautions for safe handling	: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Contaminated work clothing must not be allowed out of the workplace. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hygiene measures	: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.
7.2. Conditions for safe s	torage, including any incompatibilities
Technical measures	: Keep out of reach of children.
Storage conditions	: Keep container tightly closed. Store locked up. Store in a dry, cool and well-ventilated place Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent coil and water pollution in the event of spillage

smoking. Keep out of direct sunlight.

: Keep only in the original container.

leakage. Keep in properly labelled containers.

storage facilities to prevent soil and water pollution in the event of spillage.

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

: Containers which are opened should be properly resealed and kept upright to prevent

Heat and ignition sources

Special rules on packaging

Packaging materials

#### 7.3. Specific end use(s)

Reference to other sections : 1.2.

Page : 5 / 14 Revision nr : 1.0

Issue date : 18/08/2023

# ANYCUBIC Standard Resin V2

Supersedes :

8.1. Control parameters	
Additional information	: Recommended monitoring procedures :. Personal air monitoring. Room air monitoring
8.2. Exposure controls	
Engineering measure(s)	: Organisational measures to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling. Emergency eye wash fountains and safety showers shoul be available in the immediate vicinity of any potential exposure. Use only outdoors or in a well-ventilated area.
Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Wear chemically resistant gloves (tested to EN374). Suitable material: Not determined. Breakthrough time : refer to the recommendations of the supplier. Thickness of the glove material: Not determined. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Eye protection	: Use suitable eye protection (EN166): tightly fitting safety goggles. face shield
Body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DII EN 140). full face mask (DIN EN 136). Filter type: ABEK (EN 14387). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)
hermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and cl	hemical properties
Physical state	: Liquid
Appearance	: Liquid.
Colour	: Grey.
Odour	: odourless.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting / freezing point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: 238 °C
Flash point	: 150 °C
Auto-ignition temperature	: 252 °C
Decomposition temperature	: No data available
Flammability	: Non flammable
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: Not applicable

Page : 6 / 14 Revision nr: 1.0

Issue date : 18/08/2023

# **ANYCUBIC** Standard Resin V2

Supersedes :

Solubility

Partition coefficient n-octanol/water

Kinematic viscosity

Dynamic viscosity

**Explosive properties** 

Oxidising properties

- **Explosive limits**
- Particle size
- Particle size distribution
- Particle shape
- Particle aspect ratio
- Particle aggregation state
- Particle agglomeration state
- Particle specific surface area

Particle dustiness

## : Insoluble in water. Soluble in ethanol.

- : No data available
- : No data available
- : 350 mPa·s (25°C)
- : Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
- : Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
- : No data available
- : Not applicable
- Not applicable
- : Not applicable

#### **Other information** <u>9.2.</u>

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

#### Reactivity <u>10.1.</u>

None under normal conditions. Reference to other sections: 10.4 & 10.5.

#### 10.2. **Chemical stability**

Stable under normal conditions.

#### Possibility of hazardous reactions 10.3.

No dangerous reactions known under normal conditions of use.

#### Conditions to avoid <u>10.4.</u>

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of direct sunlight. See Section 7 for information on safe handling.

#### <u>10.5.</u> Incompatible materials

See Section 7 for information on safe handling.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO2). Reference to other sections 5.2.

## **SECTION 11: Toxicological information**

#### Information on hazard classes as defined in Regulation (EC) No 1272/2008 11.1.

Acute toxicity

: Not classified (Based on available data, the classification criteria are not met)

SAFETY DATA SHEET	Page : 7 / 14 Revision nr : 1.0 Issue date : 18/08/2023
ANYCUBIC Standard Resin V2	Supersedes :

(octahydro-4,7-methano-1H-indenediy	l)bis(methylene) bismethacrylate (43048-08-4)		
LD50/oral/rat	> 2000 mg/kg bodyweight		
LD50/dermal/rat	> 2000 mg/kg bodyweight		
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,1	4-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)		
LD50/oral/rat	> 5000 mg/kg bodyweight		
LD50/dermal/rat	> 2000 mg/kg (Source: ECHA_API)		
Skin corrosion/irritation	: Causes skin irritation.		
	pH: No data available		
Serious eye damage/irritation	: Causes serious eye damage.		
	pH: No data available		
Respiratory or skin sensitisation	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)		
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)		
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)		
STOT-single exposure	: May cause respiratory irritation.		
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)		
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)		
ANYCUBIC Standard Resin V2			
Kinematic viscosity	No data available		
Other information	: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.		
11.2. Information on other hazards			
11.2.1. Endocrine disrupting properties			
Adverse health effects caused by endocri disrupting properties	<ul> <li>The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %</li> </ul>		
11.2.2 Other information			
Other information	: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4		

SECTION 12: Ecological information	
<u>12.1. Toxicity</u>	
Environmental properties :	Toxic to aquatic life with long lasting effects.
term (acute) Hazardous to the aquatic environment, long–term :	Not classified Toxic to aquatic life with long lasting effects.
(chronic) 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-	-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)
LC50 - Fish [1]	10,1 mg/l Brachydanio rerio (zebra-fish)

SAFETY DATA SHEET	Page : 8 / 14 Revision nr : 1.0 Issue date : 18/08/2023
ANYCUBIC Standard Resin V2	Supersedes :

EC50 - Crustacea [1]> 1,2 mg/l Daphnia magna (Water flea)	
EC50 72h - Algae [1]	> 0,68 mg/l Desmodesmus subspicatus
NOEC chronic algae	0,21 mg/l Desmodesmus subspicatus

#### 12.2. Persistence and degradability

ANYCUBIC Standard Resin V2		
Persistence and degradability	No additional information available.	

#### 12.3. Bioaccumulative potential

ANYCUBIC Standard Resin V2	
Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No additional information available.

(octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate (43048-08-4)		
Partition coefficient n-octanol/water	5,8 (at 25 °C (at pH 6.6)	
12.4. Mobility in soil		

#### 12.4. Mobility in soil

ANYCUBIC Standard Resin V2		
Mobility in soil	No data available	

#### 12.5. Results of PBT and vPvB assessment

ANYCUBIC Standard Resin V2	
Results of PBT assessment	Contains no PBT/vPvB substances $\geq$ 0.1% assessed in accordance with REACH Annex XIII

#### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by : The mixture does not contain substance(s) included in the list established in accordance endocrine disrupting properties with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 12.7. Other adverse effects

Other adverse effects

: No data available

Page : 9 / 14 Revision nr : 1.0

RID

Issue date : 18/08/2023

# ANYCUBIC Standard Resin V2

Supersedes :

# SECTION 13: Disposal considerations **SECTION 13: Disposal considerations 13.1.** Waste treatment methods Product/Packaging disposal recommendations Avoid release to the environment. Beware of residues or vapours which remain in the drums. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations. European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : This material and its container must be disposed of as hazardous waste Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

ADN

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

		, ,	,		
ADR		IMDG		IATA	
<u>14.1.</u>	UN number or ID number				
3082		3082		3082	
	<u>14.1.</u>	14.1. UN number or ID	14.1. UN number or ID number	<u>14.1. UN number or ID number</u>	<u>14.1. UN number or ID number</u>

3082	3082	3082	3082	3082
14.2. UN proper shippi	ng name		7	
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12-	Environmentally hazardous substance, liquid, n.o.s. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12-
diazahexadecane-1,16- diyl bismethacrylate)	diazahexadecane-1,16- diyl bismethacrylate)	diazahexadecane-1,16- diyl bismethacrylate)	diazahexadecane-1,16- diyl bismethacrylate)	diazahexadecane-1,16- diyl bismethacrylate)
Transport document descri UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12- diazahexadecane-1,16- diyl bismethacrylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12- diazahexadecane-1,16- diyl bismethacrylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12- diazahexadecane-1,16- diyl bismethacrylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12- diazahexadecane-1,16- diyl bismethacrylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12- diazahexadecane-1,16- diyl bismethacrylate), 9, III
14.3. Transport hazard	<u>class(es)</u>			I
9	9	9	9	9
14.4. Packing group				
III	111	III	III	III
14.5. Environmental ha	izards			
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes

No supplementary information available

#### 14.6. Special precautions for user

Special precautions for user

: No data available

Page : 10 / 14 Revision nr : 1.0

# Issue date : 18/08/2023

# ANYCUBIC Standard Resin V2

Supersedes :

# Standard Re

- Overland	transport
------------	-----------

- Overland transport		
Classification code (ADR)	:	M6
Special provisions	:	274, 335, 375, 601
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	Τ4
Portable tank and bulk container special provisions (ADR)	:	ТР1, ТР29
Tank code (ADR)	:	LGBV
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV13
Hazard identification number (Kemler No.)	:	90
Orange plates	:	
		<u>90</u> 3082
Tunnel restriction code	÷	-
EAC code	:	•3Z
- Transport by sea		Y
Special provisions (IMDG)		274, 335, 969
Limited quantities (IMDG)	:	5 L
Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)	:	LP01, P001
Special packing provisions (IMDG)	:	PP1
IBC packing instructions (IMDG)	:	IBC03
Tank instructions (IMDG)		Τ4
Tank special provisions (IMDG)		TP1, TP29
EmS-No. (Fire)		F-A
EmS-No. (Spillage)		S-F
Stowage category (IMDG)		A
- Air transport		
PCA Excepted quantities (IATA)		E1
PCA Limited quantities (IATA)		Y964
PCA limited quantity max net quantity (IATA)		30kgG
PCA packing instructions (IATA)		964
PCA max net quantity (IATA)		450L
CAO packing instructions (IATA)		964
CAO max net quantity (IATA)	:	450L

Page : 11 / 14 Revision nr : 1.0

# Issue date : 18/08/2023

# **ANYCUBIC**

Supersedes :

# **Standard Resin V2**

Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
- Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90
14.7. Maritime transport in bulk according	to IMO instruments
Code: IBC	: No data available.

## **SECTION 15: Regulatory information**

#### <u>15.1.</u> Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	ANYCUBIC Standard Resin V2 ; (octahydro-4,7-methano-1H- indenediyl)bis(methylene) bismethacrylate
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	ANYCUBIC Standard Resin V2

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

SAFETY DATA SHEET	Page : 12 / 14 Revision nr : 1.0 Issue date : 18/08/2023
ANYCUBIC Standard Resin V2	Supersedes :

#### 15.1.2. National regulations

#### France

No ICPE	Installations classées Désignation de la rubrique		Code Régime	Rayon		
4511.text	Dangereux pour l'environne	ement aquatique de catégorie chronique 2.				
4511.1	La quantité totale susceptible d'être présente dans l'installation étant : 1. Supérieure ou égale à 200 t Quantité seuil bas au sens de l'article R. 511-10 : 200 t. Quantité seuil haut au sens de l'article R. 511-10 : 500 t.			1		
4511.2	2. Supérieure ou égale à 10 Quantité seuil bas au sens o	ole d'être présente dans l'installation étant : 0 t mais inférieure à 200 t de l'article R. 511-10 : 200 t. de l'article R. 511-10 : 500 t.	DC			
iermany						
legulatory refe	rence	: WGK 3, Highly hazardous to water (Classification accordin	g to AwSV, Annex 1	.)		
ierman storage	e class (LGK)	: LGK 12 - Non-combustible liquids				
mployment re	strictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment				
		(JArbSchG)				
lazardous Incic	lent Ordinance (12. BImSchV)	<ul> <li>Listed in the 12. BlmSchV (Annex I) under: 1.3.2 Quantity threshold for operational area under § 1 para. 1</li> <li>Sentence 1: 200000 kg</li> <li>Sentence 2: 500000 kg</li> </ul>				
letherlands	4					
Waterbezwaarlijkheid SZW-lijst van kankerverwekkende stoffen		: A(2) vergiftig voor in water levende organismen, kan in he termijn schadelijke effecten veroorzaken.	t aquatische milieu	op lange		
		: None of the components are listed				
SZW-lijst van mutagene stoffen		: None of the components are listed				
SZW-lijst van reprotoxische stoffen – Borstvoeding		: None of the components are listed				
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid		: None of the components are listed				
5ZW-lijst van reprotoxische stoffen – Ontwikkeling		: None of the components are listed				
IIIWIKKEIIIIg						
enmark						

#### 15.2. Chemical safety assessment

Not applicable

SECTION 16: Other information		
Abbreviatio	s and acronyms:	
	ABM = Algemene beoordelingsmethodiek	

Page : 13 / 14

Revision nr : 1.0

## Issue date : 18/08/2023

# **ANYCUBIC**

# **Standard Resin V2**

Supersedes :

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route         CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC         IATA = International Air Transport Association         IMDG = International Maritime Dangerous Goods Code         LEL = Lower Explosive Limit/Lower Explosion Limit         UEL = Upper Explosion Limit/Upper Explosive Limit         REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals         BTT = Breakthrough time (maximum wearing time)         DMEL = Derived Minimal Effect level         DNEL = Derived No Effect Level         EC50 = Median Effective Concentration         EL50 = Median effective level         ErC50 = EC50 in terms of reduction of growth rate         ErL50 = EL50 in terms of reduction of growth rate         EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal concentration         LD50 = Median lethal level
IMDG = International Maritime Dangerous Goods CodeLEL = Lower Explosive Limit/Lower Explosion LimitUEL = Upper Explosion Limit/Upper Explosive LimitREACH = Registration, Evaluation, Authorisation and Restriction of ChemicalsBTT = Breakthrough time (maximum wearing time)DMEL = Derived Minimal Effect levelDNEL = Derived No Effect LevelEC50 = Median Effective ConcentrationEL50 = Median effective levelErC50 = EC50 in terms of reduction of growth rateErL50 = EL50 in terms of reduction of growth rateEWC = European waste catalogueLC50 = Median lethal concentrationLD50 = Median lethal dose
LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of ChemicalsBTT = Breakthrough time (maximum wearing time)DMEL = Derived Minimal Effect levelDNEL = Derived No Effect LevelEC50 = Median Effective ConcentrationEL50 = Median effective levelErC50 = EC50 in terms of reduction of growth rateErL50 = EL50 in terms of reduction of growth rateEWC = European waste catalogueLC50 = Median lethal concentrationLD50 = Median lethal dose
UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals         BTT = Breakthrough time (maximum wearing time)         DMEL = Derived Minimal Effect level         DNEL = Derived No Effect Level         EC50 = Median Effective Concentration         EL50 = Median effective level         ErC50 = EC50 in terms of reduction of growth rate         ErL50 = EL50 in terms of reduction of growth rate         EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal dose
BTT = Breakthrough time (maximum wearing time)         DMEL = Derived Minimal Effect level         DNEL = Derived No Effect Level         EC50 = Median Effective Concentration         EL50 = Median effective level         ErC50 = EC50 in terms of reduction of growth rate         ErL50 = EL50 in terms of reduction of growth rate         EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal dose
DMEL = Derived Minimal Effect level         DNEL = Derived No Effect Level         EC50 = Median Effective Concentration         EL50 = Median effective level         ErC50 = EC50 in terms of reduction of growth rate         ErL50 = EL50 in terms of reduction of growth rate         EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal dose
DNEL = Derived No Effect Level         EC50 = Median Effective Concentration         EL50 = Median effective level         ErC50 = EC50 in terms of reduction of growth rate         ErL50 = EL50 in terms of reduction of growth rate         EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal dose
EC50 = Median Effective Concentration         EL50 = Median effective level         ErC50 = EC50 in terms of reduction of growth rate         ErL50 = EL50 in terms of reduction of growth rate         EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal dose
EL50 = Median effective level         ErC50 = EC50 in terms of reduction of growth rate         ErL50 = EL50 in terms of reduction of growth rate         EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal dose
ErC50 = EC50 in terms of reduction of growth rate         ErL50 = EL50 in terms of reduction of growth rate         EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal dose
ErL50 = EL50 in terms of reduction of growth rate         EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal dose
EWC = European waste catalogue         LC50 = Median lethal concentration         LD50 = Median lethal dose
LC50 = Median lethal concentration       LD50 = Median lethal dose
LD50 = Median lethal dose
LL50 = Median lethal level
NA = Not applicable
NOEC = No observed effect concentration
NOEL: no-observed-effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
TWA = time weighted average
VOC = Volatile organic compounds
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)
urces of key data used to compile the ECHA (European Chemicals Agency). LOLI. Supplier information.
aining advice : Training staff on good practice. Manipulations are to be done only by qualified and

Other information

authorised persons. : Classification - Assessment method: CLP Calculation method (Article 9). Physicochemical hazard assessment: Information given is based on tests on the mixture itself.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2   Serious eye damage/eye irritation, Category 2	
Н315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Н335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

SAFETY DATA SHEET	Page : 14 / 14 Revision nr : 1.0 Issue date : 18/08/2023
ANYCUBIC Standard Resin V2	Supersedes :

Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.