


E80 ELITE RACKS

EXIGO-UK.COM





CONTACT

WEB: www.exigo-uk.com

SALES: 0870 850 1822 **INT'L:** +44 (0) 1706 633 560

EMAIL: sales@exigo-uk.com

DISCLAIMER

Some images in this brochure feature auxiliary items such as weight plates and Olympic bars etc. which are for illustrative purposes only, and are not included with the product.

CONTENTS

ABOUT US	4
CERTIFICATIONS	5
MADE IN BRITAIN	6
OUR PROCESS	8

E80 ELITE RACKS	10
ATTACHMENTS	28
COLOUR OPTIONS	32
WARRANTY	33



ABOUT US

Established in 1995 by Founder and Managing Director Darren Golden, Exigo is the largest commercial gym equipment manufacturer in the UK and are recognised as a major source of quality products within the fitness industry. In more than 20 countries worldwide and an unrivalled product portfolio across Strength, Functional and Boxing.

1995 ESTABLISHED 30 000ft²

+300 PRODUCTS +20 COUNTRIES

5000ft²

CERTIFICATIONS

Exigo has attained ISO 9001:2015 for quality management standards, and our products are fully compliant with the current EN 957 and EN ISO 20957 Stationary Training Equipment standards.

Exigo are also an accredited CHAS Contractor. The industry-leading health & safety contractor certification in the UK.











// 01

JUST IN TIME COMPONENTS

Through third party supplier agreements we are now able to reduce our lead times down to a maximum of 7 days for any materials required.

// 02

PICK COMPONENTS

Using our bespoke production planning system, work can be accurately scheduled and all components are picked on demand.

// 03

TUBE MANIPULATION

The first stage of manufacturing requires us to bend and manipulate steel using one of our four CNC tube bending machines.

// 04

MIG WELDING

Our team of highly skilled welders can then assemble and weld all parts using MIG welding. **// 05**

POLYESTER POWDER COAT

Products then go through a two stage cleaning and phosphate treatment process, before a polyester powder coat is applied. **/// 06**

ASSEMBLY & INSPECTION

Exigo products are pre-assembled and inspected prior to packing and despatch.

// 07

FLAT PACKED

Exigo products ship flat packed, the appropriate packaging not only ensures your goods arrive safely and securely but can also help to reduce shipping and transport costs. // 08

DELIVERY & INSTALLATION

Our experienced installation team is dedicated to providing an excellent service and will ensure your install runs smoothly and your equipment is set up correctly.





EXIGO E80 ELITE SQUAT STANDS

EXIGO E80 ELITE HALF RACK

EXIGO E80 ELITE POWER RACK

EXIGO E80 ELITE SQUAT RACK

EXIGO E80 ELITE DUAL HALF RACK

EXIGO E80 ELITE DUAL POWER RACK



SKU:	E80-1800
UPRIGHTS:	80x80x3 mm
LENGTH:	1387 mm (55 '')
WIDTH:	1426 mm (56 '')
HEIGHT:	1955 mm (77 '')
PULL-UP OPTIONS:	NO
NUMBERED HOLES:	YES
WESTSIDE HOLE SPACING:	YES



SKU:	E80-180-MG
UPRIGHTS:	80x80x3 mm
LENGTH:	1408 mm (56 ")
WIDTH:	1882 mm (74 '')
HEIGHT:	2435 mm (96 '')
PULL-UP OPTIONS:	YES
NUMBERED HOLES:	YES
WESTSIDE HOLE SPACING:	YES



SKU:	E80-1810-MG
UPRIGHTS:	80x80x3 mm
LENGTH:	2049 mm (81 '')
WIDTH:	1882 mm (74 '')
HEIGHT:	2435 mm (96 ")
PULL-UP OPTIONS:	YES
NUMBERED HOLES:	YES
WESTSIDE HOLE SPACING:	YES



SKU:	E80-1815
UPRIGHTS:	80x80x3 mm
LENGTH:	1877 mm (74 '')
WIDTH:	1862 mm (74 '')
HEIGHT:	2046 mm (81 '')
PULL-UP OPTIONS:	NO
NUMBERED HOLES:	NO
WESTSIDE HOLE SPACING:	NO



SKU:	E80-1820-MG
UPRIGHTS:	80x80x3 mm
LENGTH:	2380 mm (94 '')
WIDTH:	1882 mm (74 '')
HEIGHT:	2435 mm (96 '')
PULL-UP OPTIONS:	YES
NUMBERED HOLES:	YES
WESTSIDE HOLE SPACING:	YES

	I	7	T	7
	1	•	1.1	-
	∤-∤-	41_4	3 -1-5	_
A		A		

SKU:	E80-1830-MG
UPRIGHTS:	80x80x3 mm
LENGTH:	3667 mm (145 '')
WIDTH:	1882 mm (74 '')
HEIGHT:	2435 mm (96 '')
PULL-UP OPTIONS:	YES
NUMBERED HOLES:	YES
WESTSIDE HOLE SPACING:	YES





EXIGO E80 ELITE HALF RACK

The Exigo E80 Elite Half Rack has 4 pull-up options and includes J-Hooks, Safety Spot Arms, Band Pegs, Weight Horns, and Bar Storage as standard. The Half Rack is an optimised solution that offers a smaller footprint in comparison to a full Power Rack and provides an open front design to give users complete freedom and flexibility. It is designed to meet the demands of busy commercial gyms or professional facilities and is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1') westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

Weight plates and bars are for illustrative purposes only and not included with the product.



MULTI BALL GRIP PULL-UP BAR

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
1408 mm	1882 mm	2435 mm
(56 '')	(74 '')	(96 '')



ANGLED PULL-UP BAR E80-1805-AG

LENGTH		WIDTH	HEIGHT
mm (inc		mm (inch)	mm (inch)
1408 mn	n	1882 mm	2363 mm
(56 '')		(74 '')	(93 ")



ADJUSTABLE PULL-UP HANDLES

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
1408 mm	1882 mm	2363 mm
(56 '')	(74 '')	(93 '')



45 DEGREE WING E80-1805-WG

T H	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT
nch)	mm (inch)				
mm	1882 mm	2363 mm	1590 mm	1882 mm	2811 mm
)	(74 '')	(93 ")	(63 ")	(74 '')	(111 '')









EXIGO E80 ELITE POWER RACK

The Exigo E80 Elite Power Rack has 4 pull-up options and includes J-Hooks, Internal Safety Spot Arms, Band Pegs, Weight Horns, and Bar Storage as standard. This rack offers a completely enclosed lifting area to fully support the user and is designed to meet the demands of busy commercial gyms and professional facilities. It is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1') westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

Weight plates and bars are for illustrative purposes only and not included with the product.



MULTI BALL GRIP PULL-UP BAR

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2049 mm	1882 mm	2435 mm
(81 '')	(74 '')	(96 '')



ANGLED PULL-UP BAR E80-1810-AG

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2049 mm	1882 mm	2363 mm
(81 '')	(74 '')	(93 ")



ADJUSTABLE PULL-UP HANDLES E80-1810-AH

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2049 mm	1882 mm	2363 mm
(81 '')	(74 '')	(93 '')



45 DEGREE WING E80-1810-WG

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2389 mm	1882 mm	2810 mm
(94 '')	(74 '')	(111 '')
















EXIGO E80 ELITE SQUAT RACK E80-1815

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
1877 mm	1862 mm	2046 mm
(74 '')	(74 '')	(81 '')

Weight plates and bars are for illustrative purposes only and not included with the product.

The Exigo E80 Elite Squat Rack is an impressive station ideal for safely performing a variety of weightlifting exercises. It features a 6-position chrome bar catcher for holding the bar between sets and provides a substantial lifting area with large safety arms for an increased range of movement. Weight Horns and Bar Holders are included as standard to keep your training space safe and tidy. This rack is made with 80x80x3mm steel uprights to meet the demands of commercial gyms or professional facilities.

EXIGO E80 ELITE SQUAT STANDS E80-1800

ENGTH	WIDTH	HEIGHT
nm (inch)	mm (inch)	mm (inch)
387 mm	1426 mm	1955 mm
55 '')	(56 '')	(77 ")

Weight plates and bars are for illustrative purposes only and not included with the product.

The Exigo E80 Elite Squat Stands include J-Hooks, Safety Spot Arms, Band Pegs, and Bar Storage as standard. This rack is a versatile solution for performing various weightlifting exercises and is designed to meet the demands of busy commercial gyms or professional facilities. It is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1') westside hole spacing for precise adjustments.





EXIGO E80 ELITE DUAL HALF RACK

The Exigo E80 Elite Dual Half Rack maximises floor space and provides back-to-back training stations. As standard this rack includes a Multi Ball Grip Pull-Up Bar, as well as a choice of 4 pull-up options on the opposite side, 2 pairs of J-Hooks, 2 pairs of Safety Spot Arms, Band Pegs, and shared weight plate storage. It is designed to meet the demands of busy commercial gyms or professional facilities and is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1') westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

Weight plates and bars are for illustrative purposes only and not included with the product.



MULTI BALL GRIP PULL-UP BAR

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2380 mm	1882 mm	2435 mm
(94 ")	(74 '')	(96 '')



ANGLED PULL-UP BAR E80-1820-AG

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2380 mm	1882 mm	2435 mm
(94 '')	(74 '')	(96 ")



ADJUSTABLE PULL-UP HANDLES

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2380 mm	1882 mm	2435 mm
(94 '')	(74 '')	(96 '')



45 DEGREE WING E80-1820-WG


LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2563 mm	1882 mm	2811 mm
(101 ")	(74 '')	(111 '')











EXIGO E80 ELITE POWER/HALF RACK

The Exigo E80 Elite Power/Half Rack is a combination of an E80 Elite Power Rack and E80 Elite Half Rack to maximise floor space and to provide back-to-back training stations. As standard this rack includes a Multi Ball Grip Pull-Up Bar on the Half Rack, and a choice of 4 pull-up options on the Power Rack. Also included are 2 pairs of J-Hooks, a pair of Safety Spot Arms and Internal Safety Spot Arms, Band Pegs, and weight plate storage. It is designed to meet the demands of busy commercial gyms or professional facilities and is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1') westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

Weight plates and bars are for illustrative purposes only and not included with the product.



MULTI BALL GRIP PULL-UP BAR

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
3024 mm	1882 mm	2435 mm
(119 '')	(74 '')	(96 '')



ANGLED PULL-UP BAR E80-1825-AG

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
3024 mm	1882 mm	2435 mm
(119 '')	(74 '')	(96 ")



ADJUSTABLE PULL-UP HANDLES E80-1825-AH

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
3024 mm	1882 mm	2435 mm
(119 '')	(74 '')	(96 '')





45 DEGREE WING E80-1825-WG

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
3363 mm	1882 mm	2811 mm
(133 ")	(74 '')	(111 '')









EXIGO E80 ELITE DUAL POWER RACK

The Exigo E80 Elite Dual Power Rack maximises floor space and provides back-to-back training stations. As standard this rack includes a Multi Ball Grip Pull-Up Bar, as well as a choice of 4 pull-up options on the opposite side, 2 pairs of J-Hooks, 2 pairs of Internal Safety Spot Arms, Band Pegs, and shared weight plate storage. It is designed to meet the demands of busy commercial gyms or professional facilities and is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1') westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

Weight plates and bars are for illustrative purposes only and not included with the product.



MULTI BALL GRIP PULL-UP BAR

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
3667 mm	1882 mm	2435 mm
(145 ")	(74 '')	(96 '')



ANGLED PULL-UP BAR E80-1830-AG

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
3667 mm	1882 mm	2435 mm
(145 ")	(74 '')	(96 '')



ADJUSTABLE PULL-UP HANDLES


LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
3667 mm	1882 mm	2435 mm
(145 '')	(74 '')	(96 '')



45 DEGREE WING E80-1830-WG

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
4006 mm	1882 mm	2811 mm
(158 '')	(74 '')	(111 '')







A pull-up bar is included as standard with 4 pull-up options to choose from.

1.5M INTEGRATED PLATFORM A-1715

Protects gym flooring and allows lifting outside of the rack. Include your brand logo or tag line on the oak centre to add a personal touch.

2 BRANDING PLATE A-1585

5 LANDMINE

Add the Branding Plate to include your brand logo or tag line on your E80 Rack.

A-1515 Allows rotational exercises or presses and easily folds away when not in use. A must have to maximise your training regime. J-HOOKS

Included as standard and are easily positioned at any height to safely hold your bar between sets. Our J-Hooks are lined with a plastic core for ultimate barbell protection.

Included

6 SINGLE LOOP A-1530

> The Single Loop provides a solid anchor point for a battle rope or resistance band.

BAR HOLDERS Included

> 2 Bar Holders are included on all E80 Elite Racks to provide easy access to bars and to keep your training space safe and tidy.

10 DIP ATTACHMENT A-1740

> The Dip Attachment can be easily positioned at any height to perform dips or leg raises.

8 LOWER BAND PEGS Included

3 Lower Band Pegs are included as standard on both sides of the rack to provide multiple attachment points for resistance bands.

111 WEIGHT HORNS

Included

as standard to provide easy access to weight plates and to keep your training space safe and tidy.

SAFETY SPOT ARMS Included

A pair of Safety Spot Arms are included as standard to enhance user safety and prevent damage to your equipment and gym floor.

12 UPPER BAND PEG

Included

Included as standard on both sides of the rack to provide an attachment points for resistance bands.






ATTACHMENTS

PRODUCT SKU

A-1515	LANDMINE
A-1530	SINGLE LOOP
A-1545	HIGH LOW PULLEY ATTACHMENT
A-1570	BAR STORAGE HOOK
A-1575	BAR STORAGE HOLDER
A-1580	CHALK BOWL
A-1585	BRANDING PLATE
A-1615	TARGET BOARD
A-1655	STORAGE HOOKS
A-1700	BOLT ON WEIGHT HORN (2" Dia x 325mm)
A-1701	BOLT ON WEIGHT HORN (2" Dia x 175mm)
A-1715	E80 ELITE HALF RACK 1.5M INTEGRATED OAK PLATFORM
A-1720	E80 ELITE HALF RACK 1M INTEGRATED OAK PLATFORM
A-1725	E80 ELITE POWER RACK 1.5M INTEGRATED OAK PLATFORM
A-1730	E80 ELITE POWER RACK 1M INTEGRATED OAK PLATFORM
A-1735	E80 ELITE SAFETY SPOT ARMS (PAIR)
A-1740	E80 ELITE DIP ATTACHMENT
A-1745	E80 ELITE HIP THRUST PAD
A-1750	E80 ELITE SINGLE LEG SQUAT PAD
A-1755	E80 ELITE ANGLED PULL-UP BAR
A-1760	E80 ELITE MULTI BALL GRIP PULL-UP BAR
A-1765	E80 ELITE ADJUSTABLE PULL-UP HANDLES
A-1770	E80 ELITE 45 DEGREE WING
2281	2X1M OAK INSERT 30MM
2282	2X1M OAK INSERT 40MM



COLOUR OPTIONS

N1

PRIMARY COLOUR

Choose the primary colour of your equipment, this is applied to the the uprights. 02

SECONDARY COLOUR

Choose the secondary colour of your equipment, this is applied to grip points, joining sections and attachments.

03

UPHOLSTERY COLOUR

Choose the upholstery colour for your equipment if applicable.

N4

CUSTOM BRANDING


Add your gym, team or organisation logo to your equipment.

STANDARD FRAME COLOURS

















TEXTURED FRAME COLOURS















STANDARD UPHOLSTERY COLOURS



NAVY SIND3795









BROWN SIN03788









Actual upholstery colours may vary slightly from visuals. Other colours available on request.

COLOUR MATCH EXISTING EQUIPMENT

In addition to our standard frame colours, we're able to match your existing equipment or specific RAL/Pantone colour.

WARRANTY

All Exigo products are warrantied to be free from defects in materials and workmanship. Exigo warrants to the original purchaser of all new equipment purchased from an Exigo authorized dealer or from an Exigo manufacturing contractor or directly from Exigo, that these products be warrantied under normal use and used in a manner in which the product(s) was specifically designed for, used as intended and in areas designed suitable for that use and service. The shipping of parts replaced or product replaced under warranty to be determined by Exigo. Parts replaced under warranty carry the original remaining warranty period or 90 days whichever is longer.

GENERAL WARRANTIES.

Strength, Selectorized, Plate Loaded, Olympic Stations, Strength and conditioning / Storage, Functional Range and Attachments.

LIFETIME WARRANTY.

Main Frame, Structural Steel and Welds.

TWO YEAR WARRANTY.

Linear Bearings, Linear Shafts, Bronze Bushings, Sealed Rotating Bearings and Pulley Wheel, Top Plate, Weight Plates, Selector Shaft, Weight Stack Guide Rods and Pulley Wheel Housings. Lifting Rack Attachments, Functional Rig Attachments and all Rack Attachments in Olympic Series.

ONE YEAR WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps, Rubber lifting Mats (within Integrated Lifting Platforms, Rubber Surface Tiles, Oak Centres and Lifting Platform Underboards and all other components not mentioned elsewhere in this warranty.

180 DAY WARRANTY.

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.

BOXING EQUIPMENT.

FIVE YEAR WARRANTY.

Boxing Ring, Main Frame

ONE YEAR WARRANTY.

Canvas Skirts, Corner Pads, All Consumables, Steel Works (Brackets)

180 DAY WARRANTY.

Punch Bags, Gloves & Mitts, Ring Boards, Ropes, Tensioners

90 DAY WARRANTY.

Underlay

OUTDOOR EQUIPMENT.

FIVE YEAR WARRANTY.

Main Frame, Structural Steel and Welds (excluding coatings) against structural failure due to corrosion or defects in work-

ONE YEAR WARRANTY.

Linear Bearings, Linear Shafts, Bronze Bushings

90 DAY WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps

30 DAY WARRANTY.

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.

EXCLUSIONS, OMISSIONS & INDEMNITY.

Exigo have no liability nor shall this limited warranty apply with respect to:

- a. Products not manufactured by Exigo or by an authorized Exigo manufacturing contractor.
- b. Products which have been altered without express written consent from Exigo
- c. Products purchased other than directly from Exigo or through an authorized Exigo dealer d. Defective coatings caused by environmental conditions including but not limited to climate conditions, cleaning materials and lubricants
- not specified by Exigo and moisture or humidity including perspiration.
- e. The defect occurs as a result of use other than fair wear and tear, wilful or negligent damage or the use of the product other than the purpose for which it is intended.
- f. Products not maintained in compliance with Exigo
- specifications shown in the relevant owner's manual and on product labels. Unreadable or altered serial tag.
- g. Mounting surface or substrate mounting of Exigo wall mounted units, sections or attachments. Exigo is expressly indemnified against selection of; or use of fixings for wall units or attachment to or fixing to inappropriate or inadequate surface mounting points.

Exgo shall not be liable for any special, incidental contingent, consequential damages or otherwise arising out of or in connection with a claim for any economic losses including but not limited to damage of loss of property or equipment and loss profits and revenue, loss of goodwill or reputation, anticipated or otherwise. Exigo aggregate liability for loss or damage shall in any event be limited to a sum equal to the amount paid for the products in one instance.

Exigo reserve the right under any claim to repair or replace the product as they deem fit and may elect.



