

### CONTACT

WEB: www.exigo-uk.com

**SALES:** 0870 850 1822 **INT'L:** +44 (0) 1706 633 560

EMAIL: sales@exigo-uk.com

### **CONTENTS**

ABOUT US	4	S70 STORAGE	10
CERTIFICATIONS	5	STORAGE OPTIONS	12
MADE IN BRITAIN	6	COLOUR OPTIONS	18
OUR PROCESS	8	WARRANTY	19



### **ABOUT US**

Established in 1995 by Founder and Managing Director Darren Golden, Exigo is the largest commercial gym equipment manufacturer in the UK and are recognised as a major source of quality products within the fitness industry. In more than 20 countries worldwide and an unrivalled product portfolio across Strength, Functional and Boxing.

1995 ESTABLISHED 30 000ft<sup>2</sup>
MANUFACTURING FACILITY

+300 PRODUCTS +20 COUNTRIES

5000ft<sup>2</sup>

### **CERTIFICATIONS**

Exigo has attained ISO 9001:2015 for quality management standards, and our products are fully compliant with the current EN 957 and EN ISO 20957 Stationary Training Equipment standards.

Exigo are also an accredited CHAS Contractor. The industry-leading health & safety contractor certification in the UK.













**// 01** 

## JUST IN TIME COMPONENTS

Through third party supplier agreements we are now able to reduce our lead times down to a maximum of 7 days for any materials required.

**// 02** 

## PICK COMPONENTS

Using our bespoke production planning system, work can be accurately scheduled and all components are picked on demand.

// 03

## TUBE MANIPULATION

The first stage of manufacturing requires us to bend and manipulate steel using one of our four CNC tube bending machines.

**// 04** 

#### MIG WELDING

Our team of highly skilled welders can then assemble and weld all parts using MIG welding. **// 05** 

## POLYESTER POWDER COAT

Products then go through a two stage cleaning and phosphate treatment process, before a polyester powder coat is applied.

# // 06

## ASSEMBLY & INSPECTION

Exigo products are pre-assembled and inspected prior to packing and despatch.

**// 07** 

#### FLAT PACKED

Exigo products ship flat packed, the appropriate packaging not only ensures your goods arrive safely and securely but can also help to reduce shipping and transport costs. **/// 08** 

## DELIVERY & INSTALLATION

Our experienced installation team is dedicated to providing an excellent service and will ensure your install runs smoothly and your equipment is set up correctly.





## **S70 STORAGE**

Exigo S70 Storage is perfect to maximise space in your facility with a flexible choice of storage options for various accessories. Available in multiple sizes to create your ideal solution which can always be adapted as your facility or accessory needs grow. Our Internal storage options are fixed between two uprights to create storage bays and our external storage options are mounted on the outside of your rack or storage bay.

AVAILABLE POSITIONS Refer to the table on

POSITION 2

POSITION 1

1

each item as shown to storage option can be

Some storage options use more than one position. Refer to the indicators as to determine which items occupy multiple positions.

#### INTERNAL

Internal means the item must be fixed between two uprights.

External means the item is mounted on the outside of an upright.

### EXIGO S70 **4 POSITION UPRIGHT**


570-2010

The Exigo S70 4 Position Upright\* allows up to 4 internal storage options, and up to 2 external storage options on the left and right side of a single or multiple bay storage

\*A minimum of 2 uprights are required, +1 extra upright for every additional bay. Bays are available in 1100mm and 1760mm widths.



INTERNAL	<b>LENGTH</b>	WIDTH	HEIGHT
STORAGE	mm (inch)	mm (inch)	mm (inch)
1100	784	1235	1719
	(31)	(49)	(68)
1760	784	1895	1719
	(31)	(75)	(68)



### EXIGO S70 **3 POSITION UPRIGHT**


S70-2005

The Exigo S70 3 Position Upright\* allows up to 3 internal storage options, and up to 2 external storage options on the left and right side of a single or multiple bay storage

\*A minimum of 2 uprights are required, +1 extra upright for every additional bay. Bays are available in 1100mm and 1760mm widths.



NTERNAL	LENGTH	WIDTH	HEIGHT
STORAGE	mm (inch)	mm (inch)	mm (inch)
100	784	1235	1319
	(31)	(49)	(52)
760	784	1895	1319
	(31)	(75)	(52)




### EXIGO S70 **2 POSITION UPRIGHT**

The Exigo S70 2 Position Upright\* allows up to 2 internal storage options, and up to 1 external storage option on the left and right side of a single or multiple bay storage

\*A minimum of 2 uprights are required, +1 extra upright for every additional bay. Bays are available in 1100mm and 1760mm widths.



INTERNAL	LENGTH	WIDTH	HEIGHT
STORAGE	mm (inch)	mm (inch)	mm (inch)
1100	784	1235	989
	(31)	(49)	(39)
1760	784	1895	989
	(31)	(75)	(39)



REQUIRED

INTERNAL

**EXIGO 300 BALL RAIL** 

Occupies only 1 position and can be placed in any of the 4

two sizes and is used to store

oversized medicine balls.

AVAILABLE POSITIONS

POSITION 4

POSITION 3

2

NOT COMPATIBLE

#### INTERNAL STORAGE OPTIONS



CAPACITY

A range of Resistance Bands


A range of Resistance Bands

SIZE

1100

1760






WEIGHT

6 kg (14 lbs)


10 kg (22 lbs)

1 POSITION REQUIRED.

10 kg (22 lbs)







INTERNAL


store weight plates.

AVAILABLE POSITIONS

NOT COMPATIBLE

NOT COMPATIBLE

POSITION 1





SIZE

3 Oversized Medicine Balls


5 Oversized Medicine Balls


### **EXTERNAL STORAGE OPTIONS**
















### 1 S70 4 POSITION UPRIGHT

SKU:	S-2010	_
QTY:	3	_

### 2 SIDE MAT HANGER

SKU:	S-2300
SIZE:	SINGLE
POSITION:	4
DI ACEMENT:	ΕΧΤΕΡΝΔΙ

### 3 200 BALL RAIL

SKU:	S-2160
SIZE:	1760
POSITION:	4
PLACEMENT:	INTERNAL

### 4 KETTLEBELL TRAY

S-2150
1760
3
INTERNAL

#### 6 TOAST RAIL

SKU:	S-2140
SIZE:	1760
POSITION:	2
OI ACEMENT:	INTEDNAL

SKU:	S-2105
SIZE:	1760
POSITION:	1
PLACEMENT:	INTERNAL

#### 7 TOAST RAIL TRAY

SKU:	S-2210
SIZE:	N/A
POSITION:	N/A
PLACEMENT:	N/A

#### 8 RESISTANCE BAND RAIL

SKU:	S-2195
SIZE:	1100
POSITION:	4
PLACEMENT:	INTERNAL

#### 1 SIDE BIN

SKU:	S-2010
QTY:	3

#### 2 VERTICAL DUMBBELL RACK 3 MAT HANGER

SKU:	S-2310
SIZE:	N/A
POSITION:	3
DI ACEMENT:	ΕΧΤΕΡΝΔΙ

SKU:	S-2175
SIZE:	1100
POSITION:	4
PLACEMENT:	INTERNAL

## 4 LARGE TRAY

SKU:	S-2125
SIZE:	1100
POSITION:	1
PLACEMENT:	INTERNAL

### 5 DUMBBELL RAIL (INC SADDLES)

SKU:	S-2140
SIZE:	1760
POSITION:	2
DI ACEMENT:	ΙΝΤΕΡΝΔΙ

SKU:	S-2105
SIZE:	1760
POSITION:	1
PLACEMENT:	INTERNAL

SKU:	S-2210
SIZE:	N/A
POSITION:	N/A
PLACEMENT:	N/A

	S-2195	SKU:
	1100	SIZE:
	4	POSITION:
:	INTERNAL	PLACEMENT:

<b>5</b> 300 BALI		RAIL	
	SKU:	S-2170	
	SIZE:	1760	
	POSITION:	4	
	PLACEMENT:	INTERNAL	

#### 6 DUMBBELL TRAY

SKU:	S-2150
SIZE:	1760
POSITION:	3
PLACEMENT:	INTERNAL

#### 7 1760 STUDIO BAR STORAGE 8 STUDIO PLATE STORAGE

SKU:	S-2210
SIZE:	1760
POSITION:	2
PLACEMENT:	INTERNAL

SKU:	S-2190
SIZE:	1760
POSITION:	1
PLACEMENT:	INTERNAL

#### 9 LARGE BIN

_		
SI	KU:	S-2115
SI	ZE:	1100
P	OSITION:	1
P	LACEMENT:	INTERNAL

#### 10 BATTLE ROPE STORAGE

SKU:	S-2325
SIZE:	N/A
POSITION:	4
PLACEMENT:	EXTERNAL

#### 9 400 SIDE BALL STORAGE

SKU:	S-2315
SIZE:	N/A
POSITION:	3
DI ACEMENT.	EVTEDNIAL

#### 10 SIDE BIN

S-2320
N/A
1
EXTERNAL

## **COLOUR OPTIONS**

**N1** 

### PRIMARY COLOUR

Choose the primary colour of your equipment, this is applied to the the uprights. 02

#### **SECONDARY** COLOUR

Choose the secondary colour of your equipment, this is applied to grip points, joining sections and attachments.

03

#### **UPHOLSTERY** COLOUR

Choose the upholstery colour for your equipment if applicable.

**N4** 

#### **CUSTOM BRANDING**

Add your gym, team or organisation logo to your equipment.

#### STANDARD FRAME COLOURS



















#### **TEXTURED FRAME COLOURS**















#### STANDARD UPHOLSTERY COLOURS



NAVY SIND3795



GREY SIN03797

















BOTTLE GREEN

Actual upholstery colours may vary slightly from visuals. Other colours available on request.

### **COLOUR MATCH EXISTING EQUIPMENT**

In addition to our standard frame colours, we're able to match your existing equipment or specific RAL/Pantone colour.

## WARRANTY

All Exigo products are warrantied to be free from defects in materials and workmanship. Exigo warrants to the original purchaser of all new equipment purchased from an Exigo authorized dealer or from an Exigo manufacturing contractor or directly from Exigo, that these products be warrantied under normal use and used in a manner in which the product(s) was specifically designed for, used as intended and in areas designed suitable for that use and service. The shipping of parts replaced or product replaced under warranty to be determined by Exigo. Parts replaced under warranty carry the original remaining warranty period or 90 days whichever is longer.

#### **GENERAL WARRANTIES.**

Strength, Selectorized, Plate Loaded, Olympic Stations, Strength and conditioning / Storage, Functional Range and Attachments.

#### LIFETIME WARRANTY.

Main Frame, Structural Steel and Welds.

#### TWO YEAR WARRANTY.

Linear Bearings, Linear Shafts, Bronze Bushings, Sealed Rotating Bearings and Pulley Wheel, Top Plate, Weight Plates, Selector Shaft, Weight Stack Guide Rods and Pulley Wheel Housings. Lifting Rack Attachments, Functional Rig Attachments and all Rack Attachments in Olympic Series.

#### ONE YEAR WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps, Rubber lifting Mats (within Integrated Lifting Platforms, Rubber Surface Tiles, Oak Centres and Lifting Platform Underboards and all other components not mentioned elsewhere in this warranty.

#### 180 DAY WARRANTY.

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.

#### **BOXING EQUIPMENT.**

#### FIVE YEAR WARRANTY.

Boxing Ring, Main Frame

#### ONE YEAR WARRANTY.

Canvas Skirts, Corner Pads, All Consumables, Steel Works (Brackets)

#### 180 DAY WARRANTY.

Punch Bags, Gloves & Mitts, Ring Boards, Ropes, Tensioners

#### 90 DAY WARRANTY.

Underlay

#### **OUTDOOR EQUIPMENT.**

#### FIVE YEAR WARRANTY.

Main Frame, Structural Steel and Welds (excluding coatings) against structural failure due to corrosion or defects in work-

#### ONE YEAR WARRANTY.

Linear Bearings, Linear Shafts, Bronze Bushings

#### 90 DAY WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps

#### **30 DAY WARRANTY.**

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.

#### **EXCLUSIONS, OMISSIONS & INDEMNITY.**

Exigo have no liability nor shall this limited warranty apply with respect to:

- a. Products not manufactured by Exigo or by an authorized Exigo manufacturing contractor.
- b. Products which have been altered without express written consent from Exigo
- c. Products purchased other than directly from Exigo or through an authorized Exigo dealer d. Defective coatings caused by environmental conditions including but not limited to climate conditions, cleaning materials and lubricants
- not specified by Exigo and moisture or humidity including perspiration.
- e. The defect occurs as a result of use other than fair wear and tear, wilful or negligent damage or the use of the product other than the purpose for which it is intended.
- f. Products not maintained in compliance with Exigo
- specifications shown in the relevant owner's manual and on product labels. Unreadable or altered serial tag. g. Mounting surface or substrate mounting of Exigo wall mounted units, sections or attachments. Exigo is expressly
- indemnified against selection of; or use of fixings for wall units or attachment to or fixing to inappropriate or inadequate surface mounting points.

Exgo shall not be liable for any special, incidental contingent, consequential damages or otherwise arising out of or in connection with a claim for any economic losses including but not limited to damage of loss of property or equipment and loss profits and revenue, loss of goodwill or reputation, anticipated or otherwise. Exigo aggregate liability for loss or damage shall in any event be limited to a sum equal to the amount paid for the products in one instance.

Exigo reserve the right under any claim to repair or replace the product as they deem fit and may elect.



