





CONTACT

WEB: www.exigo-uk.com

SALES: 0870 850 1822 **INT'L:** +44 (0) 1706 633 560

EMAIL: sales@exigo-uk.com

DISCLAIMER

Some products in this brochure feature auxiliary items such as weight plates and Olympic bars etc. which are for illustrative purposes only, and are not included with the product.


CONTENTS

ABOUT US	4
CERTIFICATIONS	5
MADE IN BRITAIN	6
OUR PROCESS	8
CUSTOM EQUIPMENT	10
SELECTORIZED	12
PLATE LOADED	20

E

BENCHES	30
CONDITIONING	38
LIFTING PLATFORMS	42
STORAGE	46
COLOUR OPTIONS	54
WARRANTY	55
INDEX	56





ABOUT US

Established in 1995 by Founder and Managing Director Darren Golden, Exigo is the largest commercial gym equipment manufacturer in the UK and are recognised as a major source of quality products within the fitness industry. In more than 20 countries worldwide and an unrivalled product portfolio across Strength, Functional and Boxing.



E

ESTABLISHED

30 000ft² MANUFACTURING FACILITY

+300 PRODUCTS

+20 COUNTRIES



CERTIFICATIONS

Exigo has attained ISO 9001:2008 and ISO 9001:2015 for quality management standards, and our products are fully compliant with the current EN 957 and EN ISO 20957 Stationary Training Equipment standards.

Exigo are also an accredited CHAS Contractor. The industry-leading health & safety contractor certification in the UK.









MADE IN BRITAIN

Exigo is renowned for manufacturing gym equipment and our commitment to excellence. We own our own product design, testing and manufacturing facility based in the UK, and are in full control of our own production and processes.

BRITISH STEEL

All Exigo products are produced with British Steel. Our 100x50x3 ERW flat sided oval, is produced in the UK to BSEN 10305-3:2010 specification.

STRONG WARRANTIES

All Exigo products are backed by an industry leading Lifetime Warranty on frames and weldments.

QUALITY CONTROL

Our products are subject to rigorous in house testing, ensuring they are fit for purpose to meet the demands and expectations of our customers.

FLAT PACKAGING

We realise that the appropriate packaging not only ensures your goods arrive safely and securely but can also help to reduce shipping and transport costs.

OUR MISSION

EXIGO

We aim to provide a source of quality products and services that meet or exceed your expectations. You will find Exigo to be among the leading suppliers of products, support and services available in the industry today, yet you will not find us the most expensive. More of what you want for much less than you would expect to pay. W an to bu all lea

We recruit the very best welders and fabricators and provide genuine opportunities for them to develop their skills and move on within the business. As part of our commitment to quality, all Exigo products are supported by an industry leading lifetime frame and weld guarantee.



TSTAFTER USE

DESIGN. MANUFACTURE. INSTALLATION.

PLEASE DO NOT DROP W

The ability to control our manufacturing processes, means that we can design and custom-build commercial gym equipment to a level that our customers tell us is unrivalled in the industry.

// 01

JUST IN TIME COMPONENTS

Through third party supplier agreements we are now able to reduce our lead times down to a maximum of 7 days for any materials required.

// 02

PICK COMPONENTS

Using our bespoke production planning system, work can be accurately scheduled and all components are picked on demand.

// 03

PLEASE REPLACE WEIGHTS AFTER USS

TUBE MANIPULATION

The first stage of manufacturing requires us to bend and manipulate steel using one of our four CNC tube bending machines.

// 04

WELDING

Our team of highly skilled welders can then assemble and weld all parts using MIG welding.

// 05

POLYESTER POWDER COAT

Products then go through a two stage cleaning and phosphate treatment process, before a polyester powder coat is applied.

// 06 ASSEMBLY &

INSPECTION

Exigo products are pre-assembled and inspected prior to packing and despatch.



// 07

FLAT PACKED

Exigo products ship flat packed, the appropriate packaging not only ensures your goods arrive safely and securely but can also help to reduce shipping and transport costs.

// 08

DELIVERY & INSTALLATION

Our experienced installation team is dedicated to providing an excellent service and will ensure your install runs smoothly and your equipment is set up correctly.





CUSTOM EQUIPMENT

We custom make gym equipment to meet the requirements of our customers. We offer multiple customisation options to help personalise products without effecting lead times.



FRAME COLOUR

A wide range of frame colours are available. We offer 22 standard colours to choose from, with additional colours available on request.

CUSTOM DESIGN

We have the ability to custom design and manufacture products to a bespoke size or request to fit a specific purpose or space if . required.

UPHOLSTERY COLOUR

A wide range of upholstery colours are available. We offer 18 standard colours to choose from, with additional colours available on request.

OUTDOOR USE

If required our products can be galvanised to ensure suitability for outdoor use.

E

CUSTOM BRANDING

Custom branding is a available on our products where there is a protection wrap, weight stack shroud or an oak centred lifting platform.

LEAD TIMES

There is no affect on lead times with any of our standard customisation options.

SELECTORIZED

Exigo Selectorized machines offer attractive designs with outstanding quality and performance. Incremental weights allow precise increases and converging and diverging motions ensure a natural path of movement and comfort during the exercise.

INCREMENTAL WEIGHTS

All incremental weights are indicated in kg/lbs, while the magnetic weight pin ensures secure selection.

COMFORT GRIP

38mm rubber ribbed handles provide comfort with caped anodised aluminium ends for protection.

STACK UPGRADES

Most of our Selectorized machines are supplied with a 100kg weight stack as standard, if required this can be swapped for a 75kg, 125kg or 150kg stack.

STRUCTURAL FRAME

All main frames are constructed using 100x50x3 ERW flat sided oval, produced in the UK to BSEN 10305-3:2010 specification offering a lifetime main frame warranty.

SEAT ASSEMBLY

Simple height adjustments, ensure correct and effective exercise posturing. Numeric indicators allow easy reference.

OPTIONAL FRONT SHROUD

All Selectorized machines come with a rear shroud as standard, if preferred you can upgrade your equipment to include a front shroud.

EXERCISE PLACARD

Easy to understand exercise placards featuring instructional diagrams and targeted muscle groups.

CUSTOMISATION

Available in a variety of frame and upholstery colours with the ability to include your gym, team or organisation logo.







CHEST PRESS SKU: 1005-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
1310 x 1354 x 1496 mm	249 kg	100 kg	125/150 kg	- N.
(52 x 53 x 58 '')	(549 lbs)	(220 lbs)	(276/331 lbs)	



INCLINE CHEST PRESS

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1272 x 1282 x 2166 mm	256 kg	100 kg	125/150 kg
(50 x 50 x 85 '')	(564 lbs)	(220 lbs)	(276/331 lbs)



SHOULDER PRESS SKU: 1015-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
1364 x 1279 x 1496 mm	242 kg	100 kg	125/150 kg	N N
(54 x 50 x 59 '')	(534 lbs)	(220 lbs)	(276/331 lbs)	



LATERAL RAISE SKU: 1020-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1008 x 1213 x 1496 mm	193 kg	75 kg	100/125/150 kg
(40 x 48 x 58 '')	(425 lbs)	(165 lbs)	(220/276/331 lbs)





PECTORAL FLY SKU: 1025-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (Ibs)	WEIGHT STACK	WEIGHT STACK
1434 x 1187 x 2043 mm	276 kg	100 kg	125/150 kg
(57 x 47 x 81 '')	(609 lbs)	(220 lbs)	(276/331 lbs)



DIMENSIONS L x W x H

1435 x 1417 x 2043 mm (56 x 57 x 80 ")







LATERAL PULLDOWN

DIMENSIONS L x W x H WEIGHT kg (lbs) STANDARD OPTIONAL WEIGHT STACK 1350 x 950 x 2207 mm (53 x 37 x 87 '') 231 kg (509 lbs) 125 kg (276 lbs)



LATERAL PULLDOWN LOW ROW SKU: 1055-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1879 x 950 x 2197 mm	252 kg	125 kg	150 kg
(74 x 37 x 86 '')	(556 lbs)	(276 lbs)	(331 lbs)





LATERAL PULLOVER sku: 1040-1



E



DUAL CABLE LATERAL PULLDOWN SKU: 1036-1



LATERAL LOW ROW

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	**
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
2257 x 950 x 2191 mm	246 kg	125 kg	150 kg	
(89 x 37 x 86 '')	(543 lbs)	(276 lbs)	(331 lbs)	



LATERAL SEATED ROW SKU: 1050-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1575 x 1255 x 1496 mm	206 kg	100 kg	125/150 kg
(62 x 49 x 59 '')	(454 lbs)	(220 lbs)	(276/331 lbs)







ASSISTED CHIN DIP SKU: 1060-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	^**
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
1610 x 1309 x 2554 mm	254 kg	100 kg	75/125/150 kg	
(64 x 52 x 101 '')	(560 lbs)	(221 lbs)	(165/276/331 lbs)	



BICEP CURL SKU: 1065-1


19 1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1315 x 842 x 1496 mm	199 kg	75 kg	100/125/150 kg
(52 x 33 x 58 '')	(439 lbs)	(165 lbs)	(220/276/331 lbs)



TRICEP EXTENSION

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
1430 x 1354 x 1496 mm	201 kg	75 kg	100/125/150 kg	Ξ.N
(56 x 33 x 58 '')	(443 lbs)	(165 lbs)	(220/276/331 lbs)	





TRICEP PRESS SKU: 1075-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1474 x 1183 x 1496 mm	241 kg	100 kg	75/125/150 kg
(58 x 47 x 59 '')	(531 lbs)	(220 lbs)	(165/276/331 lbs)



LEG EXTENSION sku: 1100-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
1434 x 959 x 1496 mm	237 kg	100 kg	75/125/150 kg	
(56 x 38 x 58 '')	(522 lbs)	(220 lbs)	(165/276/331 lbs)	



SEATED LEG CURL SKU: 1105-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1525 x 1039 x 1496 mm	255 kg	100 kg	75/125/150 kg
(60 x 41 x 58 '')	(562 lbs)	(220 lbs)	(165/276/331 lbs)





LYING LEG C	URL		
DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1747 x 1006 x 1496 mm	245 kg	100 kg	75/125/150 kg
(69 x 40 x 58 '')	(540 lbs)	(220 lbs)	(165/276/331 lbs)





SEATED LEG PRESS SKU: 1125-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
2189 x 1070 x 1796 mm	433 kg	150 kg	75/100/125 kg	
(86 x 42 x 71 '')	(955 lbs)	(331 lbs)	(165/220/276 lbs)	



SEATED CALF RAISE





LEG EXTENSION / LEG CURL sku: 1115-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	<u>,</u>
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	М.М.
1460 x 1052 x 1496 mm	262 kg	100 kg	75/125/150 kg	
(57 x 41 x 58 '')	(578 lbs)	(220 lbs)	(165/276/331 lbs)	



RECUMBENT LEG PRESS sku: 1130-1

TIONAL	ARD	WEIGHT	DIMENSIONS
EIGHT STACK	IT STACK	kg (lbs)	L x W x H
/100/125 kg	5)	315 kg	x 1796 mm
5/220/276 lbs)		(694 lbs)	71 '')



STANDING CALF RAISE SKU: 1140-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1270 x 1161 x 1682 mm	255 kg	150 kg	75/100/125 kg
(50 x 46 x 66 '')	(562 lbs)	(331 lbs)	(165/220/276 lbs)







GLUTE MACHINE

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
2060 x 905 x 1495 mm	220 kg	100 kg	75/125/150 kg	N A
(81 x 36 x 59 '')	(485 lbs)	(220 lbs)	(165/276/331 lbs)	





ROTARY HIP SKU: 1165-1

SRO. HOS I				
DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK	
1614 x 1238 x 1496 mm (64 x 49 x 58 '')	215 kg (474 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)	- W 7



OPTIONAL WEIGHT STACK

75/125/150 kg (165/276/331 lbs)

ABDOMINAL MACHINE sku: 1200-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1515 x 983 x 1496 mm	227 kg	100 kg	75/125/150 kg
(60 x 39 x 58 '')	(500 lbs)	(220 lbs)	(165/276/331 lbs)



BACK / ABDOMINAL MACHINE sku: 1210-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
1395 x 1104 x 1496 mm	214 kg	100 kg	75/125/150 kg
(55 x 44 x 58 '')	(472 lbs)	(220 lbs)	(165/276/331 lbs)



ABDOMINAL TWISTER sku: 1215-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	YBY
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
1711 x 1188 x 1496 mm	226 kg	100 kg	75/125/150 kg	X
(67 x 57 x 48 '')	(498 lbs)	(220 lbs)	(165/276/331 lbs)	



HIGH LOW PULLEY

DIMENSIONS L x W x H WEIGHT kg (lbs) OPTIONAL WEIGHT STACK STANDARD WEIGHT STACK 980 x 950 x 2191 mm (39 x 37 x 86 '') 190 kg (419 lbs) 75/125/150 kg (165/276/331 lbs) 100 kg (220 lbs)





CABLE CROSSOVER SKU: 1220-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK		
4110 x 950 x 2332 mm (162 x 37 x 92 '')	390 kg (860 lbs)	2 x 100 kg (2 x 220 lbs)	75/125/150 kg (165/276/331 lbs)	N V	



5 STATION JUNGLE GYM SKU: 1245-1







DUAL ADJUSTABLE PULLEY

DIMENSIONS L x W x H	PRODUCT	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK	
1153 x 1659 x 2332 mm	397 kg	2 x 100 kg	75/125/150 kg	
(46 x 66 x 92 '')	(876 lbs)	(2 x 220 lbs)	(165/276/331 lbs)	



4 STATION JUNGLE GYM SKU: 1240-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL	
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK	
3648 x 2328 x 2207 mm	800 kg	2 x 100 kg (220 lbs)	75/150 kg	
(144 x 92 x 87 '')	(1764 lbs)	2 x 125 kg (276 lbs)	(165/331 lbs)	



8 STATION JUNGLE GYM SKU: 1250-1

DIMENSIONS	WEIGHT	STANDARD	OPTIONAL
L x W x H	kg (lbs)	WEIGHT STACK	WEIGHT STACK
3648 x 6426 x 2332 mm	1620 kg	4 x 100 kg (220 lbs)	75/150 kg
(144 x 253 x 92 '')	(3571 lbs)	4 x 125 kg (276 lbs)	(165/331 lbs)





PLATE LOADED

Designed and manufactured to deliver. Renowned for our superior biomechanics, Exigo offers a huge range of Plate Loaded equipment focusing on upper body, lower body and ground based workouts.

SMOOTH ISO MOVEMENTS

Many of our Plate Loaded products feature ISO lateral technology which allows the user to train both limbs at the same time, or individually.

COMFORT GRIP

38mm rubber ribbed handles provide comfort with caped anodised aluminium ends for protection.

EXERCISE PLACARD

Easy to understand exercise placards featuring instructional diagrams and targeted muscle groups.

CUSTOMISATION

Available in a variety of frame and upholstery colours with the ability to include your gym, team or organisation logo.

SEAT ASSEMBLY

Simple height adjustments, ensure correct and effective exercise posturing. Numeric indicators allow easy reference.

STORAGE HORNS

Optional chrome storage horns with high impact ends are available to provide convenient storage points for weight plates.

STRUCTURAL FRAME

All main frames are constructed using 100x50x3 ERW flat sided oval, produced in the UK to BSEN 10305-3:2010 specification offering a lifetime main frame warranty.

Ξ





1190 x 1872 x 1858 mm (47 x 74 x 73 '')

138 kg (304 lbs)





INCLINE CHEST PRESS

DIMENSIONS	WEIGHT	MAX	OPTIONAL	<u>, </u>
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1390 x 2095 x 1857 mm	140 kg	200 kg	4 Double	N/
(55 x 82 x 73 '')	(308 lbs)	(441 lbs)	(8 Storage Points)	



LATERAL RAISE SKU: 3030-1 DIMENSIONS L x W x H WEIGHT kg (lbs) 1205 x 1321 x 1294 mm (47 x 52 x 51 '') 88 kg (194 lbs)

IS0





DIMENSIONS	WEIGHT	MAX	OPTIONAL
_ x W x H	kg (lbs)	LOAD	STORAGE HORNS
442 x 1553 x 2157 mm	145 kg	200 kg	4 Double
67 x 61 x 85 '')	(319 lbs)	(441 lbs)	(8 Storage Points)



FLAT CHEST PRESS SKU: 3015-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	杰杰
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1660 x 1901 x 989 mm	101 kg	200 kg	2 Single	N N
(65 x 75 x 39 '')	(223 lbs)	(441 lbs)	(2 Storage Points)	



DIMENSIONS	WEIGHT	MAX	OPTIONAL	杰加
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1444 x 1821 x 1564 mm	126 kg	200 kg	4 Double	N
(57 x 74 x 73 '')	(278 lbs)	(441 lbs)	(8 Storage Points)	



FRONT PIVOT SHOULDER PRESS sku: 3025-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	杰杰
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1304 x 1935 x 1706 mm	133 kg	200 kg	4 Single	N.V.
(51 x 76 x 67 '')	(293 lbs)	(441 lbs)	(4 Storage Points)	



LATERAL LOW ROW SKU: 3040-1


150

DIMENSIONS	WEIGHT	MAX	OPTIONAL
L x W x H	kg (lbs)	Load	STORAGE HORNS
1464 x 1359 x 1871 mm	129 kg	200 kg	4 Single
(58 x 54 x 74 '')	(284 lbs)	(441 lbs)	(8 Storage Points)



T-BAR ROW CHEST SUPPORT SKU: 3050-1











IS0

LATERAL ROW

DIMENSIONS	WEIGHT	MAX	OPTIONAL	М.M.
L x W x H	kg (lbs)	Load	STORAGE HORNS	
1568 x 1212 x 1339 mm (62 x 48 x 53 '')	110 kg (243 lbs)	200 kg (441 lbs)	N/A	XX



150

LATERAL PULLDOWN SKU: 3045-1

SKU: 3045-1				
DIMENSIONS	WEIGHT	MAX	OPTIONAL	
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1793 x 1304 x 1910 mm	128 kg	200 kg	4 Single	N N
(71 x 51 x 75 '')	(282 lbs)	(441 lbs)	(4 Storage Points)	



STANDING T-BAR ROW

DIMENSIONS	WEIGHT	MAX	OPTIONAL
L x W x H	kg (lbs)	LOAD	STORAGE HORNS
1680 x 860 x 728 mm	68 kg	100 kg	N/A
(66 x 34 x 29 '')	(150 lbs)	(220 lbs)	







PULLOVER sku: 3060-1				
DIMENSIONS	WEIGHT	MAX	OPTIONAL	́./Ì
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1246 x 1750 x 1397 mm	95 kg	140 kg	1 Single	XX
(49 x 69 x 55 '')	(209 lbs)	(309 lbs)	(1 Storage Point)	



SEATED BICEP CURL

SKU: 3065-1				
DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS	
1463 x 1241 x 1193 mm (47 x 74 x 73 '')	82 kg (181 lbs)	100 kg (220 lbs)	N/A	ΛN



SHRUG FRA				
DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS	
683 x 1351 x 682 mm (27 x 53 x 27 '')	32 kg (71 lbs)	200 kg (441 lbs)	N/A	T N



STANDING LEG CURL



LEG PRESS sku: 3115-1





SEATED	DIP
SKU: 3070-1	

DIMENSIONS	WEIGHT	MAX	OPTIONAL	μ.
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1620 x 1687 x 951 mm	116 kg	200 kg	2 Single	NN
(64 x 66 x 37 '')	(256 lbs)	(441 lbs)	(2 Storage Points)	



4 WAY NECK MACHINE

DIMENSIONS	WEIGHT	MAX	OPTIONAL			
L x W x H	kg (lbs)	LOAD	STORAGE HORNS			
1422 x 1236 x 1587 mm	97 kg	100 kg	2 Single			
(56 x 49 x 62 '')	(214 lbs)	(220 lbs)	(2 Storage Points)			



SEATED/STANDING SHRUG

DIMENSIONS	WEIGHT	MAX	OPTIONAL	
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1226 x 1635 x 1090 mm	102 kg	200 kg	2 Single	
(48 x 64 x 43 '')	(225 lbs)	(441 lbs)	(2 Storage Points)	



GRIPPER SKU: 3085-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	- AA
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1254 x 630 x 780 mm (49 x 25 x 31 '')	40 kg (88 lbs)	100 kg (220 lbs)	N/A	N.V.





IS0

LEG EXTENSION SKU: 3100-1

SKU: 3100-1				
DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS	▲▲
1297 x 1493 x 1136 mm (52 x 59 x 45 '')	86 kg (190 lbs)	200 kg (441 lbs)	N/A	
	'			4 5 7 4



LYING LEG CURL SKU: 3111-1

DIMENSIONS	WEIGHT			de de
L×W×H	kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS	
1757 x 1220 x 856 mm (47 x 74 x 73 '')	97 kg (214 lbs)	100 kg (220 lbs)	2 Single (2 Storage Points)	XA



ASSISTED GLUTE HAM DEVELOPER sku: 3121-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL
L x W x H	kg (lbs)	LOAD	STORAGE HORNS
1234 x 1272 x 1633 mm	84 kg	100 kg	N/A
(49 x 51 x 65 '')	(186 lbs)	(220 lbs)	









45 DEGREE LEG PRESS SKU: 3126-1





The Exigo 45 Degree Leg Press effectively targets the quads and engages the glutes with a starting weight of 60kg and an additional max load of 640kg. This impressive leg station features premium 40mm linear bearings to ensure smooth operation as well as stainless steel anti slip footplates and a 3-position back pad for secure placement and comfort. 4 storage points are available for weight plates.



DUAL 45 DEGREE LEG PRESS DIMENSIONS L x W x H WEIGHT kg (lbs) MAX Load INCLUDED STORAGE HOR 2476 x 1477 x 1496 mm (97 x 58 x 59 ") 312 kg (688 lbs) 280 kg (617 lbs) 2 Single / 2 Double (6 Storage Points)



LUMBER SQUAT SKU: 3130-1

DIMENSIONS	WEIGHT	MAX	INCLUDED
L x W x H	kg (lbs)	LOAD	STORAGE HORNS
2434 x 1871 x 1510 mm	270 kg	280 kg	2 Single / 2 Double
(96 x 74 x 59 '')	(595 lbs)	(617 lbs)	(6 Storage Points)



LEVERAGE SQUAT SKU: 3139-1







VERTICAL LEG PRESS SKU: 3135-1

DIMENSIONS	WEIGHT	MAX	INCLUDED	杰杰
L x W x H	kg (lbs)	Load	STORAGE HORNS	
2008 x 922 x 2022 mm	281 kg	280 kg	4 Double	XX
(79 x 86 x 80 '')	(619 lbs)	(617 lbs)	(8 Storage Points)	



HACK SQUAT SKU: 3131-1

				9 2
DIMENSIONS	WEIGHT	MAX	INCLUDED	
L x W x H	kg (Ibs)	LOAD	STORAGE HORNS	
2333 x 2058 x 1452 mm	245 kg	280 kg	2 Single / 2 Double	
(92 x 81 x 57 '')	(540 lbs)	(617 lbs)	(6 Storage Points)	



V SQUAT SKU: 3140-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	<u> </u>
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
2170 x 1560 x 1864 mm (85 x 61 x 73 '')	202 kg (445 lbs)	280 kg (617 lbs)	N/A	







BELT SQUAT

SKU: 3141-1				8
DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS	
2001 x 1110 x 1198 mm (79 x 44 x 47 '')	145 kg (320 lbs)	280 kg (320 lbs)	N/A	//



PENDULUM SQUAT

SKU: 3142-1				
DIMENSIONS	WEIGHT	MAX	INCLUDED	
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1920 x 1534 x 1702 mm	167 kg	140 kg	4 Single	
(76 x 60 x 67 '')	(369 lbs)	(309 lbs)	(4 Storage Points)	



SKU: 3150-1				
DIMENSIONS	WEIGHT	MAX	OPTIONAL	▲▲
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1839 x 1586 x 2081 mm	138 kg	200 kg	4 Single	11 4 4
(72 x 62 x 82 '')	(304 lbs)	(441 lbs)	(4 Storage Points)	



SHRUG / DEADLIFT SKU: 3165-1 DIMENSIONS L x W x H WEIGHT kg (lbs) 1199 x 1635 x 933 mm (47 x 64 x 37 '') 80 kg (176 lbs)





BODY DRIVE sku: 3160-1						
DIMENSIONS	WEIGHT	MAX	OPTIONAL			
L x W x H	kg (lbs)	LOAD	STORAGE HORN			
1747 x 2034 x 2157 mm	130 kg	200 kg	2 Single / 2 Dout			
(47 x 74 x 73 '')	(304 lbs)	(441 lbs)	(6 Storage Point			





SMITH MACHINE SKU: 3180-1

DIMENSIONS	WEIGHT	MAX	INCLUDED	ノ魚
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1180 x 2011 x 2271 mm	138 kg	200 kg	6 Single	N N
(46 x 79 x 89 '')	(304 lbs)	(441 lbs)	(6 Storage Points)	





SEATED CALF RAISE

SKU: 3145-1				
DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS	/\́./ı́
1371 x 660 x 981 mm (54 x 26 x 39 '')	115 kg (254 lbs)	100 kg (220 lbs)	N/A	



1	

REVERSE HYPER EXTENSION SKU: 3155-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	杰杰
L × W × H	kg (lbs)	LOAD	STORAGE HORNS	
1690 x 1160 x 1251 mm	122 kg	200 kg	2 Single	
(67 x 46 x 49 '')	(269 lbs)	(441 lbs)	(2 Storage Points)	



GLUTE THRUST SKU: 3156-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	<u>Å</u> /
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1736 x 1176 x 961 mm	137 kg	140 kg	2 Single	M
(68 x 46 x 38 '')	(302 lbs)	(309 lbs)	(2 Storage Points)	





150

LUNGE SKU: 3170-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	杰杰
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
- 1605 x 1635 x 933 mm (63 x 64 x 37 '')	85 kg (187 lbs)	200 kg (441 lbs)	2 Single (2 Storage Points)	



COUNTER BALANCE SMITH MACHINE SKU: 3175-1

DIMENSIONS	WEIGHT	MAX	INCLUDED	
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1055 x 2070 x 2308 mm	174 kg	200 kg	6 Single	
(42 x 82 x 91 '')	(384 lbs)	(441 lbs)	(6 Storage Points)	



POWER SMITH SKU: 3185-1

DIMENSIONS	WEIGHT	MAX	INCLUDED	1
L x W x H	kg (lbs)	Load	STORAGE HORNS	
1360 x 2011 x 2261 mm	175 kg	200 kg	6 Single	V
(54 x 79 x 89 '')	(386 lbs)	(441 lbs)	(6 Storage Points)	





BENCHES

Our industry leading range of Benches are perfect for free weight, body weight, and strength based workouts. Combining stylish ergonomic designs with precision engineered components and featuring appropriate support for comfortable and efficient workouts.

ERGONOMIC DESIGNS

All our beneches are designed to set up the user correctly and provide optimum comfort during exercise.

EASY ADJUSTMENTS

Our benches provide simple user adjustments to ensure safe, correct and effective exercise posturing.

Optional chrome storage horns with

of our benches to provide convenient storage points for weight plates.

high impact ends are available on some

HIGH IMPACT MOUNT

STORAGE HORNS

High impact feet provide a secure and stable base with hidden floor mounting points.

CUSTOMISATION

Available in a variety of frame and upholstery colours with the ability to include your gym, team or organisation logo.

STRUCTURAL FRAME

All main frames are constructed using 100x50x3 ERW flat sided oval, produced in the UK to BSEN 10305-3:2010 specification offering a lifetime main frame warranty.



0

14

•

7





OLYMPIC FLAT BENCH SKU: 2000-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	M 1 \
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1541 x 1294 x 1199 mm	66 kg	400 kg	2 Double	N.V.
(61 x 51 x 47 '')	(146 lbs)	(882 lbs)	(4 Storage Points)	



OPTIONAL STORAGE HORNS

2 Double

MR / \

 \mathbb{A}

OLYMPIC INCLINE BENCH SKU: 2005-1



DIMENSIONS L x W x H

1754 x 1724 x 1801 mm (69 x 68 x 71 '')

OLYMPIC DECLINE BENCH SKU: 2010-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	19 / 1
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1870 x 1294 x 1199 mm	66 kg	400 kg	2 Double	NA
(74 x 51 x 48 '')	(146 lbs)	(882 lbs)	(4 Storage Points)	



OLYMPIC SHOULDER PRESS BENCH sku: 2020-1

DIMENSIONS	WEIGHT	MAX	OPTIONAL	FRI
L x W x H	kg (lbs)	LOAD	STORAGE HORNS	
1116 x 1294 x 1679 mm	83 kg	400 kg	2 Double	- N 7
(44 x 51 x 66 '')	(183 lbs)	(882 lbs)	(4 Storage Points)	



OLYMPIC MILITARY PRESS BENCH SKU: 2025-1

OLYMPIC ADJUSTABLE MULTI BENCH sku: 2015-1

> MAX Load

400 kg (882 lbs) OPTIONAL STORAGE HORNS

2 Single / 2 Double (6 Storage Points)

WEIGHT kg (lbs)

134 kg (295 lbs)

DIMENSIONS	WEIGHT	MAX	OPTIONAL
L x W x H	kg (lbs)	LOAD	STORAGE HORNS
1230 x 1294 x 1668 mm	118 kg	400 kg	4 Single
(49 x 51 x 66 '')	(261 lbs)	(882 lbs)	(4 Storage Points)





LENGTH mm (inch) WIDTH mm (inch) HEIGHT mm (inch) WEIGHT mm (inch) 1312 mm (52 °) 630 mm (25 °) 456 - 1175 mm (18 - 47 °) 38 kg (84 lbs)





The Exigo Multi Adjustable Bench is robust and durable and ideal for a wide range of free weight exercises. The backrest offers seven positions of adjustment from -10 decline to a 75-degree incline. The seat pad is also adjustable and offers three positions from flat up to a 30-degree incline. Our high impact feet keep the bench securely in place and protect gym flooring. A 38mm rubber ribbed handle with a caped anodised aluminium end and integrated wheels make it easy to manoeuvre.





UPRIGHT UTILITY BENCH SKU: 2300-1

SKU: 2300-1				
LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
778 mm	630 mm	1040 mm	24 kg	N N
(31 '')	(25 '')	(41 '')	(53 lbs)	



FLAT BENCH

SKU: 2305-1						
LENGTH	WIDTH	HEIGHT	WEIGHT			
mm (inch)	mm (inch)	mm (inch)	mm (inch)			
1173 mm	630 mm	470 mm	29 kg	N N		
(46 '')	(25 '')	(19 '')	(64 lbs)			



ABDOMINAL TWISTER SKU: 2395-1 LENGTH mm (inch WEIGHT mm (inch HEIGHT 960 mm (38 '') 47 kg (104 lbs) 1284 mm (51 '')





НИТ В 5ки: 2306-				
LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
1330 mm	542 mm	535 mm	70 kg	
(53 '')	(22 '')	(21 '')	(155 lbs)	



566.2520 1				
LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
1510 mm	630 mm	910 mm	38 kg	N N
(60 '')	(25 '')	(36 '')	(84 lbs)	



45 DEGREE HYPER EXTENSION sku: 2335-1


51(01255551				
LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)	
1229 mm (49 '')	660 mm (26 '')	843 mm (34 '')	35 kg (78 lbs)	



PRONE SKU: 2325-1				
LENGTH	WIDTH	HEIGHT	WEIGHT	<u> </u>
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
2168 mm	1488 mm	914 mm	64 kg	N 1
(86 '')	(59 '')	(36 '')	(142 lbs)	



ADJUSTABLE ABDOMINAL BENCH sku: 2365-1





SEATED PREACHER CURL SKU: 2355-1







			ADJU sku: 232
1	AR	AR	LENGTH





MULTI GRIP CHINNING BAR sku: 2400-1

LENGTH	WIDTH	HEIGHT	WEIGHT	1 M
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
510 mm	1190 mm	380 mm	86 kg	NN
(21 '')	(47 '')	(15 '')	(190 lbs)	



GLUTE HAM DEVELOPER

3K0: 2340-1				
LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)	
1369 mm (54 '')	868 mm (35 '')	1071 mm (43 '')	72 kg (159 lbs)	



STANDING PREACHER CURL sku: 2360-1

LENGTH	WIDTH	HEIGHT	WEIGHT	ΛÂ.
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
1135 mm	848 mm	1225 mm	57 kg	XX
(45 '')	(34 '')	(49 '')	(126 lbs)	





SISSY SQUAT

SKU: 2415-1				
LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
1160 mm	674 mm	510 mm	51 kg	N N
(46 '')	(27 '')	(21 '')	(113 lbs)	



SKU: 2420-1				0 0
LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
1760 mm	993 mm	485 mm	62 kg	
(70 '')	(40 '')	(20 '')	(137 lbs)	

CHIN DIP LEG RAISE

LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
1237 mm	1060 mm	2418 mm	93 kg	
(49 '')	(42 '')	(96 '')	(205 lbs)	





SQUAT BOX sku: 2405-1					
LENGTH	WIDTH	HEIGHT	WEIGHT		
mm (inch)	mm (inch)	mm (inch)	mm (inch)		
460 mm	403 mm	318 / 438 mm	13 kg		
(19 '')	(16 '')	(13 / 18 '')	(29 lbs)		





POWER BLOCKS (PAIR)

SKU: 2410-1				
LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
470 mm each	420 mm each	320 mm each	22 kg each	
(19 '' each)	(17 '' each)	(13 '' each)	(49 lbs each)	



m	403 mm (16 '')	318 / 438 mm (13 / 18 '')	13 kg (29 lbs)
	•	T	



33 kg (73 lbs)

DIPPING FRAME sku: 2345-1					
LENGTH	WIDTH	HEIGHT			
mm (inch)	mm (inch)	mm (inch)			

799 mm (32 '')





WALL MOUNTED DIPPING FRAME sku: 2350-1





LEG RAISE / DIP STATION SKU: 2380-1

LENGTH	WIDTH	HEIGHT	WEIGHT
mm (inch)	mm (inch)	mm (inch)	mm (inch)
1237 mm	1060 mm	1699 mm	71 kg
(49 '')	(42 ")	(67 '')	(157 lbs)



REAR CHIN DIP LEG RAISE

LENGTH	WIDTH	HEIGHT	WEIGHT
mm (inch)	mm (inch)	mm (inch)	mm (inch)
1606 mm	1060 mm	2519 mm	103 kg
(64 '')	(42 '')	(100 '')	(228 lbs)



1195 mm (48 '')

996 mm (40 '')







CONDITIONING

Exigo isn't only a leading manufacturer of strength and functional equipment, we also manufacture a wide range of conditioning equipment essential to adding variety to your workouts and developing the complete athlete.

MODERN AESTHETICS

COMPACT DESIGNS

Flat sided oval steel and innovative design features offer a leading-edge, attractive appearance.

Compact designs reduce floor space requirements, while offering easy storage and user friendly products.

CHROME WEAR POINTS

COLOUR OPTIONS

Durable chrome plated wear resistant fnish provides long lasting protection.

STRUCTURAL FRAME

All main frames are constructed using 100x50x3 ERW flat sided oval, produced in the UK to BSEN 10305-3:2010 specification offering a lifetime main frame warranty. Available in a variety of frame colours. Choose a primary colour for the main frame and a secondary colour for moving parts or joining sections.





PROWLER SLED (HIGH/LOW) sku: 2715-1

LENGTH	WIDTH	HEIGHT	WEIGHT
mm (inch)	mm (inch)	mm (inch)	mm (inch)
1136 mm	702 mm	781 mm	33 kg
(45 '')	(28 '')	(31 '')	(73 lbs)



PROWLER SLED (HIGH) sku: 2720-1

LENGTH	WIDTH	HEIGHT	WEIGHT
mm (inch)	mm (inch)	mm (inch)	mm (inch)
1136 mm	702 mm	781 mm	33 kg
(45 '')	(28 '')	(31 '')	(73 lbs)



SPEED SLED sku: CR-1015				
LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
597 mm	450 mm	333 mm	16 kg	
(00 '')	(00 '')	(00 '')	(256 lbs)	





PORTABLE LANDMINE sku: CR-1000				
LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
775 mm	1021 mm	230 mm	14 kg	
(31 '')	(41 '')	(10 '')	(31 lbs)	



2M JUMP BAR sku: 2750-1				
LENGTH	WIDTH	HEIGHT	WEIGHT	
mm (inch)	mm (inch)	mm (inch)	mm (inch)	
1084 mm	2165 mm	1177 mm	34 kg	
(43 '')	(86 '')	(47 '')	(75 lbs)	



FARMERS WALK (PAIR) sku: CR-1035

LENGTH	WIDTH	HEIGHT	WEIGHT
mm (inch)	mm (inch)	mm (inch)	mm (inch)
1223 mm each	311 mm each	388 mm each	14 kg each
(49 '' each)	(13 '' each)	(16 '' each)	(31 lbs each)



DOUBLE PORTABLE LANDMINE sku: CR-1005

LENGTH	WIDTH	HEIGHT	WEIGHT
mm (inch)	mm (inch)	mm (inch)	mm (inch)
775 mm	1261 mm	230 mm	21 kg
(31 '')	(50 '')	(10 '')	(47 lbs)



SKU: 2755-1

LENGTH	WIDTH	HEIGHT	WEIGHT
mm (inch)	mm (inch)	mm (inch)	kg (lbs)
1084 mm	3165 mm	1177 mm	36 kg
(43 '')	(125 '')	(47 '')	(80 lbs)



LIFTING PLATFORMS

Exigo offers a variety of lifting platforms, all of which are built to withstand the rigours of any gym or training facility and provide a dedicated space for Olympic lifting.

RUBBER TILES

Our Rubber Tiles are fully CST tested to BS EN1177:1998 and all comply or e xceed their criteria. The critical fall height of the 30mm Tiles is 0.9m.

CUSTOM BRANDING

We offer custom branding on our oak centred lifting platforms which is ideal for displaying your gym, team or company logo.

OAK CENTRE

Our oak centred platforms are beautifully crafted using solid engineered oak, providing the ultimate protection against gym flooring.

COLOUR OPTIONS

Available in a variety of frame colours. Choose a primary colour for the main frame and a secondary colour for joining sections.





2.44X3M 60MM OAK LIFTING PLATFORM SKU: 2215

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
3033 mm	2473 mm	64 mm
(120 '')	(98 '')	(3 '')



2.44X3M 60MM RUBBER LIFTING PLATFORM SKU: 2210

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
3033 mm	2473 mm	64 mm
(120 '')	(98 '')	(3 '')



2X1M 30MM OAK INSERT SKU: 2281

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2000 mm	1000 mm	30 mm
(78.8 '')	(39.4 '')	(1.2 '')



2.44X2M 60MM OAK LIFTING PLATFORM SKU: 2245

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2052 mm	2466 mm	64 mm
(81 '')	(98 '')	(3 '')



2.44X2M 60MM RUBBER LIFTING PLATFORM SKU: 2240

L ENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2052 mm	2466 mm	64 mm
(81 '')	(98 '')	(3 '')



2X1M 40MM OAK INSERT sku: 2282		
LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2000 mm	1000 mm	40 mm
(78.8 '')	(39.4 '')	(1.6 '')



2.44X2M 100MM OAK LIFTING PLATFORM SKU: 2220

LENGTH	WIDTH	HEIGHT
mm (inch)	mm (inch)	mm (inch)
2052 mm	2466 mm	104 mm
(81 '')	(98 '')	(5 '')



CUSTOM PLATFORM BRANDING We offer custom branding on our oak center lifting platforms which is ideal for displaying your gym, team or company logo.



2X1M 56MM OAK INSERT SKU: 2283

.ENGTH	WIDTH	HEIGHT
nm (inch)	mm (inch)	mm (inch)
000 mm	1000 mm	56 mm
'8.8 '')	(39.4 '')	(2.2 '')



1.5X1M 30MM OAK INSERT SKU: 2296

LENGTH	WIDTH	HEIGHT	
mm (inch)	mm (inch)	mm (inch)	
1500 mm	1000 mm	30 mm	
(59 '')	(39.4 '')	(1.2 '')	



1.5X1M 40MM OAK INSERT SKU: 2297

LENGTH

WIDTH mm (inch)

500 mm	1000 mm	40 mm
59 '')	(39.4 '')	(1.6 '')



1.5X1M 56MM OAK INSERT

SKU: 2298				
LENGTH	WIDTH	HEIGHT		
mm (inch)	mm (inch)	mm (inch)		
1500 mm	1000 mm	56 mm		
(59 '')	(39.4 '')	(2.2 '')		



STORAGE

One of the biggest challenges gyms face is space. Exigo's stand alone storage solutions provide opportunities to safely house accessories such as dumbbells, barbells, weight plates and other ancillary items.

MODERN AESTHETICS

COMPACT DESIGNS

Flat sided oval steel and innovative design features offer a leading-edge, attractive appearance.

COLOUR OPTIONS

Available in a variety of frame colours. Choose a primary colour for the main frame and a secondary colour for joining sections.

All main frames are constructed using 100x50x3 ERW flat sided oval, produced in the UK to BSEN 10305-3:2010 specification offering a lifetime main frame warranty.

Compact designs reduce floor space requirements, while offering easy

storage and user friendly products.

STRUCTURAL FRAME







2.5M 2 TIER DUMBBELL RACK SKU: 4005

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
659 mm	2562 mm	729 mm	121 kg	10 pairs of
(26 '')	(101 '')	(29 '')	(267 lbs)	Dumbbells



2.5M 3 TIER DUMBBELL RACK

SKU: 4015				
LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
943 mm	2576 mm	1054 mm	150 kg	15 pairs of
(38 '')	(102 '')	(42 '')	(331 lbs)	Dumbbells



3M 2 TIER DUMBBELL RACK

SKU: 4025	
	WIDTH

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
659 mm	3046 mm	729 mm	135 kg	12 pairs of
(26 '')	(120 '')	(29 '')	(298 lbs)	Dumbbells



3M 3 TIER DUMBBELL RACK

SK0: 4055				
LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
943 mm	3046 mm	1054 mm	170 kg	18 pairs of
(38 '')	(120 '')	(42 '')	(375 lbs)	Dumbbells




3.5M 2 TIER DUMBBELL RACK SKU: 4036

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
659 mm	3556 mm	729 mm	150 kg	14 pairs of
(26 '')	(140 '')	(29 '')	(331 lbs)	Dumbbells



3.5M 3 TIER DUMBBELL RACK sku: 4037

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
943 mm	3561 mm	1054 mm	205 kg	21 pairs of
(38 '')	(141 '')	(42 '')	(452 lbs)	Dumbbells



L'AL

(ats) (ats)



OLYMPIC WEIGHT TREE

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
810 mm	837 mm	1351 mm	31 kg	6 Storage Points
(32 '')	(33 '')	(54 '')	(69 lbs)	



OLYMPIC WEIGHT TREE WITH BAR STORAGE

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
810 mm	837 mm	1351 mm	33 kg	6 Storage Points
(32 '')	(33 '')	(54 '')	(73 lbs)	4 Olympic Bars



OLYMPIC BUMPER PLATE WEIGHT TREE

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
1713 mm	1713 mm	1329 mm	65 kg	12 Storage Points
(68 '')	(68 '')	(53 '')	(144 lbs)	



FREE-STANDING CHALK BOWL SKU: 4047

5101 404/				
LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
500 mm	500 mm	811 mm	17 kg	2 Litres
(20 '')	(20 '')	(32 '')	(38 lbs)	



4 OLYMPIC BAR HOLDER SKU: 4060

E


LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
270 mm (11 '')	320 mm (13 '')	206 mm (9 '')	9 kg (20 lbs)	4 Olympic Bars



6 OLYMPIC BAR HOLDER SKU: 4065

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
270 mm	470 mm	206 mm	13 kg	6 Olympic Bars
(11 '')	(19 '')	(9 '')	(29 lbs)	






3 BAR HORIZONTAL WALL GUN RACK sku: 4070

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
123 mm (5 '')	1012 mm (40 '')	687 mm (28 '')	9 kg (20 lbs)	3 Olympic Bars

۲

3 kg (7 lbs)



6 BAR HORIZONTAL WALL GUN RACK

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
123 mm	1012 mm	1135 mm	14 kg	6 Olympic Bars
(5 '')	(40 '')	(45 '')	(31 lbs)	



OLYMPIC PLATE TOAST RACK WITH WHEELS

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
919 mm	340 mm	293 mm	25 kg	Assorted Weight
(37 '')	(14 '')	(12 '')	(56 lbs)	Plates



STORAGE CAPACITY

3 Olympic Bars



6 BAR VERTICAL WALL GUN RACK

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
100 mm	700 mm	105 mm	6 kg	6 Olympic Bars
(4 '')	(28 '')	(5 '')	(14 lbs)	



SINGLE SIDED BARBELL RACK SKU: 4075

3 BAR VERTICAL WALL GUN RACK sku: 4072

105 mr (5 '')

350 mr (14 '')

LENGTH mm (inch 100 mm (4 '')

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
0000 mm	0000 mm	0000 mm	0000 kg	5 Barbells
(00 '')	(00 '')	(00 '')	(00 lbs)	



DOUBLE SIDED BARBELL RACK

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
0000 mm	0000 mm	0000 mm	0000 kg	10 Barbells
(00 '')	(00 '')	(00 '')	(00 lbs)	

2 HORN WALL PLATE STORAGE SKU: 4086

JK0. 4000				
LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
272 mm (11 '')	150 mm (6 '')	690 mm (27 '')	5 kg (11 lbs)	2 Storage Points



OLYMPIC WEIGHT STACKER WITH WHEELS

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
911 mm	911 mm	880 mm	17 kg	Assorted Weight
(36 '')	(36 '')	(35 ")	(38 lbs)	Plates



OLYMPIC PLATE TOAST RACK

SKU:	2610	

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
919 mm	340 mm	293 mm	25 kg	Assorted Weight
(37 '')	(14 '')	(12 '')	(56 lbs)	Plates



3 HORN WALL PLATE STORAGE SKU: 4087

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
272 mm	150 mm	1183 mm	9 kg	3 Storage Points
(11 '')	(6 '')	(47 '')	(20 lbs)	



OLYMPIC WEIGHT STACKER sku: 4091

LENGTH	WIDTH	HEIGHT	WEIGHT	STORAGE
mm (inch)	mm (inch)	mm (inch)	kg (lbs)	CAPACITY
910 mm	910 mm	760 mm	15 kg	Assorted Weight
(36 '')	(36 '')	(30 '')	(34 lbs)	Plates



COLOUR OPTIONS



PRIMARY COLOUR

Choose the primary colour of your equipment, this is applied to the the main frame

02

SECONDARY COLOUR Choose the secondary colour of your equipment, this is applied to moving parts or joining sections.

03

UPHOLSTERY COLOUR

Choose the upholstery colour for your equipment if applicable.



CUSTOM BRANDING

Add your gym, team or organisation logo to your equipment.



TEXTURED FRAME COLOURS







STANDARD UPHOLSTERY COLOURS



Actual upholstery colours may vary slightly from visuals. Other colours available on request.

COLOUR MATCH EXISTING EQUIPMENT

In addition to our standard frame colours, we're able to match your existing equipment or specific RAL/Pantone colour.

WARRANTY

All Exigo products are warrantied to be free from defects in materials and workmanship. Exigo warrants to the original purchaser of all new equipment purchased from an Exigo authorized dealer or from an Exigo manufacturing contractor or directly from Exigo, that these products be warrantied under normal use and used in a manner in which the product(s) was specifically designed for, used as intended and in areas designed suitable for that use and service. The shipping of parts replaced or product replaced under warranty to be determined by Exigo. Parts replaced under warranty carry the original remaining warranty period or 90 days whichever is longer.

GENERAL WARRANTIES.

Strength, Selectorized, Plate Loaded, Olympic Stations, Strength and conditioning / Storage, Functional Range and Attachments.

LIFETIME WARRANTY.

Main Frame, Structural Steel and Welds.

TWO YEAR WARRANTY.

Linear Bearings, Linear Shafts, Bronze Bushings, Sealed Rotating Bearings and Pulley Wheel, Top Plate, Weight Plates, Selector Shaft, Weight Stack Guide Rods and Pulley Wheel Housings. Lifting Rack Attachments, Functional Rig Attachments and all Rack Attachments in Olympic Series.

ONE YEAR WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps, Rubber lifting Mats (within Integrated Lifting Platforms, Rubber Surface Tiles, Oak Centres and Lifting Platform Underboards and all other components not mentioned elsewhere in this warranty.

180 DAY WARRANTY.

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.

EXCLUSIONS, OMISSIONS & INDEMNITY.

Exigo have no liability nor shall this limited warranty apply with respect to:

- a. Products not manufactured by Exigo or by an authorized Exigo manufacturing contractor.
- b. Products which have been altered without express written consent from Exigo
- c. Products purchased other than directly from Exigo or through an authorized Exigo dealer
- not specified by Exigo and moisture or humidity including perspiration.
- e. The defect occurs as a result of use other than fair wear and tear, wilful or negligent damage or the use of the product other than the purpose for which it is intended.
- f. Products not maintained in compliance with Exigo
- specifications shown in the relevant owner's manual and on product labels. Unreadable or altered serial tag. g. Mounting surface or substrate mounting of Exigo wall mounted units, sections or attachments. Exigo is expressly
- indemnified against selection of; or use of fixings for wall units or attachment to or fixing to inappropriate or inadequate surface mounting points.

Exgo shall not be liable for any special, incidental contingent, consequential damages or otherwise arising out of or in connection with a claim for any economic losses including but not limited to damage of loss of property or equipment and loss profits and revenue, loss of goodwill or reputation, anticipated or otherwise. Exigo aggregate liability for loss or damage shall in any event be limited to a sum equal to the amount paid for the products in one instance.

Exigo reserve the right under any claim to repair or replace the product as they deem fit and may elect.

F

BOXING EOUIPMENT.

FIVE YEAR WARRANTY.

Boxing Ring, Main Frame

ONE YEAR WARRANTY.

Canvas Skirts, Corner Pads , All Consumables, Steel Works (Brackets)

180 DAY WARRANTY.

Punch Bags , Gloves & Mitts, Ring Boards, Ropes, Tensioners

90 DAY WARRANTY.

Underlay

OUTDOOR EQUIPMENT.

FIVE YEAR WARRANTY.

Main Frame, Structural Steel and Welds (excluding coatings) against structural failure due to corrosion or defects in workmanship

ONE YEAR WARRANTY.

Linear Bearings, Linear Shafts , Bronze Bushings

90 DAY WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps

30 DAY WARRANTY.

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.

d. Defective coatings caused by environmental conditions including but not limited to climate conditions, cleaning materials and lubricants



INDEX

005-1 010-1 015-1 020-1 025-1 030-1 035-1	CHEST PRESS INCLINE CHEST PRESS SHOULDER PRESS LATERAL RAISE	SELECTORIZED SELECTORIZED	14
015-1 020-1 025-1 030-1	SHOULDER PRESS	SELECTORIZED	
D2O-1 D25-1 D3O-1			14
025-1 030-1	LATERAL RAISE	SELECTORIZED	14
030-1		SELECTORIZED	14
	PECTORAL FLY	SELECTORIZED	14
35-1	PECTORAL FLY REAR DELTOID	SELECTORIZED	14
	LATERAL PULLDOWN	SELECTORIZED	15
036-1	DUAL CABLE LATERAL PULLDOWN	SELECTORIZED	15
040-1	LATERAL PULLOVER	SELECTORIZED	15
045-1	LATERAL LOW ROW	SELECTORIZED	15
050-1	LATERAL SEATED ROW	SELECTORIZED	15
055-1	LATERAL PULLDOWN LOW ROW	SELECTORIZED	15
060-1	ASSISTED CHIN DIP	SELECTORIZED	16
065-1	BICEP CURL	SELECTORIZED	16
070-1	TRICEP EXTENSION	SELECTORIZED	16
075-1	TRICEP PRESS	SELECTORIZED	16
100-1	LEG EXTENSION	SELECTORIZED	16
105-1	SEATED LEG CURL	SELECTORIZED	16
110-1		SELECTORIZED	17
115-1	LEG EXTENSION / LEG CURL	SELECTORIZED	17
125-1	SEATED LEG PRESS	SELECTORIZED	17
130-1	RECUMBENT LEG PRESS	SELECTORIZED	17
135-1	SEATED CALF RAISE	SELECTORIZED	17
140-1	STANDING CALF RAISE	SELECTORIZED	17
145-1	GLUTE MACHINE	SELECTORIZED	18
160-1	HIP ADDUCTOR / ABDUCTOR	SELECTORIZED	18
165-1	ROTARY HIP	SELECTORIZED	18
200-1	ABDOMINAL MACHINE	SELECTORIZED	18
210-1	BACK / ABDOMINAL MACHINE	SELECTORIZED	18
215-1	ABDOMINAL TWISTER	SELECTORIZED	18
220-1	CABLE CROSSOVER	SELECTORIZED	19
225-1	HIGH LOW PULLEY	SELECTORIZED	19
230-1	DUAL ADJUSTABLE PULLEY	SELECTORIZED	19
240-1	4 STATION JUNGLE GYM	SELECTORIZED	19
245-1	5 STATION JUNGLE GYM	SELECTORIZED	19
250-1	8 STATION JUNGLE GYM	SELECTORIZED	19
000-1	ISO-LATERAL CHEST PRESS	PLATE LOADED	22
005-1	ISO-LATERAL INCLINE CHEST PRESS	PLATE LOADED	22
010-1	ISO-LATERAL DECLINE CHEST PRESS	PLATE LOADED	22
015-1		PLATE LOADED	22
	ISO-LATERAL FLAT CHEST PRESS ISO-LATERAL SHOULDER PRESS	PLATE LOADED	22
020-1 025-1			
025-1	ISO-LATERAL FRONT PIVOT SHOULDER PRESS	PLATE LOADED	22
030-1	ISO-LATERAL LATERAL RAISE	PLATE LOADED	23
035-1	ISO-LATERAL LATERAL ROW	PLATE LOADED	23
040-1	ISO-LATERAL LATERAL LOW ROW	PLATE LOADED	23
045-1 050-1	ISO-LATERAL LATERAL PULLDOWN T-BAR ROW CHEST SUPPORT	PLATE LOADED PLATE LOADED	23 23

INDEX

SKU

3055-1

3060-1

3065-1

3070-1

3075-1

3080-1

3085-1

3090-1

3100-1

3110-1

3111-1 3115-1

3121-1

3126-1

3127-1

3130-1

3131-1

3135-1

3140-1

3139-1

3141-1

3142-1

3145-1

3150-1

3155-1

3156-1

3160-1

3165-1

3170-1

3175-1 3180-1

3185-1

2000-1

2005-1

2010-1

2015-1

2020-1

2025-1

2300-1

2305-1

2306-1

2310-2

2320-1

2325-1

2335-1

2340-1

2345-1

PRODUCT

PRODUCT	
STANDING T-BAR ROW	
PULLOVER	
SEATED BICEP CURL	
ISO-LATERAL SEATED DIP	
4 WAY NECK MACHINE	
ISO-LATERAL SEATED/STANDING SHRU	G
GRIPPER	
SHRUG FRAME	
ISO-LATERAL LEG EXTENSION	
ISO-LATERAL STANDING LEG CURL	
LYING LEG CURL	
ISO-LATERAL LEG PRESS	
ASSISTED GLUTE HAM DEVELOPER	
45 DEGREE LEG PRESS	
DUAL 45 DEGREE LEG PRESS	
LUMBER SQUAT	
HACK SQUAT	
VERTICAL LEG PRESS	
V SQUAT	
LEVERAGE SQUAT	
BELT SQUAT	
PENDULUM SQUAT	
SEATED CALF RAISE	
DONKEY CALF RAISE	
REVERSE HYPER EXTENSION	
GLUTE THRUST	
ISO-LATERAL BODY DRIVE	
SHRUG / DEADLIFT	
ISO-LATERAL LUNGE	
COUNTER BALANCE SMITH MACHINE	
SMITH MACHINE	
POWER SMITH	
OLYMPIC FLAT BENCH	
OLYMPIC INCLINE BENCH	
OLYMPIC DECLINE BENCH	
OLYMPIC MULTI ADJUSTABLE BENCH	
OLYMPIC SHOULDER PRESS	
OLYMPIC MILITARY PRESS	
UPRIGHT UTILITY BENCH	
FLAT BENCH	
HIIT BENCH	
MULTI ADJUSTABLE BENCH	
ADJUSTABLE DECLINE BENCH	
PRONE ROW	
45 DEGREE HYPER EXTENSION	
GLUTE HAM DEVELOPER	
DIPPING FRAME	

E

CATEGORY

PAGE

	_
PLATE LOADED	23
PLATE LOADED	24
PLATE LOADED	25
PLATE LOADED	26
PLATE LOADED	27
PLATE LOADED	28
PLATE LOADED	29
BENCHES	32
BENCHES BENCHES	32 32
BENCHES	
BENCHES	32 32
BENCHES	32
BENCHES	34
BENCHES	34
BENCHES	34
BENCHES	33
BENCHES	34
BENCHES	34
BENCHES	35
BENCHES	35
BENCHES	36
	23

INDEX

SKU

PRODUCT

2350-1	WALL MOUNTED DIPPING FRAME	BENCHES
2355-1	SEATED PREACHER CURL	BENCHES
2360-1	STANDING PREACHER CURL	BENCHES
2365-1	ADJUSTABLE ABDOMINAL BENCH	BENCHES
2380-1	LEG RAISE / DIP STATION	BENCHES
2385-1	CHIN DIP LEG RAISE	BENCHES
2390-1	REAR CHIN DIP LEG RAISE	BENCHES
2395-1	ABDOMINAL TWISTER	BENCHES
2400-1	MULTI GRIP CHINNING BAR	BENCHES
2405-1	SQUAT BOX	BENCHES
2410-1	POWER BLOCKS	BENCHES
2415-1	SISSY SQUAT	BENCHES
420-1	HIP THRUST	BENCHES
2715-1	PROWLER SLED (HIGH/LOW)	CONDITIONING
2720-1	PROWLER SLED (HIGH)	CONDITIONING
2750-1	2M JUMP BAR	CONDITIONING
2755-1	3M JUMP BAR	CONDITIONING
CR-1000	PORTABLE LANDMINE	CONDITIONING
R-1005	DOUBLE PORTABLE LANDMINE	CONDITIONING
CR-1015	SPEED SLED	CONDITIONING
R-1035	FARMERS WALK (PAIR)	CONDITIONING
210	2.44X3M 60MM RUBBER LIFTING PLATFORM	LIFTING PLATFORMS
215	2.44X3M 60MM OAK LIFTING PLATFORM	LIFTING PLATFORMS
220	2.44X2M 100MM OAK LIFTING PLATFORM	LIFTING PLATFORMS
240	2.44X2M 60MM RUBBER LIFTING PLATFORM	LIFTING PLATFORMS
245	2.44X2M 60MM OAK LIFTING PLATFORM	LIFTING PLATFORMS
281	2X1M 30MM OAK INSERT	LIFTING PLATFORMS
2282	2X1M 40MM OAK INSERT	LIFTING PLATFORMS
283	2X1M 56MM OAK INSERT	LIFTING PLATFORMS
296	1.5X1M 30MM OAK INSERT	LIFTING PLATFORMS
297	1.5X1M 40MM OAK INSERT	LIFTING PLATFORMS
298	1.5X1M 56MM OAK INSERT	LIFTING PLATFORMS
1005	2.5M 2 TIER DUMBBELL RACK	STORAGE
1015	2.5M 3 TIER DUMBBELL RACK	STORAGE
025	3M 2 TIER DUMBBELL RACK	STORAGE
1035	3M 3 TIER DUMBBELL RACK	STORAGE
1036	3.5M 2 TIER DUMBBELL RACK	STORAGE
1037	3.5M 3 TIER DUMBBELL RACK	STORAGE
1040	OLYMPIC WEIGHT TREE	STORAGE
1045	OLYMPIC WEIGHT TREE WITH BAR STORAGE	STORAGE
1046	OLYMPIC BUMPER PLATE WEIGHT TREE	STORAGE
1047	FREE-STANDING CHALK BOWL	STORAGE
1060	4 OLYMPIC BAR HOLDER	STORAGE
4065	6 OLYMPIC BAR HOLDER	STORAGE
1070	3 BAR HORIZONTAL WALL GUN RACK	STORAGE
l071	6 BAR HORIZONTAL WALL GUN RACK	STORAGE
1072	3 BAR VERTICAL WALL GUN RACK	STORAGE

CATEGORY

PAGE

INDEX

SKU

PRODUCT6 BAR VERTICAL WALL GUN RACKSINGLE SIDED BARBELL RACKDOUBLE SIDED BARBELL RACKOLYMPIC PLATE TOAST RACK WITH WHEELSOLYMPIC PLATE TOAST RACK2 HORN WALL PLATE STORAGE3 HORN WALL PLATE STORAGEOLYMPIC WEIGHT STACKER WITH WHEELSOLYMPIC WEIGHT STACKER

E

CATEGORY

PAGE

STORAGE	52
STORAGE	52
STORAGE	52
STORAGE	53



©2022 Exigo. All Rights Reserved.