

Model:
PDUC48

Counter:
2 full door - Propane refrigerant gas

Standard Features:



- **GOLD LINE**
 Designed with enduring quality that will improve the efficiency and production of your restaurant. Constructed with stainless steel AISI 304 interior & exterior.
- **REFRIGERANT GAS**
 Environmentally friendly R290 (Propane).
- **REFRIGERATION**
 Ventilated - autodefrost -auto evaporation - front -breathing
- **CASTORS**
 Unidirectional castors
- **POWER CORD**
 Cord and plug supplied
- **SHELVING**
 1 epoxy coated wire shelf standard, installed per full door section.
- **TEMPERATURE CONTROLLER**
 Electronic digital controller
- **INSULATION**
 Ciclopentane High density foamed in place environmentally friendly.
 Kyoto Protocol Compliant:
 ODP = 0 (Ozone Depletion Potential)
 GWP = 5 (Global Warming Potential)
 polyurethane keeps energy costs low.



Magnetic removable gasket without tools



Internal bottom made in S/S with stamped rounded corners to facilitate the cleaning procedures.



Shelves



Digital controller

*Specification may change without prior notice

Model	Capacity Lt / ft³	Ambient temp. °C/°F	Cabinet / Packing Dimensions			Voltage	Amp	Shipping Weight
PDUC48	390 / 13,77	32° / 89,6°	mm / inches			230/50/1	2,5	130kg/287Lbs
Temp. °C / °F	Cooling power W	Absorbed Power W	L	D	H	Plug	Shelves	Gas
-2° , 8° C 28° , 46° F	-	500	122 (cm) 48 1/32"	81,5 (cm) 32 5/64"	91,4(cm) 35 63/64"	Schuko	2	R290
			74 (cm) 29 9/64"	85 (cm) 33 15/32"	100(cm) 39 3/8"			

Project Name: _____
 Location: _____
 Item: _____ Quantity: _____
 Date: _____

Construction specifications:

DESIGN
 Desmon counter are manufactured in Italy with enduring ergonomic features to protect your long term investment. Designed using the highest technologies, quality materials and components to provide the user with colder product temperatures, lower utility costs, exceptional food safety and the best value in today's food service marketplace.

CABINET CONSTRUCTION
 All made in stainless steel AISI 304, unique in the market place. The finest stainless available; latest generation, higher tensile strength for fewer dents and scratches. .
 Higher insulation rates thanks to high-tech environmentally friendly CFC free, Cyclopentane foaming keeping insulation properties longer than other foams. 5% of energy consumption savings guarantee if compared to other CFC free foams.
 Interior - attractive stainless steel Aisi 304, "rounded corners".

REFRIGERATION SYSTEM
 Factory engineered, self-contained, capillary tube system using environmentally friendly (HCFC free) R290(Propane) refrigerant. Evaporator coil & condenser balanced for low power consumption - holding the widest temperature range in its class: Temperature Range, getting the best in food preservation: Coolers adjustable from (-2°C to 8°C / 28 to 46°F). Sealed, cast iron, self-lubricating evaporator fan motor(s) and larger fan blades with a more efficient low velocity, high volume airflow design. Ensuring faster temperature recovery and shorter run times in the busiest of food service environments.

DOORS
 Stainless steel exterior and interior.
 Guaranteed door handle.
 Magnet Seal
 Gasket of one piece construction, removable without tools for ease of cleaning.

SHELVING
 Nr. 1 heavy duty PVC coated wire included per each door

MODEL FEATURES
 1 digital display adjustable with alarms. Evaporator is epoxy coated to eliminate the potential of corrosion. "Rounded Corners" compliant for food product.

ELECTRICAL
 Unit completely pre-wired at factory and ready for final connection to a dedicated outlet. Cord and plug set included: Voltages: 230V/50Hz/1 phase

Architect Corner

