

PRODUCT DESCRIPTION

NaturaLED 9W PAR20 is designed and used the latest LED technology. Its innovative thermal solution and proprietary driving circuit has made this lamp one of the leading PAR lamps in the industry. NaturaLED 9W PAR20 is capable of providing luminance equivalent to a 50 Watt incandescent while using only 18% of power consumption.

Specifically designed for its optic delivery at the highest level of light and quality, this lamp can be valued by the most demanding lighting professionals. This lamp is ideal for high profile lighting applications, such as museums, jewelry stores, boutiques, restaurants, etc.

BENEFITS & FEATURES

CREE LED technology, Compatible with most TRIAC dimmers, Low Lumen Depreciation, Low Power Consumption, 40,000 hrs Rated Lifetime, High Color Rendering Index (CRI), 3 Year Warranty, cULus, RoHS Compliant, LM-79, LM-80 Ready

ENERGY SAVING & CO2 REDUCTION

	Incandescent	PAR20
Power Consumption	50W	9W
Energy Saving	--	82%

PAR Lamps Dimmer Compatibility

Manufacturer	Dimmer Brands	Power Range (WA)	Volts	Load
Legrand	Pass & Seymour DR703P	700	120	Ha/Inc
Lutron	SKYLARK S-600/S-600P/S-603P	40-600	120	Ha/Inc
Lutron	Credenza TT-300NLH	300	120	Ha/Inc
Lutron	DIVA DV-600P/ DV-603P	40-600	120	Ha/Inc
Lutron	Lumea LG-600/LG-600P/LG-603P	40-600	120	Ha/Inc
Lutron	Rotary D-600R/D-600P/D-603P	40-600	120	Ha/Inc
Lutron	DIVA DVLV-600P/DVLV-603P	450	120	MLV
Lutron	SKYLARK SLV-600P/ SLV-603P	450	120	MLV
Lutron	DIVA DVELV-300P/ DVELV-303P	300	120	ELV
Lutron	Maestro MAELV-600/ MSCELV-600	5-600	120	ELV
Lutron	SKYLARK SELV-300P/SELV-303P	300	120	ELV
Leviton	Decora 619-6621	600	120	Ha/Inc

ORDER CODES

CCT	Beam Angle	Item #	Order Codes	Case Qty	Availability
2700K	25°	5624	LED9PAR20/DIM/NFL/27K	10	Coming Soon
3000K	25°	5625	LED9PAR20/DIM/NFL/30K	10	Coming Soon
4000K	25°	5626	LED9PAR20/DIM/NFL/40K	10	Coming Soon

MODEL

LED-9W PAR20



SPECIFICATIONS

Base	E26
CCT	2700K / 3000K / 4000K
CRI	> 80
Beam Angle	25°
Lumen Output	2700K : 450Lm 3000K: 480Lm 4000K : 550Lm
Power Consumption	9W
Voltage	120Vac
Weight	6.08oz
CBCP (Center Beam Candlepower)	2700K: 1862ccd 3000K: 1981ccd

PACKAGE

Packaging Qty - 1 : 10 : 20

