



Self-Leveling Adjustable Pedestal



Advantage



👍 1. From 23 mm to 410 mm height with only four products.



👍 2. Self-leveling head for slopes from 0 to 5%.



👍 3. Complete assembled product, save labor.



👍 4. Head coated with 2 mm of anti-noise and anti-slip rubber.



👍 5. Reduction of warehouse space



👍 6. Height adjustment key





👍 7. Anti-unscrewing safety blocks




👍 8. Transport costs considerably reduced as the product is supplied assembled .


Component



Self-leveling
for stone tile



Self-leveling
for aluminum joist




Self-leveling
for wood joist

Spacer tabs













Height range



MODULE	HEIGHT RANGE <i>mm</i>	PICTURE	ACCESSORY	PACKAGE 			UNIT 
				PCS/BOX	BOX SIZE <i>cm</i>	PCS/20GP	
MB-SLO-A	23-33mm		2mm/3mm/4mm/ 5mm/thickness spacer tabs	126 pcs/ctn	36x36x24	28000	...
				60 pcs/ctn	57x38x21		
MB-SLO-B	33-68mm		2mm/3mm/4mm/ 5mm/thickness spacer tabs	126 pcs/ctn	36x36x24	20000	...
				40 pcs/ctn	38x31x38		
MB-SLO-C	67-157mm		2mm/3mm/4mm/ 5mm/thickness spacer tabs	126 pcs/ctn	36x36x24	10500	...
				24 pcs/ctn	41x38x38		

Height range

MODULE	HEIGHT RANGE <i>mm</i>	PICTURE	ACCESSORY	PACKAGE 			UNIT 
				PCS/BOX	BOX SIZE <i>cm</i>	PCS/20GP	
MB-SL0-D	154-405mm		2mm/3mm/4mm/ 5mm/thickness spacer tabs	126 pcs/ctn	36x36x24	5300	...
				18 pcs/ctn	54x54x31		
MB-SL1	272-595mm		2mm/3mm/4mm/ 5mm/thickness spacer tabs	126 pcs/ctn	36x36x24	3400	...
				18 pcs/ctn	54x54x31		
		220mm Extender	45 pcs/ctn	66x49x41			
MB-SL2	392-785mm		2mm/3mm/4mm/ 5mm/thickness spacer tabs	126 pcs/ctn	36x36x24	2500	...
				18 pcs/ctn	54x54x31		
		220mm Extender	45 pcs/ctn	66x49x41			
MB-SL3	520-975mm		2mm/3mm/4mm/ 5mm/thickness spacer tabs	126 pcs/ctn	36x36x24	2000	...
				18 pcs/ctn	54x54x31		
		220mm Extender	45 pcs/ctn	66x49x41			

Autokinetic Self-Leveling



Self-leveling head \varnothing 115 mm with anti-noise and anti-slip rubber.

Allowing to get a perfect flat pavement even on rough ground.




By using adjustment key, you can level the terrace without moving the tiles from the top of pedestal, it is fast and easy, save time and labor.

Just insert the adjustment key in the cross of the head and turn it slowly, then you can get a leveling surface.

Calculation

Welcome to contact us to get a calculation form.



Layout

PEDESTAL QTY CALCULATION	
TILE SIZE	PCS/SQM
600 X 600 MM	2.8 PCS
500 X 500 MM	4 PCS
400 X 400 MM	6.3 PCS



PEDESTAL QTY CALCULATION	
Installation distance	PCS/SQM
300x300MM	11
400x400MM	6
450x450MM	5
500x500MM	4

We advice buy 10% more of total quantity

colour



Green



Yellow






Red





Black

Color can be customized

Project






1. Slope compensation detail using self-leveling pedestal with tiles.






2. Slope compensation detail using self-leveling pedestal with wooden joist for laying wooden planks.

Project



3.Slope compensation detail using self-leveling pedestal with aluminum joist and wood decking.



4.Slope compensation detail using self-leveling pedestal with aluminum joist and rectangle tiles.