

**YARD
TESTED**

TRIED AND TRUE




2023



ENCORE
POWER EQUIPMENT



Prowler | Engine View



Prowler | Electric Deck Lift

Get power and versatility with the true, floating deck on a mid-mount rider. The Prowler's articulating, floating deck was developed to "keep the cut" on uneven ground—minimizing scalping and maximizing stability and comfort.

FEATURES

- Powered by Kawasaki and B&S BIG BLOCK™ EFI available on 72"
- 8 ga. steel floating deck
- R.O.P.S and Electric Deck Lift Standard
- Discharge, mulch, or collect
- Articulating front end
- Powerful Hydro-Gear ZT-5400 Transmissions
- 72" available with Rear or Side Discharge

PROWLER

WIDTH	60"	72"	72"
MODEL	EP60FX921V5	EP72FX1000V5	EP72BSV37EV5
LENGTH	91"	91"	91"
WIDTH	73"	86"	86"
WIDTH W/ DEFLECTOR UP	61"	73"	73"
WHEELBASE	57"	61"	61"
WHEEL TRACK WIDTH	46.5"	49"	49"
WEIGHT	1410 lbs	1550 lbs	1570 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	26 - 10.50 x 12 turf	26 - 12 x 12 turf	26 - 12 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	60	72	72
CUTTING HEIGHTS	1.5" - 5.5"	1.5" - 5.5"	1.5" - 5.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	14	14	14
ENGINE BRAND	KAW	KAW	B&S
ENGINE HP	31	35	37
FORWARD SPEED	12 mph	12 mph	12 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 20.5"	3 - 24.5"	3 - 24.5"
TRANSMISSION	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400

PROWLER REAR DISCHARGE

WIDTH	72"	72"
MODEL	EP72FX1000V5RD	EP72BSV37EV5RD
LENGTH	91"	91"
WIDTH	73"	73"
WIDTH W/ DEFLECTOR UP	N/A	N/A
WHEELBASE	61"	61"
WHEEL TRACK WIDTH	49"	49"
WEIGHT	1570 lbs	1590 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	26 - 12 x 12 turf	26 - 12 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	72"	72"
CUTTING HEIGHTS	1.5" - 5.5"	1.5" - 5.5"
PTO	Electric	Electric
FUEL CAPACITY	14	14
ENGINE BRAND	KAW	B&S
ENGINE HP	35	37
FORWARD SPEED	12 mph	12 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 24.5"	3 - 24.5"
TRANSMISSION	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400



The Caliber was built with your bottom line in mind. It is a combination of industry leading components and rugged engineering that can take the punishment of those long mowing hours and still deliver the perfect cut every time you drive it off the trailer.

FEATURES

- Powered by Kawasaki FX Series Engines
- 10-year limited deck shell warranty
- 14 gallon fuel capacity
- Triple layer spindle support

WIDTH	52"	60"
MODEL	EC52FX801V4	EC60FX850V5X
LENGTH	78"	79"
WIDTH	65"	73"
WIDTH W/ DEFLECTOR UP	53"	61"
WHEELBASE	50.5"	54.5"
WHEEL TRACK WIDTH	47"	50"
WEIGHT	1050 lbs	1110 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	24 - 9.50 x 12 turf	24 - 12.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	52	60
CUTTING HEIGHTS	1" - 5.25"	1" - 5.25"
PTO	Electric	Electric
FUEL CAPACITY	14	14
ENGINE BRAND	KAW	KAW
ENGINE HP	25.5	27
FORWARD SPEED	12 mph	12 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400



Caliber | Engine View



Caliber | Convenience Step





Technologically-advanced, versatile and built to last, the Encore Edge ensures a superior cut even in the most challenging conditions. A perfect combination of muscle and efficiency, the Edge will leave your lawn a cut above the rest.

FEATURES

- 3200 Hydro Gear transmissions
- R.O.P.S. standard
- Triple layer spindle support
- Discharge, mulch, or collect
- Kawasaki FR Engines
- Encore 803 V-Twin



EDGE

WIDTH	48"	52"	60"
MODEL	EE48LS2P82F32	EE52LS2P82F32	EE60LS2P82F32
LENGTH	77.4"	77.4"	77.4"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	50.5"	50.5"	50.5"
WHEEL TRACK WIDTH	47"	49.5"	49.5"
WEIGHT	920 lbs	950 lbs	1020 lbs
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23 - 9.50 x 12 turf	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 4.75"	1.5" - 4.75"	1.5" - 4.75"
PTO	Electric	Electric	Electric
FUEL CAPACITY	9.5	9.5	9.5
ENGINE BRAND	Encore V-Twin	Encore V-Twin	Encore V-Twin
ENGINE HP	24	24	24
FORWARD SPEED	9 mph	9 mph	9 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200

WIDTH	48"	52"	60"
MODEL	EE48FR691V32	EE52FR691V32	EE60FR730V32
LENGTH	77.4"	77.4"	77.4"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	50.5"	50.5"	50.5"
WHEEL TRACK WIDTH	47"	49.5"	49.5"
WEIGHT	920 lbs	950 lbs	1020 lbs
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23 - 9.50 x 12 turf	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 4.75"	1.5" - 4.75"	1.5" - 4.75"
PTO	Electric	Electric	Electric
FUEL CAPACITY	9.5	9.5	9.5
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	23	23	24
FORWARD SPEED	9 mph	9 mph	9 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200

EDGE PRO

FEATURES

- 3400 Hydro Gear transmissions
- R.O.P.S. standard
- Triple layer spindle support
- Discharge, mulch, or collect
- Kawasaki FX Engines
- Suspension Seat
- Aggressive turf tires



EDGE SINGLE STICK



EDGE PRO

WIDTH	52"	60"
MODEL	EE52FX691V34	EE60FX730V34
LENGTH	77.4"	77.4"
WIDTH	65.5"	73"
WIDTH W/ DEFLECTOR UP	53"	61"
WHEELBASE	50.5"	50.5"
WHEEL TRACK WIDTH	49.5"	49.5"
WEIGHT	950 lbs	1020 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	52	60
CUTTING HEIGHTS	1.5" - 4.75"	1.5" - 4.75"
PTO	Electric	Electric
FUEL CAPACITY	16	16
ENGINE BRAND	KAW	KAW
ENGINE HP	23	24
FORWARD SPEED	10 mph	10 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3400	Hydro-Gear ZT-3400

EDGE SINGLE STICK

WIDTH	48"	52"	60"
MODEL	EE48FR691V32SS	EE52FR691V32SS	EE60FR730V32SS
LENGTH	77.4"	77.4"	77.4"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	50.5"	50.5"	50.5"
WHEEL TRACK WIDTH	47"	49.5"	49.5"
WEIGHT	920 lbs	950 lbs	1020 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23 - 9.50 x 12 turf	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 4.75"	1.5" - 4.75"	1.5" - 4.75"
PTO	Electric	Electric	Electric
FUEL CAPACITY	9.5	9.5	9.5
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	23	23	24
FORWARD SPEED	9 mph	9 mph	9 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200



Can't get your zero turn through the 36" gates? The 34" Dart will get you in, out and onto the next property—leaving behind a beautiful cut while saving you money along the way.

FEATURES

- Long life, maintenance-free spindles
- Side discharge, bag, or mulching capabilities
- Easy-to-operate controls
- Zero turning radius trimming ability
- Wide track rear wheel base
- 3-year residential parts and labor warranty
- 2-year commercial warranty
- 10-year limited deck warranty

WIDTH	34"
MODEL	ED34FS600V
LENGTH	73"
WIDTH	45"
WIDTH W/ DEFLECTOR UP	35"
WHEELBASE	43"
WHEEL TRACK WIDTH	33.5"
WEIGHT	770 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth
REAR TIRES	18 - 7.50 x 10 turf
DECK MATERIAL	7 ga. Steel
CUT WIDTH	34
CUTTING HEIGHTS	1" - 4.5"
PTO	Electric
FUEL CAPACITY	6
ENGINE BRAND	KAW
ENGINE HP	18
FORWARD SPEED	8 mph
POWERED REVERSE	Yes
BLADES	1 - 14.25", 1 - 20.25"
TRANSMISSION	Hydro-Gear ZT-3100



DART | Front View





The Fuzion blends the tough durability and professional quality of a commercial mower with the affordability of a homeowner machine. But the Fuzion is not your typical residential lawn mower. With its welded frame, fabricated deck, and 10-year deck warranty, it gives you value that will last.

FEATURES

- Long life, maintenance-free spindles
- Side discharge, bag, or mulching capabilities
- Easy-to-operate controls
- Zero turning radius trimming ability
- Wide track rear wheel base
- 3-year residential parts and labor warranty
- 90-day commercial warranty
- 10-year limited deck warranty

WIDTH	34"	42"
MODEL	F34K20	F42K20
LENGTH	73"	73"
WIDTH	41.5"	53"
WIDTH W/ DEFLECTOR UP	35"	43"
WHEELBASE	43"	43"
WHEEL TRACK WIDTH	33.5"	38"
WEIGHT	720 lbs	750 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
REAR TIRES	18 - 7.50 x 8 turf	18 - 9.50 x 8 turf
DECK MATERIAL	7 ga. Steel	7 ga. Steel
CUT WIDTH	34	42
CUTTING HEIGHTS	1" - 4.5"	1" - 4.5"
PTO	Electric	Electric
FUEL CAPACITY	6	6
ENGINE BRAND	KAW	KAW
ENGINE HP	18	18
FORWARD SPEED	8 mph	8 mph
POWERED REVERSE	Yes	Yes
BLADES	1 - 14.25", 1 - 20.25"	3 - 14"
TRANSMISSION	Hydro-Gear EZT	Hydro-Gear EZT



FUZION | Front View



FUZION | Front Left View





The Arrow was built with the residential user in mind, using the same suppliers that provide the high-quality components used in commercial machines. The Arrow was designed to give you years of trouble-free use with a welded frame, fabricated deck, rugged Kawasaki and Loncin engines, and a 3-year residential warranty.

FEATURES

- Long life, maintenance-free spindles
- Side discharge, bag, or mulching capabilities
- Easy-to-operate controls
- Zero turning radius trimming ability
- Wide track rear wheel base
- 3-year residential parts and labor warranty
- 90-day commercial warranty
- 10-year limited deck warranty

WIDTH	46"	50"	60"
MODEL	EA46XP22LS	EA50XP22LS	EA60XP24LS
LENGTH	72"	72"	72"
WIDTH	55"	59"	68.5"
WIDTH W/ DEFLECTOR UP	47.5"	51"	61"
WHEELBASE	44"	44"	44"
WHEEL TRACK WIDTH	33.8"	33.8"	33.8"
WEIGHT	544 lbs	590 lbs	637 lbs
FRONT TIRES	11 - 4.00 x 5 smooth	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth
REAR TIRES	18 - 9.5 x 8 turf	20 - 10.00 x 8 turf	20 - 10.00 x 8 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	46	50	60
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	4	4	4
ENGINE BRAND	Encore	Encore	Encore
ENGINE HP	21.5	21.5	24
FORWARD SPEED	7 mph	7 mph	7 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16"	3 - 17.3"	3 - 20.5"
TRANSMISSION	Hydro-Gear EZT	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800




ARROW | Hydraulic Release



Encore V-Twin

WIDTH	46"	50"	60"
MODEL	EA46XP20KW	EA50XP24KW	EA60XP24KW
LENGTH	72"	72"	72"
WIDTH	55"	59"	68.5"
WIDTH W/ DEFLECTOR UP	47.5"	51"	61"
WHEELBASE	44"	44"	44"
WHEEL TRACK WIDTH	33.8"	33.8"	33.8"
WEIGHT	544 lbs	590 lbs	637 lbs
FRONT TIRES	11 - 4.00 x 5 smooth	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth
REAR TIRES	18 - 9.5 x 8 turf	20 - 10.00 x 8 turf	20 - 10.00 x 8 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	46	50	60
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	4	4	4
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	20	23	23
FORWARD SPEED	7 mph	7 mph	7 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16"	3 - 17.3"	3 - 20.5"
TRANSMISSION	Hydro-Gear EZT	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800

RAGE



RAGE | Kawasaki Engine



RAGE | Easy Access Height Adjustment Knob

The Rage stand-on machine combines the flexibility and safety of a walk-behind mower with the speed and precision of a sit-down rider. The ergonomically designed, contoured operator pad and easy flip-up, shock absorbing platform are examples of the focus given to operator comfort. The Rage will give you a professional cut without having to pay the professional price.

FEATURES

- 32", 36", 48" and 52", 60" floating deck
- Walk or ride
- Powered by Kawasaki Engines
- Parker HTE transaxles on 32" and 36"
- Parker HTJ tranaxles in 48", 52", and 60"
- Fold up operator platform to convert to walk-behind and easy storage
- Height adjustment knob for a precise cut
- Remote Discharge Control (RDC) is an option on 32" and 36" models

WIDTH	32"	36"
MODEL	ER32FS600VL	ER36FS600VL
LENGTH	67.5"	67.5"
WIDTH	45"	48"
WIDTH W/ DEFLECTOR UP	37.4"	40"
WHEELBASE	31.5"	34.5"
WHEEL TRACK WIDTH	25"	26.5"
WEIGHT	690 lbs	700 lbs
FRONT TIRES	11 - 4.0 x 5 smooth	11 - 4.0 x 5 smooth
REAR TIRES	18 - 7.50 x 10 turf	18 - 8.50 x 10 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	32	36
CUTTING HEIGHTS	1.5" - 5"	1.5" - 5"
PTO	Electric	Electric
FUEL CAPACITY	4.5	4.5
ENGINE BRAND	KAW	KAW
ENGINE HP	18	18
FORWARD SPEED	8 mph	8 mph
POWERED REVERSE	Yes	Yes
BLADES	2 - 16"	2 - 18"
TRANSMISSION	Parker HTE	Parker HTE

WIDTH	48"	52"	60"
MODEL	ER48FX730VX	ER52FX730VX	ER60FX730VX
LENGTH	74"	74"	74"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	42.5"	45"	45"
WHEEL TRACK WIDTH	33"	34.75"	34.75"
WEIGHT	880 lbs	895 lbs	916 lbs
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	22 - 10.00 x 10 turf	22 - 11.00 x 10 turf	22 - 11.00 x 10 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 5"	1.5" - 5"	1.5" - 5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	8	8	8
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	24	24	24
FORWARD SPEED	10.5 mph	10.5 mph	10.5 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Parker HTJ	Parker HTJ	Parker HTJ

PREMIER

Hydro Series

Pinpoint maneuverability and more speed come standard with Encore's Premier Hydro Series. Available in 36" and 48" deck sizes, the easy-to-operate controls allow sharp turns with ease across any terrain.

FEATURES

- Positive locking tooth & sprocket brake
- 6.5 MPH forward speed
- 4 gallon fuel capacity
- Sharp turning radius trimming ability
- 3-year limited parts and labor warranty
- 10-year limited deck warranty
- FS Kawasaki Series



HYDRO SERIES | Easy to Use Controls



FIXED DECK

WIDTH	36"	48"
MODEL	EW36FS481VH	EW48FS481VH
LENGTH	73"	73"
WIDTH	47"	59.5"
WIDTH W/ DEFLECTOR UP	36.5"	49"
WHEELBASE	35"	41"
WHEEL TRACK WIDTH	28.5"	35"
WEIGHT	503 lbs	512 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
REAR TIRES	16 - 6.50 x 8 turf	16 - 6.50 x 8 turf
DECK MATERIAL	10 ga. Steel	10 ga. Steel
CUT WIDTH	36	48
CUTTING HEIGHTS	1" - 4"	1" - 4"
PTO	Electric	Electric
FUEL CAPACITY	4	4
ENGINE BRAND	KAW	KAW
ENGINE HP	14.5	14.5
FORWARD SPEED	6.5 mph	6.5 mph
POWERED REVERSE	Yes	Yes
BLADES	2 - 18"	3 - 16.25"
TRANSMISSION	Hydro-Gear PE 10cc Pump	Hydro-Gear PE 10cc Pump
FINAL DRIVE	Parker TE0230 Motor	Parker TE0230 Motor

FLOATING DECK

WIDTH	36"	48"
MODEL	EW36FS481VHF	EW48FS481VHF
LENGTH	73"	73"
WIDTH	47"	59.5"
WIDTH W/ DEFLECTOR UP	36.5"	49"
WHEELBASE	35"	41"
WHEEL TRACK WIDTH	28.5"	35"
WEIGHT	533 lbs	542 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
REAR TIRES	16 - 6.50 x 8 turf	16 - 6.50 x 8 turf
DECK MATERIAL	10 ga. Steel	10 ga. Steel
CUT WIDTH	36	48
CUTTING HEIGHTS	1" - 4"	1" - 4"
PTO	Electric	Electric
FUEL CAPACITY	4	4
ENGINE BRAND	KAW	KAW
ENGINE HP	14.5	14.5
FORWARD SPEED	6.5 mph	6.5 mph
POWERED REVERSE	Yes	Yes
BLADES	2 - 18"	3 - 16.25"
TRANSMISSION	Hydro-Gear PE 10cc Pump	Hydro-Gear PE 10cc Pump
FINAL DRIVE	Parker TE0230 Motor	Parker TE0230 Motor



Get smart design, tough construction, an even cut and great value with Encore's Premier Belt Series. There is a size for every job with 32", 36" and 48" deck options—with large rear tires for maximum traction and heavy duty front casters for maneuverability.

FEATURES

- Positive locking band brakes on belt drives
- 5.0 MPH forward speed
- 4 gallon fuel capacity
- Sharp turning radius trimming ability
- 3-year limited parts and labor warranty
- 10-year limited deck warranty
- Kawasaki FS Series

WIDTH	32"	36"	48"
MODEL	EW32FS481V	EW36FS481V	EW48FS481V
LENGTH	73"	73"	73"
WIDTH	43.5"	47"	59.5"
WIDTH W/ DEFLECTOR UP	33"	36.5"	49"
WHEELBASE	31"	35"	35"
WHEEL TRACK WIDTH	26.5"	28.5"	35"
WEIGHT	432 lbs	452 lbs	512 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
REAR TIRES	13 - 5.00 x 6 turf	13 - 6.50 x 6 turf	13 - 6.50 x 6 turf
DECK MATERIAL	10 ga. Steel	10 ga. Steel	10 ga. Steel
CUT WIDTH	32	36	48
CUTTING HEIGHTS	1" - 4"	1" - 4"	1" - 4"
PTO	Electric	Electric	Electric
FUEL CAPACITY	4	4	4
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	14.5	14.5	14.5
FORWARD SPEED	5 mph	5 mph	5 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	2 - 16"	2 - 18"	3 - 16.25"
TRANSMISSION	5-Speed Peerless w/ Reverse	5-Speed Peerless w/ Reverse	5-Speed Peerless w/ Reverse



BELT SERIES | Front View





Tough construction at an unbelievable price. Encore's Compact Belt Series offers a 28" and a 32" walk behind mower built for the commercial customer—the 28" offers a recoil start and the 32" offers electric start with recoil backup.

FEATURES

- 2-year commercial warranty
- Easy pull pin height adjustment on floating deck
- 3.55 MPH forward speed
- 2 gallon fuel capacity
- Briggs & Stratton Engines

WIDTH	28"	32"
MODEL	EW28X11BS	EW32X11BSE
LENGTH	60.5"	66.1"
WIDTH	38"	41.3"
WIDTH W/ DEFLECTOR UP	30"	32.8"
WHEELBASE	28.1"	31.8"
WHEEL TRACK WIDTH	22.6"	23.7"
WEIGHT	314 lbs	366 lbs
FRONT TIRES	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth
REAR TIRES	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel
CUT WIDTH	28	32
CUTTING HEIGHTS	1.5" - 4"	1.5" - 4"
PTO	Manual	Manual
FUEL CAPACITY	2	2
ENGINE BRAND	B&S	B&S
ENGINE HP	10.5	10.5
FORWARD SPEED	3.55 mph	3.55 mph
POWERED REVERSE	No	No
BLADES	2 - 14.5"	2 - 16.5"
TRANSMISSION	3-Speed Forward	3-Speed Forward



WALK BEHIND | Front View



WALK BEHIND | Grass Catcher



TRACER

Cut those big jobs down to size with the Tracer tow-behind. Pull it with an ATV/UTV or use the adjustable tongue angle to cover twice the area behind your existing mower. With a floating deck and a pivoting tongue, you will get a smooth cut over nearly any terrain.


FEATURES

- Convenient single point hand-crank allows more precise cut height
- Adjustable tongue angle means you can offset the mower to the left or right
- Pivoting tongue to handle all types of terrain
- 60" side discharge
- 72" rear discharge
- B&S Commercial Turf Engine

WIDTH	60"	72"
MODEL	ET60CT656SD	ET72CT724RD
LENGTH	138"	142"
WIDTH	73"	73"
WIDTH W/ DEFLECTOR UP	61"	N/A
WHEELBASE	40.5"	51.5"
WHEEL TRACK WIDTH	34"	46"
WEIGHT	425 lbs	810 lbs
FRONT TIRES	13 - 5.00 x 6 turf	13 - 5.00 x 6 turf
REAR TIRES	13 - 5.00 x 6 turf	13 - 5.00 x 6 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	60	72
CUTTING HEIGHTS	1.5" - 5"	1.5" - 5"
PTO	Electric	Electric
FUEL CAPACITY	4.5	4.5
ENGINE BRAND	B&S	B&S
ENGINE HP	16	22
FORWARD SPEED	N/A	N/A
POWERED REVERSE	No	No
BLADES	3 - 20.5"	3 - 24.5"
TRANSMISSION	N/A	N/A



TRACER | Control Panel



TRACER | Precision Height of Cut Adjustment



POWER-THATCH

Get down to the root of the problem with the Power-Thatch. With 26 blades and 5 height settings, make easy work of clearing out small roots, leaves, grass clippings and other small vegetation.

FEATURES

- Five height settings
- Hardened steel blades

MODEL	RSA20N-BS50
LENGTH	30.5"
WIDTH	27"
WIDTH W/ DEFLECTOR UP	N/A
WEIGHT	138 lbs
FRONT TIRES	8 x 1.75 semi pneumatic
REAR TIRES	10 x 2.75 semi pneumatic
CUTTING HEIGHTS	.125" - 1.125"
PTO	Manual
FUEL CAPACITY	2 Quarts
ENGINE BRAND	B&S
ENGINE HP	5.5
FORWARD SPEED	N/A
POWERED REVERSE	No
BLADES	28 - 9 ga. Hardened
TRANSMISSION	N/A



If you are familiar with Encore, a division of Worlowlawn Power Equipment, Inc., or if this is your first encounter with our premium line of commercial mowers, we are happy that you have taken the time to discover what our mowers can do for you.

THE PAST

Since 1988, Encore has served the mowing industry with a full line of high quality mowers that get the job done right the first time. With easier maintenance, precision blade alignment, and tough durability plus an industry leading warranty, Encore strengthens your hand and protects your investment.

THE FUTURE

In March of 2011, Encore was purchased by Worlowlawn Power Equipment, Inc. Worlowlawn is focused on growing the Encore brand by continuing to build high quality mowers with heavy duty components, complimented by details that make routine maintenance much easier on machines that are priced right.





ENCORE
POWER EQUIPMENT

401 N COMMERCE STREET • PO BOX 888
BEATRICE, NE 68310

Part #943190
2500.03.23.V1.0