

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 2019/02/18 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : Bergamot Essential Oil
Chemical name : Citrus bergamia risso, ext

EC-No. : 289-612-9

CAS-No. : 8007-75-8, 89957-91-5 REACH registration No : 01-2120117613-65

Product code : 100

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Cosmetics

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Naissance

Unit 9 & 11 Milland Road Industrial Estate

Milland Road

SA11 1NJ Neath - United Kingdom

www.discoveringbetter.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May be fatal if swallowed and enters airways. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P261 - Avoid breathing vapours, spray, mist.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, eye protection, face protection.

P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P331 - Do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use carbon dioxide (CO2), extinguishing powder, foam to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

 Name
 : Bergamot Essential Oil

 CAS-No.
 : 8007-75-8, 89957-91-5

EC-No. : 289-612-9

Name	Product identifier	%
Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5	30 - 45
Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4	22 - 36
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4	3 - 15
gamma-Terpinene	(CAS-No.) 99-85-4 (EC-No.) 202-794-6	6 - 10
Beta-Pinene	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	5,5 - 9,5
Geranial	(CAS-No.) 141-27-5 (EC-No.) 205-476-5	0,25 - 0,5

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek

medical advice.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Get medical advice/attention. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

2019/02/18 (Version: 1.0) EN (English) 2/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after ingestion : Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire

: Carbon dioxide. Carbon monoxide. Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire

: Evacuate area. Eliminate all ignition sources if safe to do so. Stop leak if safe to do so.

Firefighting instructions
Protection during firefighting

: Cool laterally with water containers exposed to flames, even after the fire is extinguished.: Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Stop leak if safe to do so. Remove ignition sources. Evacuate area.

6.1.1. For non-emergency personnel

Protective equipment

: Wear recommended personal protective equipment.

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Clean up any spills as soon as possible, using an absorbent material to collect it. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from

sweep or shovel into suitable containers. Minimise generation of dust. Store away fro

other materials

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment.

Avoid contact with skin and eyes.

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

Hygiene measures

: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Storage temperature : 5 - 20 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Beta-	Pinene	(127-91	1-3)

,		
Germany	TRGS 910 Acceptable concentration notes	
USA - ACGIH	ACGIH TWA (ppm)	20 ppm

2019/02/18 (Version: 1.0) EN (English) 3/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):





Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Liquid Physical state Colour : Characteristic. Odour : characteristic. Odour threshold : No data available : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : < -30 °C Boiling point : 139 - 154 °C : 42,22 °C Flash point Auto-ignition temperature : No data available

Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : 123,1 Pa at 25 °C Relative vapour density at 20 °C : No data available Relative density : 0,876 - 0,883

Solubility : Water: 0.0281 to 1767.3 mg/l at 25 °C

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

Refractive index : 1,465 - 1,47 at 20 °C

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong bases. Strong acids. Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Bergamot Essential Oil (8007-75-8, 89957-91-5)

· · · · · · · · · · · · · · · · · · ·	,
LD50 oral rat	10000 mg/kg
LD50 dermal rabbit	20000 mg/kg

Limonene (5989-27-5)

LD50 oral rat	4400 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l

Linalool (78-70-6)

Elitatori (70-70-0)	
LD50 oral rat	3000 mg/kg
LD50 oral	2790 mg/kg
LD50 dermal rabbit	5610 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h

Beta-Pinene (127-91-3)

LD50 dermal rat	≈ 4700 mg/kg
Skin corrosion/irritation :	Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Before neutralisation, the product may represent a danger to

aquatic organisms. Harmful to aquatic life with long lasting effects.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Bergamot Essential Oil (8007-75-8, 89957-91-5)

3	,
LC50 fish 1	18 mg/l
EC50 Daphnia 1	33 mg/l
EC50 72h algae (1)	10 mg/l
EC50 72h algae (2)	21 mg/l

2019/02/18 (Version: 1.0) EN (English) 5/9

Bergamot Essential Oil Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

No additional information available

Limonene (5989-27-5)	
LC50 fish 1	≈ 33 mg/l
EC50 Daphnia 1	0,1 - 1 mg/l
ErC50 (algae)	0,1 - 1 mg/l

Linalool (78-70-6)	
LC50 fish 1	27,8 mg/l
EC50 Daphnia 1	59 mg/l
EC50 96h algae (1)	88,3 mg/l
12.2. Persistence and degradability	
Limonene (5989-27-5)	
Persistence and degradability Not established. May cause long-term adverse effects in the environment.	

Linalyl acetate (115-95-7)		
Persistence and degradability	Not established.	

Linalool (78-70-6)	
Persistence and degradability	Not established.

gamma-Terpinene (99-85-4)	
Persistence and degradability	Not established.

Beta-Pinene (127-91-3)		
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.	

Geranial (141-27-5)	
Persistence and degradability Not established.	
12.3. Bioaccumulative potential	
Limonene (5989-27-5)	
Bioaccumulative potential	Not established.

Linalyl acetate (115-95-7)	
Bioaccumulative potential	Not established.

Linalool (78-70-6)	
Log Pow	2,84 - 3,1
Bioaccumulative potential	Not established.

gamma-Terpinene (99-85-4)	
Bioaccumulative potential	Not established.

Beta-Pinene (127-91-3)	
Bioaccumulative potential	Not established.

Geranial (141-27-5)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	

2019/02/18 (Version: 1.0) EN (English) 6/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 2319	UN 2319	UN 2319	UN 2319	UN 2319
14.2. UN proper shipping	g name			
TERPENE HYDROCARBONS, N.O.S.	TERPENE HYDROCARBONS, N.O.S.	Terpene hydrocarbons, n.o.s.	TERPENE HYDROCARBONS, N.O.S.	TERPENE HYDROCARBONS, N.O.S.
Transport document descr	iption			
UN 2319 TERPENE HYDROCARBONS, N.O.S., 3, III, (D/E)	UN 2319 TERPENE HYDROCARBONS, N.O.S., 3, III (32°C c.c.)	UN 2319 Terpene hydrocarbons, n.o.s., 3, III	UN 2319 TERPENE HYDROCARBONS, N.O.S., 3, III	UN 2319 TERPENE HYDROCARBONS, N.O.S., 3, III
14.3. Transport hazard o	class(es)			
3	3	3	3	3
3	° C	3		3
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment: No

No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4 (ADR)

Portable tank and bulk container special provisions

(ADR)

: TP1, TP29

Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Operation (ADR) : S2 Hazard identification number (Kemler No.) : 30

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates

Tunnel restriction code (ADR) : D/E EAC code : 3Y

Transport by sea

Packing instructions (IMDG) : P001, LP01 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 : TP1, TP29 Tank special provisions (IMDG) EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) : A

: 32°C to 49°C c.c. Flash point (IMDG)

Properties and observations (IMDG) : Colourless or yellowish liquids. Flashpoint: 32°C to 49°C c.c. Immiscible with water.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 : 60L PCA max net quantity (IATA) CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L ERG code (IATA) : 3L

Inland waterway transport

: F1 Classification code (ADN) Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1 Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions (RID) : T4 : TP1, TP29

Portable tank and bulk container special provisions

(RID)

Tank codes for RID tanks (RID) : LGBF Transport category (RID) : 3 Special provisions for carriage – Packages (RID) : W12 Colis express (express parcels) (RID) : CE4 Hazard identification number (RID) : 30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Bergamot Essential Oil is not on the REACH Candidate List

Bergamot Essential Oil is not on the REACH Annex XIV List

Bergamot Essential Oil is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

2019/02/18 (Version: 1.0) EN (English) 8/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Bergamot Essential Oil is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product