

Cypress Essential Oil

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 2019/02/15 Version: 1.0

	nce/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
Substance name	: Cypress Essential Oil
Chemical name	: Cupressus sempervirens
EC Index-No.	: 283-626-9
EC-No.	: 283-626-9
CAS-No.	: 8013-86-3 / 84696-07-1
Product code	: 114
1.2. Relevant identified uses of the substance	ce or mixture and uses advised against
1.2.1. Relevant identified uses	
Industrial/Professional use spec	: For professional use only Industrial
Use of the substance/mixture	: Cosmetics
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety data Naissance Unit 9 & 11 Milland Road Industrial Estate Milland Road SA11 1NJ Neath - United Kingdom www.discoveringbetter.com	i sheet
1.4. Emergency telephone number	
No additional information available	
SECTION 2: Hazards identification 2.1. Classification of the substance or mixtu	ire
Classification according to Regulation (EC) No. 12	272/2008 [CLP]
Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Acute Haza	
Hazardous to the aquatic environment — Chronic Hazardous to the aquatic environment — Chronic Ha	
Full text of H statements : see section 16	zard, Calegoly 1 11410
Full lext of H statements : see section to	
Adverse physicochemical, human health and env Flammable liquid and vapour. Causes skin irritation. I toxic to aquatic life. 2.2. Label elements	ironmental effects May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects. Very
Labelling according to Regulation (EC) No. 1272/2	2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H226 - Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways.
	H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking. P273 - Avoid release to the environment. P280 - Wear protective clothing, eye protection, face protection.

- P301+F310 IF SWALLOWED. Infinitediately car a decisit, a reserved a second and a decisit, a reserved a second a second

2.3. Other hazards No additional information available

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Name	: Cypress Essential Oil	
CAS-No.	: 8013-86-3 / 84696-07-1	
EC-No.	: 283-626-9	
EC Index-No.	: 283-626-9	
Name	Product identifier	%
Pinenes (alpha or beta)		50 - 100
3-Carene	(CAS-No.) 13466-78-9 (EC-No.) 236-719-3	10 - 25
Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5	< 10,5
Hydrocarbons		2,5 - 10
Terpinyl Acetate	(CAS-No.) 8007-35-0 (EC-No.) 232-357-5	2,5 - 10
Cedrol	(CAS-No.) 77-53-2 (EC-No.) 201-035-6	2,5 - 10
Full text of H-statements: see section 16	•	·

3.2. Mixtures Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Get immediate medical advice/attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
4.3. Indication of any immediate medica	Il attention and special treatment needed
Treat symptomatically.	

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ince or mixture
Fire hazard	: Flammable liquid and vapour.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon monoxide. Carbon dioxide.
5.3. Advice for firefighters	
Precautionary measures fire	: Eliminate all ignition sources if safe to do so. Evacuate area. Stop leak if safe to do so.
Firefighting instructions	: Cool laterally with water containers exposed to flames, even after the fire is extinguished. Eliminate all ignition sources if safe to do so.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equ	uipment and emergency procedures	
General measures	: Stop leak if safe to do so. Remove ignition sources. Evacuate area.	
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.	

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Prevent from	n entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
6.3. Methods and material for containm	nent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Clean up any spills as soon as possible, using an absorbent material to collect it. Minimise generation of dust. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	ny incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Storage temperature	: <= 15 °C
7.3. Specific end use(s) No additional information available	

SECTION 8: Exposure controls/personal protection		
8.1. Control paramet	ers	
3-Carene (13466-78-	9)	
Germany	TRGS 910 Acceptable concentration notes	
United Kingdom WEL TWA (ppm) 20 ppm		
8.2. Exposure contro	bls	

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

EN 374. EN 166.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

9.1. Information on basic physical and c	hemical properties	
Physical state	: Liquid	
Colour	: Pale yellow to yellow.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 31 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Not applicable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0,863 - 0,885 @ 20°C	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
Refractive index	: 1,466 - 1,477 @ 20°C	

SECTION 10: Stability and reactivity
10.1. Reactivity
Flammable liquid and vapour.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials
Strong bases. Strong acids. Oxidizing agent.
10.6. Hazardous decomposition products
Carbon dioxide. Carbon monoxide. fume.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
3-Carene (13466-78-9)	
LD50 oral	4800 mg/kg
Hydrocarbons	

Hydrocarbons	
LD50 oral	800 mg/kg
LD50 dermal	1300 mg/kg

Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

SECTION 12: Ecological information			
12.1. Toxicity			
	: Very toxic to aquatic life with long lasting effects. Before neutralisation, the product may represent a danger to aquatic organisms. Very toxic to aquatic life.		
. ,	: Very toxic to aquatic life.		
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.		
Limonene (5989-27-5)			
LC50 fish 1	≈ 33 mg/l		
EC50 Daphnia 1	0,1 - 1 mg/l		
ErC50 (algae)	0,1 - 1 mg/l		
12.2. Persistence and degradability			
3-Carene (13466-78-9)			
Persistence and degradability	Not established.		
Terpinyl Acetate (8007-35-0)			
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.		
Cedrol (77-53-2)			
Persistence and degradability	Not established.		
Limonene (5989-27-5)			
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential			
3-Carene (13466-78-9)			
Bioaccumulative potential	Not established.		
Terring 1 Acc444 (0007 05 0)			
Terpinyl Acetate (8007-35-0)			
Bioaccumulative potential	Not established.		
Cedrol (77-53-2)			
Bioaccumulative potential	Not established.		
Limonene (5989-27-5)			
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
No additional information available			

Cypress Essential Oil

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects No additional information available

SECTION 13: Disposal considerations 13.1. Waste treatment methods

Waste treatment methods

Additional information

: Dispose of contents/container in accordance with licensed collector's sorting instructions. : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN						
ADR	IMDG	ΙΑΤΑ	ADN	RID		
14.1. UN number	-		-			
UN 1169	UN 1169	UN 1169	UN 1169	UN 1169		
14.2. UN proper shippin	14.2. UN proper shipping name					
EXTRACTS, AROMATIC, LIQUID	EXTRACTS, AROMATIC, LIQUID	Extracts, aromatic, liquid	EXTRACTS, AROMATIC, LIQUID	EXTRACTS, AROMATIC, LIQUID		
Transport document descr	iption	·				
UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1169 Extracts, aromatic, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS		
14.3. Transport hazard o	class(es)					
3	3	3	3	3		
14.4. Packing group						
III	III	III	III	III		
14.5. Environmental haz	ards					
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes		
No supplementary information	n available	,				
14.6. Special precautions	s for user					
Overland transport						
Classification code (ADR)	: F1					
Special provisions (ADR)	: 60	1				
Limited quantities (ADR)						
Excepted quantities (ADR)	: E1					
Packing instructions (ADR)		: P001, IBC03, LP01, R001				
Mixed packing provisions (ADR)		: MP19				
Portable tank and bulk contain (ADR)	ner instructions : T2					
Portable tank and bulk contain (ADR)	ner special provisions : TP	1				
Tank code (ADR)		: LGBF				
Vehicle for tank carriage		: FL				
Transport category (ADR)		: 3				
Special provisions for carriage - Packages (ADR)		2				
Special provisions for carriage - Operation (ADR)		-				
Hazard identification number (Kemler No.)						
	(Kemler No.) : 30					

30

Orange plates

1169 : D/E : 3YE
. 312
: 223, 955
: 5 L
: E1
: P001, LP01
: IBC03
: T2
: TP1
: F-E
: S-D
: A
: Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.
: E1
: Y344
: 10L
: 355
: 60L
: 366
: 220L
: A3
: 3L
: F1
: 601
: 5 L
: E1
: PP, EX, A
: VE01
: 0
: F1
: 601
: E1
: P001, IBC03, LP01, R001
: MP19
: T2
: TP1
: LGBF
: 3
: W12
: CE4
: 30

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Cypress Essential Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

No REACH Annex XVII restrictions

Cypress Essential Oil is not on the REACH Candidate List

Cypress Essential Oil is not on the REACH Annex XIV List

Cypress Essential Oil is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Cypress Essential Oil is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product