

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/29/2019 Version: 1.0

1.1. Product identifier	
Product form	: Substance
Substance name	: Ginger Essential Oil
Chemical name	: Zingiber officinale (Ginger) Root Oil
EC-No.	: 283-634-2
CAS-No.	: 8007-08-7 / 84696-15-1
Product code	: 118
Other means of identification	: Zingiber Officinale Oil is the volatile oil obtained from the dried rhizomes of the Ginger, Zingiber officinale L., Zingiberaceae
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: Suitable for cosmetic flavouring, fragrance and professional use only.
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety	data sheet
Naissance	
Unit 9 & 11 Milland Road Industrial Estate Milland Road	
SA11 1NJ Neath - United Kingdom	
www.discoveringbetter.com	
1.4. Emergency telephone number No additional information available	

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
	H410
Hazardous to the aquatic environment — Chronic Hazard, Category 1	Π410
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

2.2. Label elements



Signal word (CLP) Hazard statements (CLP) : Danger

GHS07

- : H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.

GHS08

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H410 Very toxic to aquatic life with long lasting effects.

GHS09

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P261 - Avoid breathing vapours, spray, mist.
• • •	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective clothing, eye protection, face protection.
	P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P331 - Do NOT induce vomiting.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P391 - Collect spillage.
	P405 - Store locked up.
	P501 - Dispose of contents and container to hazardous or special waste collection point, i

accordance with local, regional, national and/or international regulation.

2.3. Other hazards No additional information available

SECTION 3: Composition/informa	tion on ingredients	
3.1. Substances		
Name	: Ginger Essential Oil	
CAS-No.	: 8007-08-7 / 84696-15-1	
EC-No.	: 283-634-2	
Name	Product identifier	%
Bisabolene	(CAS-No.) 495-61-4 - 495-62-5 (EC-No.) 207-805-8	<= 10
Camphene	(CAS-No.) 79-92-5 (EC-No.) 201-234-8	<= 10
Alpha-Pinene	(CAS-No.) 80-56-8 / 7785-26-4 (EC-No.) 201-291-9	<= 10
Cineole	(CAS-No.) 470-82-6 (EC-No.) 207-431-5	<= 10
Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5	<= 10
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1	<= 1
Beta-Pinene	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	<= 1
Terpinolene	(CAS-No.) 586-62-9 (EC-No.) 209-578-0	<= 1
Citral	(CAS-No.) 5392-40-5 (EC-No.) 226-394-6	<= 1
Full text of H-statements: see section 16	·	·

3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	 Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get medical advice/attention.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon monoxide. Carbon dioxide.
5.3. Advice for firefighters	
Precautionary measures fire	: Eliminate all ignition sources if safe to do so. Evacuate area. Stop leak if safe to do so.
Firefighting instructions	: Cool laterally with water containers exposed to flames, even after the fire is extinguished.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measure	
6.1. Personal precautions, protective equipr	
General measures	: Stop leak if safe to do so. Remove ignition sources. Evacuate area.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information
······································	refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
	entering sewers, watercourses, underground or low areas.
6.3. Methods and material for containment a	
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	. Ensure good ventilation of the work station. Avoid contest with skin and even Mass
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/persona 8.1. Control parameters	I protection
Alpha-Pinene (80-56-8 / 7785-26-4)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	20 ppm
Beta-Pinene (127-91-3)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	20 ppm
8.2. Exposure controls	
Appropriate engineering controls:	

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable respiratory equipment	

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: Characteristic.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: ≈ 66 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Not applicable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: ≈ 0.876 (≥ 0.868) @20°C	
Solubility	: Water: not soluble in water	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
Refractive index	: ≈ 1.487 at 20 °C	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
The product is non-reactive under normal conditions of use, storage and transport.		

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions No dangerous reactions known under normal conditions of use.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials Strong bases. Strong acids. Oxidizing agent.

10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
	Not classified
	Not classified
Acute toxicity (inhalation) :	Not classified
Ginger Essential Oil (8007-08-7 / 84696-15-1)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Alpha-Pinene (80-56-8 / 7785-26-4)	
LD50 oral rat	3700 mg/kg
Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l
Cineole (470-82-6)	
LD50 oral rat	2480 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l

Geraniol (106-24-1)	
LD50 oral rat	≈ 3600 ml/kg
LD50 dermal rabbit	> 5 g/kg

Beta-Pinene (127-91-3)	
LD50 dermal rat	≈ 4700 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

SECTION 12: Ecological information 12.1. Toxicity	
Ecology - general	: Toxic to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.
Limonene (5989-27-5)	
LC50 fish 1	≈ 33 mg/l

according to Regulation (EC) No. 1907/2006 (REACH) with its	amendment Regulation (EU) 2015/830
EC50 Daphnia 1	0.1 - 1 mg/l
ErC50 (algae)	0.1 - 1 mg/l
12.2. Persistence and degradability	
Ginger Essential Oil (8007-08-7 / 84696-15-1)	
Biodegradation	Ginger Oil can be regarded as readily biodegradable
Bisabolene (495-61-4 - 495-62-5)	
Persistence and degradability	Not established.
Camphene (79-92-5)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
Alpha-Pinene (80-56-8 / 7785-26-4)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
Limonono (5090-27-5)	
Limonene (5989-27-5)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
Cineole (470-82-6)	
Persistence and degradability	Not established.
Geraniol (106-24-1)	
	Nat astablished
Persistence and degradability	Not established.
Terpinolene (586-62-9)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
Beta-Pinene (127-91-3)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
Citral (5392-40-5)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	1
Bisabolene (495-61-4 - 495-62-5)	
Bioaccumulative potential	Not established.
Camphene (79-92-5)	
Bioaccumulative potential	Not established.
	· · · · · · · · · · · · · · · · · · ·
Alpha-Pinene (80-56-8 / 7785-26-4)	
Bioaccumulative potential	Not established.
Limonene (5989-27-5)	
Bioaccumulative potential	Not established.
Cineole (470-82-6)	
Bioaccumulative potential	Not established.

Geraniol (106-24-1)	
Bioaccumulative potential	Not established.
Terpinolene (586-62-9)	
Bioaccumulative potential	Not established.
Beta-Pinene (127-91-3)	
Bioaccumulative potential	Not established.
Citral (5392-40-5)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations 13.1. Waste treatment methods Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions. Must follow special treatment according to local regulation.

IMDG UN 3082 name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. tion	IATA UN 3082 Environmentally hazardous substance, liquid, n.o.s.	ADN UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	RID UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		HAZARDOUS SUBSTANCE, LIQUID,	HAZARDOUS SUBSTANCE, LIQUID,
HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		HAZARDOUS SUBSTANCE, LIQUID,	HAZARDOUS SUBSTANCE, LIQUID,
tion			N.U.S.
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
ass(es)			
9	9	9	9
Ш	III	III	Ш
rds	·		
Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT 9 9 10 10 10 10 10 10 10 10 10 10 10 10 10	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT hazardous substance, liquid, n.o.s., 9, III 9 9 9 9 111 111 ds Dangerous for the environment : Yes Marine pollutant : Yes	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT hazardous substance, liquid, n.o.s., 9, III ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III 9 9 9 9 9 9 111 111 111 113 111 111 114 111 111 115 Dangerous for the environment : Yes Dangerous for the environment : Yes Dangerous for the environment : Yes

according to Regulation (EC) No. 1907/2006 (REACH) with it	ts amendment Regulation (EU) 201
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	90
	3082
Tunnel restriction code (ADR)	
EAC code	: :•3Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L
	. 92
Inland waterway transport Classification code (ADN)	: M6
Special provisions (ADN)	. Mo : 274, 335, 375, 601
Limited quantities (ADN)	: 274, 335, 375, 601 : 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: E1 : T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: PP : 0
	. 0
Rail transport Classification code (RID)	: M6
	-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (RID)	: 274, 335, 375, 601
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90
14.7 Transport in bulk according to Annex I	Lof Marpol and the IBC Code

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Ginger Essential Oil is not on the REACH Candidate List

Ginger Essential Oil is not on the REACH Annex XIV List

Ginger Essential Oil is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Ginger Essential Oil is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 1	Flammable solids, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H228	Flammable solid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.