

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 3/11/2019 Version: 1.0

SECTION 1: Identification of the sub	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
Substance name	: Hyssop Essential Oil Organic
Chemical name	: Hyssopus officinalis Extract
EC-No.	: 283-266-2
CAS-No.	: 8006-83-5 / 84603-66-7
REACH registration No	: 5-2118583694-26
Synonyms	: Hyssopus officinalis L.
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Industrial use,Professional use
Industrial/Professional use spec	: For professional use only Industrial
Use of the substance/mixture	: Cosmetics Food/feedstuff additives
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety	data sheet
Naissance	
Unit 9 & 11 Milland Road Industrial Estate Milland Road	
SA11 1NJ Neath - United Kingdom	
www.discoveringbetter.com	
1.4. Emergency telephone number	
No additional information available	
OFOTION & Haranda identification	
SECTION 2: Hazards identification 2.1. Classification of the substance or n	nixture
Classification according to Regulation (EC) I	No. 1272/2008 [CLP]
Flammable liquids, Category 3	H226
Acute toxicity (oral), Category 4	H302

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. 2.2. Label elements

 Labelling according to Regulation (EC) No. 1272/2008 [CLP]

 Hazard pictograms (CLP)

 Signal word (CLP)

 Hazard statements (CLP)

 Example 1

 Hazard statements (CLP)

 Hazard statements (CLP)

 Example 1

 Hazard statements (CLP)

 Hazard statements (CLP

H400 - Very toxic to aquatic life.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	P280 - Wear protective clothing, eye protection, face protection.
	P262 - Do not get in eyes, on skin, or on clothing.
	P391 - Collect spillage.
	P331 - Do NOT induce vomiting.
	P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Name	: Hyssop Essential Oil Organic	
CAS-No.	: 8006-83-5 / 84603-66-7	
EC-No.	: 283-266-2	
Name	Product identifier	%
Beta-Pinene	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	5 - 15
Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5	0.5 - 3
Methyl Eugenol	(CAS-No.) 93-15-2 (EC-No.) 202-223-0	<= 1
Alpha-Pinene	(CAS-No.) 80-56-8 / 7785-26-4 (EC-No.) 201-291-9	<= 1
Full text of H-statements: see section 16	·	· · · · · · · · · · · · · · · · · · ·

3.2. Mixtures Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.
First-aid measures after skin contact	 Rinse skin with water/shower. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Get medical advice/attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Risk of lung oedema.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ance or mixture
Fire hazard	: Flammable liquid and vapour.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Precautionary measures fire	: Evacuate area. Stop leak if safe to do so. Eliminate all ignition sources if safe to do so.
Firefighting instructions	: Cool laterally with water containers exposed to flames, even after the fire is extinguished.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Prevent from enter	ring sewers, basements and workpits, or any place where its accumulation can be dangerous.
6.3. Methods and material for containment	and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Clean up any spills as soon as possible, using an absorbent material to collect it. Minimise generation of dust. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Storage temperature	: < 15 °C
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Beta-Pinene (127-91-3)		
Germany	TRGS 910 Acceptable concentration notes	
USA - ACGIH	ACGIH TWA (ppm)	20 ppm

Alpha-Pinene (80-56-8 / 7785-26-4)		
Germany	TRGS 910 Acceptable concentration notes	
USA - ACGIH	ACGIH TWA (ppm)	20 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and cl Physical state	: Liquid	
Colour	: Colourless to pale yellow.	
Odour	: characteristic.	
Odour threshold	: No data available	
pH	: No data available	
1	: No data available	
Relative evaporation rate (butylacetate=1)		
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 59 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Not applicable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0.875 - 0.965 @20°C	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
Refractive index	: 1.473 - 1.49	

SECTION 10: Stability and reactivity
10.1. Reactivity
Flammable liquid and vapour.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inf	ormation	
11.1. Information on toxicological		
Acute toxicity (oral)	: Harmful if swallowed.	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Beta-Pinene (127-91-3)		
LD50 dermal rat	≈ 4700 mg/kg	
Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal	> 2000 mg/kg	
3/11/2019 (Version: 1.0)	EN (English)	4/8

LC50 inhalation rat (mg/l)	> 20 mg/l

Alpha-Pinene (80-56-8 / 7785-26-4)	
LD50 oral rat	3700 mg/kg
Skin corrosion/irritation Serious eye damage/irritation	: Causes skin irritation. : Not classified
Respiratory or skin sensitisation Germ cell mutagenicity	: May cause an allergic skin reaction. : Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
SECTION 12: Ecological informati	ion
12.1. Toxicity	. Manufaction to accust in 1964 - Taution to accust in 1964 with Japan Japatian affects
Ecology - general Acute aquatic toxicity	 Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
Limonene (5989-27-5)	
LC50 fish 1	≈ 33 mg/l
EC50 Daphnia 1	0.1 - 1 mg/l
ErC50 (algae)	0.1 - 1 mg/l
12.2. Persistence and degradability	
Beta-Pinene (127-91-3)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
Limonene (5989-27-5)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
Mothyl Europol (02 45 2)	
Methyl Eugenol (93-15-2)	
Persistence and degradability	Not established.
Alpha-Pinene (80-56-8 / 7785-26-4)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Beta-Pinene (127-91-3)	
Bioaccumulative potential	Not established.
Limonene (5989-27-5)	
Bioaccumulative potential	Not established.
· · · · · · · · · · · · · · · · · · ·	
Methyl Eugenol (93-15-2)	
Bioaccumulative potential	Not established.
Alpha-Pinene (80-56-8 / 7785-26-4)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	oment
12.5. Results of PBT and vPvB assess No additional information available	Sinen

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

No additional information available

13.1.	Waste t	reatment	methods
14/ 1			

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions. Must follow special treatment according to local regulation.

Additional information

: Flammable vapours may accumulate in the container.

SECTION 14: Transport information

LIQUIDLIQUIDLIQUIDLIQUIDTransport document descriptionUN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, DI 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, DI 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, DI 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, POLLUTART/ENVIRONMENTALLY HAZARDOUSUN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUSUN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALY HAZARDOUSUN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALY HAZARDOUSUN 1169 EXTRAC	n accordance with ADR / RID / IMDG / IATA / ADN				
UN 1169 UN 1169 UN 1169 UN 1169 UN 1169 UN 1169 14.2. UN proper shipping name EXTRACTS, AROMATIC, LIQUID EXTRACTS, AROMATIC, LIQUID, 3, III, OVED, AROMATIC, LIQUID, AROMATIC, A	ADR	IMDG	ΙΑΤΑ	ADN	RID
14.2. UN proper shipping name EXTRACTS, AROMATIC, LIQUID EXTRACTS, AROMATIC, LIQUID, 3, III, (DZ) UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (DZ) III	14.1. UN number		1		
EXTRACTS, AROMATIC, LIQUID UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, MARINE POLLUTARTENVIRONME INTALLY HAZARDOUS UN 1169 EXTRACTS, aromatic, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, POLLUTARTENVIRONME INTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, POLLUTARTENVIRONME INTROMENTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, POLLUTARTENVIRONME INTROMENTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, POLLUTARTENVIRONME INTROMENTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, POLLUTARTENVIRONMENTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, POLLUTARTENVIRONMENTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 2, III, POLIDAC, POLL, EXCORDER UN 1169 EXTRACTS, AR	UN 1169	UN 1169	UN 1169	UN 1169	UN 1169
LIQUID LIQUID LIQUID Transport document description UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (DE), ENVIRONMENTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (DE), ENVIRONMENTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, POLUTATIVENVIRONMENTALLY HAZARDOUS UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS UN 1160 III III III III III III	14.2. UN proper shippin	g name			
UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (DE), ENVIRONMENTALLY HAZARDOUS 14.3. Transport hazard class(es) 3 3 3 3 3 3 3 3 14.4. Packing group III III III III III III III III III 14.5. Environmental hazards Dangerous for the environment : Yes Marine polutant : Yes Portable tank and bulk container special provisions : TP1			Extracts, aromatic, liquid		EXTRACTS, AROMATIC, LIQUID
AROMATIC, LIQUID, 3, III, (DE), (DE), ENVIRONMENTALLY HAZARDOUS AROMATIC, LIQUID, 3, III, MARINE POLLUTANTIENVIRONME, NTALLY HAZARDOUS aromatic, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS AROMATIC, LIQUID, 3, III, HAZARDOUS AROMATIC, LIQUID, 3, III, HA	Transport document descr	iption			
3 3 3 3 3 3 Image: Second Sec	AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY	AROMATIC, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONME	aromatic, liquid, 3, III, ENVIRONMENTALLY	AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS
Image: constraint of the second constraint of the seco	14.3. Transport hazard o	class(es)			
III III III III III III III III 14.5. Environmental hazards Dangerous for the environment i Yes Dangerous for the environment : Yes Dangerous for the envinonment : Yes Dangerous for th	3	3	3	3	3
III III III III III III III 14.5. Environmental hazards Dangerous for the environment : Yes					
14.5. Environmental hazards Dangerous for the environment : Yes D	14.4. Packing group				
Dangerous for the environment : Yes Marine pollutant : Yes Marine pollutant : YesDangerous for the environment : YesDangerous for the the the the the <br< td=""><td>III</td><td>III</td><td>III</td><td> </td><td> </td></br<>	III	III	III		
environment : Yes No supplementary information available 14.6. Special precautions for user 14.6. Special precautions for user 14.6. Special precautions for user Overland transport Classification code (ADR) : F1 5 5 Special provisions (ADR) : 51 5 5 Excepted quantities (ADR) : E1 5 5 Packing instructions (ADR) : MP19 5 5 Portable tank and bulk container instructions : T2 7	14.5. Environmental haz	ards			
14.6. Special precautions for user Overland transport Classification code (ADR) : F1 Special provisions (ADR) : 601 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1 Packing instructions (ADR) : P001, IBC03, LP01, R001 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T2 (ADR) : TP1		environment : Yes			Dangerous for the environment : Yes
Overland transport : F1 Classification code (ADR) : 601 Special provisions (ADR) : 50 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1 Packing instructions (ADR) : P001, IBC03, LP01, R001 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T2 Portable tank and bulk container special provisions : TP1	No supplementary information	n available			
Classification code (ADR): F1Special provisions (ADR): 601Limited quantities (ADR): 51Excepted quantities (ADR): E1Packing instructions (ADR): P001, IBC03, LP01, R001Mixed packing provisions (ADR): MP19Portable tank and bulk container instructions (ADR): T2Portable tank and bulk container special provisions: TP1	14.6. Special precautions	s for user			
Special provisions (ADR) : 601 Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1 Packing instructions (ADR) : P001, IBC03, LP01, R001 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T2 Portable tank and bulk container special provisions : TP1	Overland transport				
Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1 Packing instructions (ADR) : P001, IBC03, LP01, R001 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T2 (ADR) : TP1	· · · ·				
Excepted quantities (ADR) : E1 Packing instructions (ADR) : P001, IBC03, LP01, R001 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T2 Portable tank and bulk container special provisions : TP1	Special provisions (ADR)	: 601	1		
Packing instructions (ADR) : P001, IBC03, LP01, R001 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T2 (ADR) : TP1					
Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T2 (ADR) : Portable tank and bulk container special provisions : TP1	,				
Portable tank and bulk container instructions : T2 (ADR) Portable tank and bulk container special provisions : TP1					
(ADR) Portable tank and bulk container special provisions : TP1			219		
	(ADR)				
	Portable tank and bulk contain (ADR)	ner special provisions : TP	1		
Tank code (ADR) : LGBF	Fank code (ADR)	: LG	BF		
Vehicle for tank carriage : FL	Vehicle for tank carriage	: FL			
Transport category (ADR) : 3	Transport category (ADR)				
Special provisions for carriage - Packages (ADR) : V12			2		
Special provisions for carriage - Operation (ADR) : S2					
Hazard identification number (Kemler No.) : 30					

30

Orange plates

	30
	1169
Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE
Transport by sea	
Special provisions (IMDG)	: 223, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Usually consist of alcoholic solutions. Miscibility with water depends upon the composition
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 601
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T2
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

No REACH Annex XVII restrictions

Hyssop Essential Oil Organic is not on the REACH Candidate List

Hyssop Essential Oil Organic is not on the REACH Annex XIV List

Hyssop Essential Oil Organic is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Hyssop Essential Oil Organic is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product