

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 3/25/2019 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

Substance name : Pine Needle Scotch Essential Oil Chemical name : Pinus Sylvestris Leaf Oil

EC Index-No. : 281-679-2 EC-No. : 281-679-2

: 8023-99-2 / 84012-35-1 CAS-No.

Product code

Other means of identification : Pinus Sylvestris Leaf Oil is the volatile oil obtained from the needles of the Scotch Pine,

Pinus sylvestris L., Pinaceae.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use Use of the substance/mixture : Perfumes, fragrances

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Naissance

Unit 9 & 11 Milland Road Industrial Estate

Milland Road

SA11 1NJ Neath - United Kingdom www.discoveringbetter.com

1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226 Skin corrosion/irritation, Category 2 H315 Skin sensitisation, Category 1 H317 H304 Aspiration hazard, Category 1 Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects.

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, eye protection, face protection.

P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P331 - Do NOT induce vomiting.

P370+P378 - In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish

to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

#### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Name : Pine Needle Scotch Essential Oil

CAS-No. : 8023-99-2 / 84012-35-1

EC-No. : 281-679-2 EC Index-No. : 281-679-2

Name	Product identifier	%
Alpha-Pinene	(CAS-No.) 80-56-8 / 7785-26-4 (EC-No.) 201-291-9	35 - 55
Beta-Pinene	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	8 - 24
delta-3-Carene	(CAS-No.) 13466-78-6 (EC-No.) 236-719-3	10 - 20
Myrcene	(CAS-No.) 123-35-3 (EC-No.) 204-622-5	1.5 - 10
Camphene	(CAS-No.) 79-92-5 (EC-No.) 201-234-8	0.4 - 6
Terpinolene	(CAS-No.) 586-62-9 (EC-No.) 209-578-0	0.1 - 4

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek

medical advice.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after ingestion : Risk of lung oedema.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon monoxide. Carbon dioxide.

#### 5.3. Advice for firefighters

Precautionary measures fire : Evacuate area. Eliminate all ignition sources if safe to do so. Stop leak if safe to do so.

3/25/2019 (Version: 1.0) EN (English) 2/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Stop leak if safe to do so. Remove ignition sources.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. On land,

sweep or shovel into suitable containers. Minimise generation of dust. Store away from

other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Storage temperature : <= 25 °C

#### 7.3. Specific end use(s)

No additional information available

	8: Exposure controls/personal protect	

## 8.1. Control parameters

Alpha-Pinene (80-56-8 / 7785-26-4)		
Germany TRGS 910 Acceptable concentration notes		
USA - ACGIH	ACGIH TWA (ppm)	20 ppm

Beta-Pinene (127-91-3)		
Germany TRGS 910 Acceptable concentration notes		
USA - ACGIH	ACGIH TWA (ppm)	20 ppm

#### 8.2. Exposure controls

## Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

#### Personal protective equipment:

EN 374. EN 166.

Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	

3/25/2019 (Version: 1.0) EN (English) 3/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):







#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless or pale yellow.

Odour Odour : characteristic.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : 169.4 @ 101.325 kPa

Flash point : 37 °C

Auto-ignition temperature: No data availableDecomposition temperature: No data availableFlammability (solid, gas): Not applicableVapour pressure: No data availableRelative vapour density at 20 °C: No data availableRelative density:  $\approx 0.866 \otimes 20^{\circ}$ C

Solubility : Water: Insoluble in water

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

Refractive index : ≈ 1.47 @ 20°C

## **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Flammable liquid and vapour.

# 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

# 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

## Pine Needle Scotch Essential Oil (8023-99-2 / 84012-35-1)

LD50 oral rat 5000 mg/kg

## Alpha-Pinene (80-56-8 / 7785-26-4)

LD50 oral rat 3700 mg/kg

#### Beta-Pinene (127-91-3)

LD50 dermal rat ≈ 4700 mg/kg

# Myrcene (123-35-3)

 LD50 oral
 > 2000 mg/kg

 LD50 dermal
 > 2000 mg/kg

 LC50 inhalation rat (mg/l)
 > 20 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

# 12.2. Persistence and degradability

## Alpha-Pinene (80-56-8 / 7785-26-4)

Persistence and degradability Not established. May cause long-term adverse effects in the environment.

## Beta-Pinene (127-91-3)

Persistence and degradability

Not established. May cause long-term adverse effects in the environment.

## Myrcene (123-35-3)

Persistence and degradability Not established. May cause long-term adverse effects in the environment.

#### Camphene (79-92-5)

Persistence and degradability Not established. May cause long-term adverse effects in the environment.

#### **Terpinolene (586-62-9)**

Persistence and degradability Not established. May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

# Alpha-Pinene (80-56-8 / 7785-26-4)

Bioaccumulative potential Not established.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Beta-Pinene (127-91-3)	
Bioaccumulative potential	Not established.

Myrcene (123-35-3)	
Log Pow	5.29
Bioaccumulative potential	Not established.

Camphene (79-92-5)	
Bioaccumulative potential	Not established.

Terpinolene (586-62-9)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Must follow special treatment according to local regulation.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information
In accordance with ADR / RID / IMDG / IATA / ADN

n accordance with ADR / RID / IMDG / IATA / ADN				
ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1272	UN 1272	UN 1272	UN 1272	UN 1272
14.2. UN proper shippin	g name			
PINE OIL	PINE OIL	Pine oil	PINE OIL	PINE OIL
Transport document descr	iption			
UN 1272 PINE OIL, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1272 PINE OIL, 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS (57°C c.c.)	UN 1272 Pine oil, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1272 PINE OIL, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1272 PINE OIL, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)			
3	3	3	3	3
<b>1 1 1 1 1 1 1 1 1 1</b>	<b>1 1 1 1 1 1 1 1 1 1</b>	<b>1 1 1 1 1 1 1 1 1 1</b>	<b>1 1 1 1 1 1 1 1 1 1</b>	<b>1 1 1 1 1 1 1 1 1 1</b>
14.4. Packing group	14.4. Packing group			
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment: Yes
No supplementary information available				

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates :

30 1272

: TP1

Tunnel restriction code (ADR) : D/E EAC code : 3Y

Transport by sea

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : P001, LP01 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : TP2 EmS-No. (Fire) : F-E : S-E EmS-No. (Spillage) Stowage category (IMDG) : A

Flash point (IMDG) : 57°C to 60°C c.c.

Properties and observations (IMDG) : Volatile oils with characteristic odours. Flashpoint: 57°C to 60°C c.c. Immiscible with water.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 : 60L PCA max net quantity (IATA) CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container special provisions : TP

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Pine Needle Scotch Essential Oil is not on the REACH Candidate List

Pine Needle Scotch Essential Oil is not on the REACH Annex XIV List

Pine Needle Scotch Essential Oil is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Pine Needle Scotch Essential Oil is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 1	Flammable solids, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product