

Certificate

This is to certify that **Troy Lee Designs**

ABN **Not Applicable**

Head Office Address **155 East Rincon Street
Corona
California
92879
USA**

Holds Certificate Number **BMP 600726**

Is authorised to use the BSI registered Benchmark Product Certification Trademark, on products identified in the Product Certification Schedule that is attached to this Product Certification Certificate. Such products have been Type Tested and are manufactured under the Product Certification Requirements monitored by BSI to ensure that the manufacturing process has the capability to consistently produce products in compliance with and are Certified to:

AS/NZS 2063:2008 Bicycle helmets

For and on behalf of BSI

Marc Barnes, Managing Director, BSI Group ANZ Pty Ltd

Originally registered
17/12/2013

Latest issue
28/11/2022

Expiry date
17/12/2023



...making excellence a habit.

Schedule

This schedule supports the Product Certification Certificate for Troy Lee Designs

Local Business Number Not Applicable

Head Office Address 155 East Rincon Street
Corona
California
92879
USA

Holds Certificate Number BMP 600726

Standard AS/NZS 2063:2008 Bicycle helmets

Issue date 28/11/2022

| Model | BSI Review date | Description |
|---------|-----------------|---|
| A1 | 03/07/2018 | Shell PC, Liner EPS, Webbing Nylon, Retention POM. Size: 48-53cm Weight: 300g, Liner Density: 76.9g/l Size: 54-56cm,Weight: 300g, Liner Density: 76.9g/l Size: 57-59cm, Weight: 320g, Liner Density: 76.9g/l Size: 60-62cm, Weight: 360g, Liner Density: 76.9g/l |
| A1 MIPS | 07/02/2018 | Shell PC, Liner EPS, Webbing Nylon, Retention POM. Size: 48-53cm Weight: 310g, Liner Density: 76.9g/l Size: 54-56cm Weight: 310g, Liner Density: 76.9g/l Size: 57-59cm Weight: 360g, Liner Density: 76.9g/l Size: 60-62cm Weight: 410g, Liner Density: 76.9g/l |
| A2 MIPS | 07/02/2018 | Shell PC, Liner EPS, Webbing Nylon, Retention POM. Size: 54-56cm Weight: 310g, Inner EPP Liner Density: 26g/l, Outer EPS Liner Density: 100g/l Size: 57-59cm Weight: 345g, Inner EPP Liner Density: 26g/l, Outer EPS Liner Density: 100g/l Size: 60-62cm Weight: 385g, Inner EPP Liner Density: 26g/l, Outer EPS Liner Density: 100g/l |



BMP 600726
28/11/2022 Page 2 of 3

...making excellence a habit.

Schedule

| Model | BSI Review date | Description |
|-------------|-----------------|--|
| Stage MIPS | 25/10/2018 | Shell PC, Liner EPS/EPP, Comfort sizing pads X-Static material – Foam & PE, Webbing Nylon and Retention PA6 with Peak. Size: XS/S 54-57cm, Weight: 650g, Liner Density: 90g/l & 10p Size: M/L 57-59cm, Weight: 690g, Liner Density: 90g/l & 10p Size: XL/XXL 60-63, Weight: 785g, Liner Density: 90g/l & 10p |
| FLOWLINE | 19/10/2022 | Shell PC, Liner EPS (SUNPOR), Comfort sizing pads: K360 foam, Webbing : Nylon, Retention Buckles: SFX15 With Peak. Size: Youth 48-53cm, weight :295g, liner density:59.5Kg/m ³ Size: XS/S 53-56cm, weight:310g,liner density :63.6Kg/m ³ Size: M/L 57-59cm, weight:320g, liner density :59.5Kg/m ³ Size: XL/XXL 60-63cm, weight: 390g, liner density:59.5Kg/m ³ |
| FLOWLINE SE | 19/10/2022 | Shell PC, Liner EPS (SUNPOR), Comfort sizing pads: K360 foam, Webbing : Nylon, Retention Buckles: Fidlock With Peak. Size: XS/S 53-56CM, weight:310g, liner density:66.7Kg/m ³ Size: M/L 57-59cm, weight:320g, liner density:55.5Kg/m ³ Size: XL/XXL 60-63cm, weight:390g, liner density:68.1Kg/m ³ |
| GRAIL | 19/10/2022 | Shell PC, Liner EPS (SUNPOR), Comfort sizing pads: K360 foam, Webbing : Nylon, Retention Buckles: SFX15 Size: XS/S 53-56CM, weight:310g,liner density:77.5Kg/m ³ Size: M/L 57-59cm, weight:320g, liner density:66.4Kg/m ³ Size: XL/XXL 60-63cm, weight:390g, liner density:61.3Kg/m ³ |

