

Report: COA Evaluation Summary

OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street, Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com

For OLCC/OHA Compliance Purposes.

Product Description

Client:

Product Name: **CBDA Isolate B#GVL-TST52 Dup**

Process Date: 11/2/2021

Retest Date: 11/2/2023

Matrix: Hemp Concentrate

Metc Source ID: n/a

Metc Package ID: n/a

License Number: n/a

Date Collected: 2021-11-03

Date Received: 2021-11-03

Report Date: 2021-11-09

Report ID: A5073-02

Tests Requested: Cannabinoid Potency Analysis
Pesticide Analysis
Residual Solvent Analysis

Evaluation Summary


Moisture Analysis

Test Not Required

Cannabinoid Potency Analysis

Total THC *
0.00 %
0.0 mg/g

Total CBD *
85.71 %
857.1 mg/g



| Abv. | Dry Wt. % | Dry Wt. mg/g |
|---------|-----------|--------------|
| THCA | < LOQ | < LOQ |
| Δ-9-THC | < LOQ | < LOQ |
| Δ-8-THC | < LOQ | < LOQ |
| THCV | < LOQ | < LOQ |
| CBDA | 95.75 % | 957.5 mg/g |
| CBD | 1.73 % | 17.3 mg/g |
| CBGA | < LOQ | < LOQ |
| CBG | < LOQ | < LOQ |
| CBDVA | < LOQ | < LOQ |
| CBDV | < LOQ | < LOQ |
| CBN | 1.83 % | 18.3 mg/g |
| CBL | < LOQ | < LOQ |
| CBC | < LOQ | < LOQ |

Pesticide Analysis

Pesticide Status

Pass

No Pesticides Were Detected above Oregon's action limit as stated in OAR 333-007-0400.

* moisture compensated & adjusted for the loss of carboxylic acid group - OAR 333-064-0100

Report: Case Narrative

This report presents the analytical findings for the sample collected on 2021-11-03 by Skyler Smith using sampling plan A5073 and received by PREE Laboratory on 2021-11-03. The sample was assigned a laboratory ID of A5073-02. The results in this report only apply to sample A5073-02.

This report shall not be reproduced, except in full, without written consent of PREE Laboratory. Report alterations by any other entity beside PREE Laboratory are not allowed. If alterations are made to the original report after the initial release, they will be noted on the case narrative below.

The testing methods used are of sufficient sensitivity to meet the compliance criteria set in OAR 333-007. However, it is the responsibility of the client to utilize the data to comply with standards set in OAR 333-007.

All analyses were performed in accordance with PREE Laboratory's NELAP/TNI approved quality control system and all quality control data was within the laboratory's predefined acceptance criteria unless otherwise noted in the case narrative of this report. General comments are also recorded below.

Notes:

The Oregon Department of Agriculture requires hemp products to not contain more than 0.35% total THC, per OAR 603-048. Residual solvent analysis was subcontracted. The report from the subcontracting laboratory is attached. TOTAL CANNABINOIDS - 1018.5mg/g | 101.85% THC TOTAL - 0mg/g | 0% CBD TOTAL - 878.3mg/g | 87.83% THC RPD value - None CBD RPD value - 4.84



Sardar, Tamzid M. | Laboratory Director
Corvallis, Oregon



If you have any questions regarding the information in this report, please feel free to call 541-257-5002 or email PREE at services@preelab.com.

Report: Evaluation Detail



OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street, Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com

For OLCC/OHA Compliance Purposes.

| Moisture Analysis | Evaluation Detail | | | | | |
|---|------------------------------|-----------------------------|------------------------------|-------------|----------------|-------------|
| | Moisture Analysis | Test Not Requested/Required | | | | |
| Cannabinoid Potency Analysis | Evaluation Detail | | | | | |
| Product Name: CBDA Isolate B#GVL-TST52 Dup | Cannabinoid Potency Analysis | Compound | Abv. | Dry Wt. (%) | Dry Wt. (mg/g) | RL (%) |
| Analysis Date: 2021-11-05 | Total THC * | | Tetrahydro-cannabinolic acid | THCA | < LOQ | < LOQ 0.5 % |
| Testing Batch ID: V1922,1921,1916 | 0.00 % | | Delta9 Tetrahydro-cannabinol | Δ-9-THC | < LOQ | < LOQ 0.5 % |
| Testing Method: <i>LSOP #303 Cannabinoid Quantification</i> | 0.0 mg/g | | Delta8 Tetrahydro-cannabinol | Δ-8-THC | < LOQ | < LOQ 0.5 % |
| | | | Tetrahydrocannabivarin | THCV | < LOQ | < LOQ 0.5 % |
| | Total CBD * | | Cannabidiolic acid | CBDA | 95.75 % | 957.5 0.5 % |
| | 85.71 % | | Cannabidiol | CBD | 1.73 % | 17.3 0.5 % |
| | 857.1 mg/g | | Cannabigerolic acid | CBGA | < LOQ | < LOQ 0.5 % |
| | | | Cannabigerol | CBG | < LOQ | < LOQ 0.5 % |
| | | | Cannabidivarinic acid | CBDVA | < LOQ | < LOQ 0.5 % |
| | | | Cannabidivarin | CBDV | < LOQ | < LOQ 0.5 % |
| | | | Cannabinol | CBN | 1.83 % | 18.3 0.5 % |
| | | | Cannabicyclol | CBL | < LOQ | < LOQ 0.5 % |
| | | | Cannabichromene | CBC | < LOQ | < LOQ 0.5 % |

Note: Accreditation for Δ-8-THC, THCV, CBGA,CBG, CBDVA, CBDV, CBL, CBC, CBN is not offered by ORELAP and therefore are not accredited tests.

* moisture compensated & adjusted for the loss of carboxylic acid group - OAR 333-064-0100

Report: Evaluation Detail



OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street, Corvallis OR, 97333 | 541.257.5002 | services@preelab.com | Preelab.com

For OLCC/OHA Compliance Purposes.

Pesticide Analysis

Product Name: **CBDA Isolate B#GVL-TST52 Dup**

Analysis Date: 2021-11-04

Testing Batch ID: V1918,1917,1916,1915

Testing Method: LSOP #307 Pesticides by LCMS/MS

Evaluation Detail

| Pesticide Name | Tested Value (ppm) | Pass Criteria (ppm) | LOQ (ppm) | Status Pass/Unsatisfactory |
|---------------------|--------------------|---------------------|-----------|----------------------------|
| Abamectin | < LOQ | 0.50 | 0.20 | Pass |
| Acephate | < LOQ | 0.40 | 0.04 | Pass |
| Acequinocyl | < LOQ | 2.00 | 0.20 | Pass |
| Acetamiprid | < LOQ | 0.20 | 0.04 | Pass |
| Aldicarb | < LOQ | 0.40 | 0.04 | Pass |
| Azoxystrobin | < LOQ | 0.20 | 0.04 | Pass |
| Bifenazate | < LOQ | 0.20 | 0.04 | Pass |
| Bifenthrin | < LOQ | 0.20 | 0.20 | Pass |
| Boscalid | < LOQ | 0.40 | 0.04 | Pass |
| Carbaryl | < LOQ | 0.20 | 0.04 | Pass |
| Carbofuran | < LOQ | 0.20 | 0.04 | Pass |
| Chlorantraniliprole | < LOQ | 0.20 | 0.04 | Pass |
| Chlorfenapyr | < LOQ | 1.00 | 1.00 | Pass |
| Chlorpyrifos | < LOQ | 0.20 | 0.04 | Pass |
| Clofentezine | < LOQ | 0.20 | 0.20 | Pass |
| Cyfluthrin | < LOQ | 1.00 | 1.00 | Pass |
| Cypermethrin | < LOQ | 1.00 | 1.00 | Pass |
| Daminozide | < LOQ | 1.00 | 0.20 | Pass |
| Diazinon | < LOQ | 0.20 | 0.04 | Pass |
| Dichlorvos | < LOQ | 1.00 | 0.20 | Pass |
| Dimethoate | < LOQ | 0.20 | 0.04 | Pass |
| Ethoprophos | < LOQ | 0.20 | 0.04 | Pass |
| Etofenprox | < LOQ | 0.40 | 0.20 | Pass |
| Etoxazole | < LOQ | 0.20 | 0.04 | Pass |
| Fenoxycarb | < LOQ | 0.20 | 0.04 | Pass |
| Fenpyroximate | < LOQ | 0.40 | 0.20 | Pass |
| Fipronil | < LOQ | 0.40 | 0.04 | Pass |
| Flonicamid | < LOQ | 1.00 | 0.04 | Pass |
| Fludioxonil | < LOQ | 0.40 | 0.20 | Pass |
| Hexythiazox | < LOQ | 1.00 | 0.04 | Pass |
| Imazalil | < LOQ | 0.20 | 0.04 | Pass |
| Imidacloprid | < LOQ | 0.40 | 0.04 | Pass |
| Kresoxim-methyl | < LOQ | 0.40 | 0.20 | Pass |

Continued on next page...

Report: Evaluation Detail

Pesticide Analysis

Evaluation Detail

| Pesticide Name | Tested Value (ppm) | Pass Criteria (ppm) | LOQ (ppm) | Status Pass/Unsatisfactory |
|--------------------|--------------------|---------------------|-----------|----------------------------|
| Malathion | < LOQ | 0.20 | 0.04 | Pass |
| Metalaxyl | < LOQ | 0.20 | 0.04 | Pass |
| Methiocarb | < LOQ | 0.20 | 0.04 | Pass |
| Methomyl | < LOQ | 0.40 | 0.04 | Pass |
| Methyl-Parathion | < LOQ | 0.20 | 0.20 | Pass |
| MGK-264 | < LOQ | 0.20 | 0.20 | Pass |
| Myclobutanil | < LOQ | 0.20 | 0.20 | Pass |
| Naled | < LOQ | 0.50 | 0.04 | Pass |
| Oxamyl | < LOQ | 1.00 | 0.04 | Pass |
| Paclobutrazol | < LOQ | 0.40 | 0.04 | Pass |
| Permethrins | < LOQ | 0.20 | 0.20 | Pass |
| Phosmet | < LOQ | 0.20 | 0.04 | Pass |
| Piperonyl butoxide | < LOQ | 2.00 | 0.04 | Pass |
| Prallethrin | < LOQ | 0.20 | 0.20 | Pass |
| Propiconazole | < LOQ | 0.40 | 0.20 | Pass |
| Propoxur | < LOQ | 0.20 | 0.04 | Pass |
| Pyrethrins | < LOQ | 1.00 | 1.00 | Pass |
| Pyridaben | < LOQ | 0.20 | 0.04 | Pass |
| Spinosad | < LOQ | 0.20 | 0.20 | Pass |
| Spiromesifen | < LOQ | 0.20 | 0.20 | Pass |
| Spirotetramat | < LOQ | 0.20 | 0.04 | Pass |
| Spiroxamine | < LOQ | 0.40 | 0.04 | Pass |
| Tebuconazole | < LOQ | 0.40 | 0.04 | Pass |
| Thiacloprid | < LOQ | 0.20 | 0.04 | Pass |
| Thiamethoxam | < LOQ | 0.20 | 0.04 | Pass |
| Trifloxystrobin | < LOQ | 0.20 | 0.04 | Pass |

Report: Quality Check



OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street, Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com

For OLCC/OHA Compliance Purposes.

| Moisture Analysis | Quality Control Detail | | | | | | |
|-------------------------------------|-------------------------------|--|----|-----|--------------------|------------------|---------------|
| | Moisture Analysis | | | | | | |
| Cannabinoid Potency Analysis | Quality Control Detail | | | | | | |
| Analysis Date: 2021-11-05 | Cannabinoid Potency Analysis | | MB | LCS | Expected Value (%) | Tested Value (%) | Pass Criteria |
| Testing Batch ID: V1922,1921,1916 | Tetrahydro-cannabinolic acid | | ○ | | < 0.1% | < 0.1% | < 0.1% |
| | Delta9 Tetrahydro-cannabinol | | ○ | | < 0.1% | < 0.1% | < 0.1% |
| | Cannabidiolic acid | | ○ | | < 0.1% | < 0.1% | < 0.1% |
| | Cannabidiol | | ○ | | < 0.1% | < 0.1% | < 0.1% |
| | Tetrahydro-cannabinolic acid | | | ● | 100.0% | Not Used | 80-120% |
| | Delta9 Tetrahydro-cannabinol | | | ● | 100.0% | Not Used | 80-120% |
| | Cannabidiolic acid | | | ● | 100.0% | Not Used | 80-120% |
| | Cannabidiol | | | ● | 100.0% | Not Used | 80-120% |

Report: Quality Check



OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street, Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com

For OLCC/OHA Compliance Purposes.

Pesticide Analysis

Analysis Date: 2021-11-04

Testing Batch ID: V1918,1917,1916,1915

Quality Control Detail

| Pesticide Name | MB | Expected Value (ppm) | Tested Value (ppm) | Pass Criteria (ppm) |
|---------------------|----|----------------------|--------------------|---------------------|
| Abamectin | o | < 0.1 | < 0.1 | < 0.1 |
| Acephate | o | < 0.02 | < 0.02 | < 0.02 |
| Acequinocyl | o | < 0.1 | < 0.1 | < 0.1 |
| Acetamiprid | o | < 0.02 | < 0.02 | < 0.02 |
| Aldicarb | o | < 0.02 | < 0.02 | < 0.02 |
| Azoxystrobin | o | < 0.02 | < 0.02 | < 0.02 |
| Bifenazate | o | < 0.02 | < 0.02 | < 0.02 |
| Bifenthrin | o | < 0.1 | < 0.1 | < 0.1 |
| Boscalid | o | < 0.02 | < 0.02 | < 0.02 |
| Carbaryl | o | < 0.02 | < 0.02 | < 0.02 |
| Carbofuran | o | < 0.02 | < 0.02 | < 0.02 |
| Chlorantraniliprole | o | < 0.02 | < 0.02 | < 0.02 |
| Chlorfenapyr | o | < 0.5 | < 0.5 | < 0.5 |
| Chlorpyrifos | o | < 0.02 | < 0.02 | < 0.02 |
| Clofentezine | o | < 0.1 | < 0.1 | < 0.1 |
| Cyfluthrin | o | < 0.5 | < 0.5 | < 0.5 |
| Cypermethrin | o | < 0.5 | < 0.5 | < 0.5 |
| Daminozide | o | < 0.1 | < 0.1 | < 0.1 |
| Diazinon | o | < 0.02 | < 0.02 | < 0.02 |
| Dichlorvos | o | < 0.1 | < 0.1 | < 0.1 |
| Dimethoate | o | < 0.02 | < 0.02 | < 0.02 |
| Ethoprophos | o | < 0.02 | < 0.02 | < 0.02 |
| Etofenprox | o | < 0.1 | < 0.1 | < 0.1 |
| Etoxazole | o | < 0.02 | < 0.02 | < 0.02 |
| Fenoxycarb | o | < 0.02 | < 0.02 | < 0.02 |
| Fenpyroximate | o | < 0.1 | < 0.1 | < 0.1 |
| Fipronil | o | < 0.02 | < 0.02 | < 0.02 |
| Flonicamid | o | < 0.02 | < 0.02 | < 0.02 |
| Fludioxonil | o | < 0.1 | < 0.1 | < 0.1 |
| Hexythiazox | o | < 0.02 | < 0.02 | < 0.02 |
| Imazalil | o | < 0.02 | < 0.02 | < 0.02 |
| Imidacloprid | o | < 0.02 | < 0.02 | < 0.02 |
| Kresoxim-methyl | o | < 0.1 | < 0.1 | < 0.1 |

Continued on next page...

Pesticide Analysis

Quality Control Detail

| Pesticide Name | MB | Expected Value (ppm) | Tested Value (ppm) | Pass Criteria (ppm) |
|------------------------|----|----------------------|--------------------|---------------------|
| Malathion | o | < 0.02 | < 0.02 | < 0.02 |
| Metalaxyl | o | < 0.02 | < 0.02 | < 0.02 |
| Methiocarb | o | < 0.02 | < 0.02 | < 0.02 |
| Methomyl | o | < 0.02 | < 0.02 | < 0.02 |
| Methyl-Parathion | o | < 0.1 | < 0.1 | < 0.1 |
| MGK-264 I | o | < 0.1 | < 0.1 | < 0.1 |
| MGK-264 II | o | < 0.1 | < 0.1 | < 0.1 |
| Myclobutanil | o | < 0.1 | < 0.1 | < 0.1 |
| Naled | o | < 0.02 | < 0.02 | < 0.02 |
| Oxamyl | o | < 0.02 | < 0.02 | < 0.02 |
| Paclobutrazol | o | < 0.02 | < 0.02 | < 0.02 |
| Permethrin - trans | o | < 0.1 | < 0.1 | < 0.1 |
| Permethrin - cis | o | < 0.1 | < 0.1 | < 0.1 |
| Phosmet | o | < 0.02 | < 0.02 | < 0.02 |
| Piperonyl butoxide | o | < 0.02 | < 0.02 | < 0.02 |
| Prallethrin | o | < 0.1 | < 0.1 | < 0.1 |
| Propiconazole | o | < 0.1 | < 0.1 | < 0.1 |
| Propoxur | o | < 0.02 | < 0.02 | < 0.02 |
| Pyrethrin - Cinerin | o | < 0.5 | < 0.5 | < 0.5 |
| Pyrethrin - Jasmolin | o | < 0.5 | < 0.5 | < 0.5 |
| Pyrethrin - Pyrethrins | o | < 0.5 | < 0.5 | < 0.5 |
| Pyridaben | o | < 0.02 | < 0.02 | < 0.02 |
| Spinosyn A | o | < 0.1 | < 0.1 | < 0.1 |
| Spinosyn D | o | < 0.1 | < 0.1 | < 0.1 |
| Spiromesifen | o | < 0.1 | < 0.1 | < 0.1 |
| Spirotetramat | o | < 0.02 | < 0.02 | < 0.02 |
| Spiroxamine | o | < 0.02 | < 0.02 | < 0.02 |
| Tebuconazole | o | < 0.02 | < 0.02 | < 0.02 |
| Thiacloprid | o | < 0.02 | < 0.02 | < 0.02 |
| Thiamethoxam | o | < 0.02 | < 0.02 | < 0.02 |
| Trifloxystrobin | o | < 0.02 | < 0.02 | < 0.02 |

Continued on next page...

Report: Quality Check



OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street, Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com

For OLCC/OHA Compliance Purposes.

Pesticide Analysis

Quality Control Detail

| Pesticide Name | LCS | Expected Recovery (%) | Actual Recovery (%) | Pass Criteria (%) |
|---------------------|-----|-----------------------|---------------------|-------------------|
| Abamectin | ● | 100.00 | 98.78 | 60 - 140 |
| Acephate | ● | 100.00 | 102.70 | 60 - 140 |
| Acequinocyl | ● | 100.00 | 95.77 | 60 - 140 |
| Acetamiprid | ● | 100.00 | 99.78 | 60 - 140 |
| Aldicarb | ● | 100.00 | 97.21 | 60 - 140 |
| Azoxystrobin | ● | 100.00 | 95.10 | 60 - 140 |
| Bifenazate | ● | 100.00 | 101.28 | 60 - 140 |
| Bifenthrin | ● | 100.00 | 94.52 | 60 - 140 |
| Boscalid | ● | 100.00 | 101.09 | 60 - 140 |
| Carbaryl | ● | 100.00 | 98.21 | 60 - 140 |
| Carbofuran | ● | 100.00 | 97.91 | 60 - 140 |
| Chlorantraniliprole | ● | 100.00 | 102.35 | 60 - 140 |
| Chlorfenapyr | ● | 100.00 | 109.74 | 60 - 140 |
| Chlorpyrifos | ● | 100.00 | 98.93 | 60 - 140 |
| Clofentezine | ● | 100.00 | 100.26 | 60 - 140 |
| Cyfluthrin | ● | 100.00 | 84.72 | 60 - 140 |
| Cypermethrin | ● | 100.00 | 98.81 | 60 - 140 |
| Daminozide | ● | 100.00 | 98.60 | 60 - 140 |
| Diazinon | ● | 100.00 | 100.07 | 60 - 140 |
| Dichlorvos | ● | 100.00 | 99.74 | 60 - 140 |
| Dimethoate | ● | 100.00 | 99.49 | 60 - 140 |
| Ethoprophos | ● | 100.00 | 100.15 | 60 - 140 |
| Etofenprox | ● | 100.00 | 97.38 | 60 - 140 |
| Etoxazole | ● | 100.00 | 99.61 | 60 - 140 |
| Fenoxycarb | ● | 100.00 | 100.73 | 60 - 140 |
| Fenpyroximate | ● | 100.00 | 95.81 | 60 - 140 |
| Fipronil | ● | 100.00 | 99.89 | 60 - 140 |
| Flonicamid | ● | 100.00 | 100.45 | 60 - 140 |
| Fludioxonil | ● | 100.00 | 101.71 | 60 - 140 |
| Hexythiazox | ● | 100.00 | 100.19 | 60 - 140 |
| Imazalil | ● | 100.00 | 101.31 | 60 - 140 |
| Imidacloprid | ● | 100.00 | 99.30 | 60 - 140 |
| Kresoxim-methyl | ● | 100.00 | 100.64 | 60 - 140 |

Continued on next page...

Report: Quality Check



OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street, Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com

For OLCC/OHA Compliance Purposes.

Pesticide Analysis

Quality Control Detail

| Pesticide Name | LCS | Expected Recovery (%) | Actual Recovery (%) | Pass Criteria (%) |
|------------------------|-----|-----------------------|---------------------|-------------------|
| Malathion | • | 100.00 | 102.19 | 60 - 140 |
| Metalaxyl | • | 100.00 | 97.79 | 60 - 140 |
| Methiocarb | • | 100.00 | 98.99 | 60 - 140 |
| Methomyl | • | 100.00 | 99.44 | 60 - 140 |
| Methyl-Parathion | • | 100.00 | 92.27 | 60 - 140 |
| MGK-264 I | • | 100.00 | 111.19 | 60 - 140 |
| MGK-264 II | • | 100.00 | 93.18 | 60 - 140 |
| Myclobutanil | • | 100.00 | 101.06 | 60 - 140 |
| Naled | • | 100.00 | 101.09 | 60 - 140 |
| Oxamyl | • | 100.00 | 97.93 | 60 - 140 |
| Paclobutrazol | • | 100.00 | 101.78 | 60 - 140 |
| Permethrin - trans | • | 100.00 | 100.92 | 60 - 140 |
| Permethrin - cis | • | 100.00 | 107.85 | 60 - 140 |
| Phosmet | • | 100.00 | 99.93 | 60 - 140 |
| Piperonyl butoxide | • | 100.00 | 103.56 | 60 - 140 |
| Prallethrin | • | 100.00 | 109.70 | 60 - 140 |
| Propiconazole | • | 100.00 | 96.95 | 60 - 140 |
| Propoxur | • | 100.00 | 97.53 | 60 - 140 |
| Pyrethrin - Cinerin | • | 100.00 | 98.70 | 60 - 140 |
| Pyrethrin - Jasmolin | • | 100.00 | 113.71 | 60 - 140 |
| Pyrethrin - Pyrethrins | • | 100.00 | 101.82 | 60 - 140 |
| Pyridaben | • | 100.00 | 107.19 | 60 - 140 |
| Spinosyn A | • | 100.00 | 101.69 | 60 - 140 |
| Spinosyn D | • | 100.00 | 104.62 | 60 - 140 |
| Spiromesifen | • | 100.00 | 89.29 | 60 - 140 |
| Spirotetramat | • | 100.00 | 98.43 | 60 - 140 |
| Spiroxamine | • | 100.00 | 99.77 | 60 - 140 |
| Tebuconazole | • | 100.00 | 102.99 | 60 - 140 |
| Thiacloprid | • | 100.00 | 98.26 | 60 - 140 |
| Thiamethoxam | • | 100.00 | 99.59 | 60 - 140 |
| Trifloxystrobin | • | 100.00 | 107.43 | 61 - 140 |

Definitions

- Limit of Quantitation (LOQ) : The minimum level, concentration, or quantity of a target analyte that can be reported with a specific degree of confidence.
- Method Blank (MB) : A quality control sample that is free of the analyte being measured.
- Laboratory Control Sample (LCS) : A quality control sample with a known amount of the analyte used to demonstrate accuracy.
- Field Duplicate : A second sample collected in the field using the same sampling method as the primary sample.
- Action Limit : Analyte levels set by the state of Oregon (OAR 333-007) indicating that follow-up action is necessary.
- ppm : parts per million, equivalent to 1 µg/g and 1 µg/L or 0.001 mg/g and 0.001 mg/L
- COA : Certificate of Analysis.
- Report Flag (A) : Compound tested over 100% or 1000 mg/g. The test result is within the method uncertainty and instrument result is not above the upper limit of quantitation. Value will be adjusted down to 100% or 1000 mg/kg in the reporting process.
- Report Flag (B) : Blank contamination - The analyte was detected above one-half the reporting limit in an associated blank.
- Report Flag (E) : Compound tested above the upper limit of quantitation.
- Report Flag (Q) : One or more quality control criteria (for example, LCS recovery, surrogate spike recovery) failed.

Calculations

- Cannabinoid Potency :
$$\text{Wet WT\%} = (\text{Exported concentration ppm}) \times (\text{Dilution}) \times (\text{Extraction Vol./Wet wt mg}) \times 100$$
$$\text{Total THC\%} = (\% \text{THCA}) \times 0.877 + (\% \text{THC})$$
$$\text{Total CBD\%} = (\% \text{CBDA}) \times 0.877 + (\% \text{CBD})$$
$$\text{Total THC (Dry WT)\%} = \% \text{ total THC(wet)} / [1 - (\% \text{moisture}/100)]$$
$$\text{Total CBD (Dry WT)\%} = \% \text{ total CBD(wet)} / [1 - (\% \text{moisture}/100)]$$
- Percentage Recovery :
$$\% \text{ Rec.} = [(\text{Amount measured}) / (\text{Known amount})] \times 100$$

Disclaimers

- Disposal : All marijuana and hemp products received by PREE will be disposed of following the OLCC's rules for Marijuana Waste Management, regardless of product type, unless PREE is given specific disposal instructions for a product based on test results from state regulatory agencies.

EVIO Labs Portland
14775 SW 74th Ave, Tigard, OR 97224
503-954-2562 / OLCC 010-10046111391 / www.EVIOLabs.com

A5073-02

FREE Labs

010-10087092BDA

Sample ID: P210997-02 METRC Batch #:

Matrix: Extract/Concentrate

Date Sampled: 11/08/21 09:00

Date Accepted: 11/08/21

Batch ID:

Batch Size:

Sampling Method/SOP: SOP.T.20.010

Residual Solvents

| Analyte | LOQ | Action Level | Result | Units |
|-----------------------------|--------|-------------------|--------|-------|
| Butanes | 2500 | 5000 ³ | < LOQ | ppm |
| n-Butane | 1250 | 5000 | < LOQ | ppm |
| iso-Butane | 1250 | 5000 | < LOQ | ppm |
| Hexanes | 145 | 290 ⁴ | < LOQ | ppm |
| n-Hexane | 145 | 290 | < LOQ | ppm |
| 2-Methylpentane | 145 | 290 | < LOQ | ppm |
| 3-Methylpentane | 145 | 290 | < LOQ | ppm |
| 2,2-Dimethylbutane | 145 | 290 | < LOQ | ppm |
| 2,3-Dimethylbutane | 145 | 290 | < LOQ | ppm |
| Pentanes | 2500 | 5000 ⁵ | < LOQ | ppm |
| n-Pentane | 833.33 | 5000 | < LOQ | ppm |
| iso-Pentane | 833.33 | 5000 | < LOQ | ppm |
| Neopentane | 833.33 | 5000 | < LOQ | ppm |
| Xylenes | 1085 | 2170 | < LOQ | ppm |
| 1,2-Dimethylbenzene | 271.25 | 2170 | < LOQ | ppm |
| 1,3-Dimethylbenzene | 271.25 | 2170 | < LOQ | ppm |
| 1,4-Dimethylbenzene | 271.25 | 2170 | < LOQ | ppm |
| Xylenes MP | 1085 | 2170 | < LOQ | ppm |
| Ethyl benzene | 271.25 | NA | < LOQ | ppm |
| 2-Propanol (IPA) | 2500 | 5000 | < LOQ | ppm |
| Acetone | 2500 | 5000 | < LOQ | ppm |
| Acetonitrile | 205 | 410 | < LOQ | ppm |
| Benzene | 1 | 2 | < LOQ | ppm |
| Methanol | 1500 | 3000 | < LOQ | ppm |
| Propane | 2500 | 5000 | < LOQ | ppm |
| Toluene | 445 | 890 | < LOQ | ppm |
| Dichloromethane | 300 | 600 | < LOQ | ppm |
| 1,4-Dioxane | 190 | 380 | < LOQ | ppm |
| 2-Butanol | 2500 | 5000 | < LOQ | ppm |
| 2-Ethoxyethanol | 80 | 160 | < LOQ | ppm |
| Cumene | 35 | 70 | < LOQ | ppm |
| Cyclohexane | 1940 | 3880 | < LOQ | ppm |
| Ethyl acetate | 2500 | 5000 | < LOQ | ppm |
| Ethyl ether | 2500 | 5000 | < LOQ | ppm |
| Ethylene glycol | 310 | 620 | < LOQ | ppm |
| Ethylene oxide | 25 | 50 | < LOQ | ppm |
| Heptane | 2500 | 5000 | < LOQ | ppm |
| Isopropyl acetate | 2500 | 5000 | < LOQ | ppm |
| Tetrahydrofuran | 360 | 720 | < LOQ | ppm |
| Ethanol | 500 | NA ⁷ | < LOQ | ppm |
| 1,6-octadien-3-ol,3,7-dime | NA | TIC | NA | |
| alpha-terpineol | NA | TIC | NA | |
| Bicyclo[2.2.1] heptan-2-ol, | NA | TIC | NA | |
| Bicyclo[4.2.0]oct-1-ene, 7- | NA | TIC | NA | |
| ethanone, 1-(1-cyclohexer | NA | TIC | NA | |

Date/Time Extracted: 11/09/21 10:38

Date/Time Analyzed: 11/09/21 15:00

Analysis Method/SOP: SOP.T.40.031

3 - Total butanes are calculated as sum of n-butaness (CAS# 106-97-8) and iso-butane (CAS# 75-28-5)

4 - Total hexanes are calculated as sum of n-hexane (CAS# 110-54-3), 2-methylpentane (CAS# 107-83-5), 3-methylpentane (CAS# 96-14-0), 2,2-dimethylbutane (CAS# 75-83-2), 2,3-dimethylbutane (CAS# 79-29-8)

5 - Total pentanes are calculated as sum of n-pentane (CAS# 109-66-0), iso-pentane (CAS# 78-78-4), and neo-pentane (CAS# 463-82-1)

6 - Total xylenes are calculated as 1,2-dimethylbenzene (CAS# 95-47-6), 1,3-dimethylbenzene (CAS# 106-42-3), and 1-4-dimethylbenzene (CAS# 106-42-3)

7 - Ethanol is not regulated under OAR-333-007-0410.

TIC - Tentatively Identified Compound not regulated under OAR-333-007-0410

Results above the action level fail Oregon state testing requirements and will be highlighted RED. LOQ=Limit of Quantitation; PPM=Parts per million; ND=Not detected; NT=Not tested; AC=Above calibration range. PASS/FAIL status based on OAR 333-007.



Kawai Medeiros
Laboratory Manager - 11/9/2021

EVIO Labs Portland
14775 SW 74th Ave, Tigard, OR 97224
503-954-2562 / OLCC 010-10046111391 / www.EVIOLabs.com

Quality Control

Batch: P21K032 - SOP.T.40.031 Solvents

| Blank(P21K032-BLK1) | | | Extracted: 11/09/21 10:38 | | Analyzed: 11/09/21 15:00 | | |
|---------------------|--------|--------------|---------------------------|---------------------|--------------------------|--------------|-----------------|
| Analyte | Result | LOQ | Recovery Limits | Analyte | Result | LOQ | Recovery Limits |
| Butanes | < LOQ | 2500 (ppm) | < LOQ | n-Butane | < LOQ | 1250 (ppm) | < LOQ |
| iso-Butane | < LOQ | 1250 (ppm) | < LOQ | Hexanes | < LOQ | 145 (ppm) | < LOQ |
| n-Hexane | < LOQ | 145 (ppm) | < LOQ | 2-Methylpentane | < LOQ | 145 (ppm) | < LOQ |
| 3-Methylpentane | < LOQ | 145 (ppm) | < LOQ | 2,2-Dimethylbutane | < LOQ | 145 (ppm) | < LOQ |
| 2,3-Dimethylbutane | < LOQ | 145 (ppm) | < LOQ | Pentanes | < LOQ | 2500 (ppm) | < LOQ |
| n-Pentane | < LOQ | 833.33 (ppm) | < LOQ | iso-Pentane | < LOQ | 833.33 (ppm) | < LOQ |
| Neopentane | < LOQ | 833.33 (ppm) | < LOQ | Xylenes | < LOQ | 1085 (ppm) | < LOQ |
| 1,2-Dimethylbenzene | < LOQ | 271.25 (ppm) | < LOQ | 1,3-Dimethylbenzene | < LOQ | 271.25 (ppm) | < LOQ |
| 1,4-Dimethylbenzene | < LOQ | 271.25 (ppm) | < LOQ | Xylenes MP | < LOQ | 1085 (ppm) | < LOQ |
| Ethyl benzene | < LOQ | 271.25 (ppm) | < LOQ | 2-Propanol (IPA) | < LOQ | 2500 (ppm) | < LOQ |
| Acetone | < LOQ | 2500 (ppm) | < LOQ | Acetonitrile | < LOQ | 205 (ppm) | < LOQ |
| Benzene | < LOQ | 1 (ppm) | < LOQ | Methanol | < LOQ | 1500 (ppm) | < LOQ |
| Propane | < LOQ | 2500 (ppm) | < LOQ | Toluene | < LOQ | 445 (ppm) | < LOQ |
| Dichloromethane | < LOQ | 300 (ppm) | < LOQ | 1,4-Dioxane | < LOQ | 190 (ppm) | < LOQ |
| 2-Butanol | < LOQ | 2500 (ppm) | < LOQ | 2-Ethoxyethanol | < LOQ | 80 (ppm) | < LOQ |
| Cumene | < LOQ | 35 (ppm) | < LOQ | Cyclohexane | < LOQ | 1940 (ppm) | < LOQ |
| Ethyl acetate | < LOQ | 2500 (ppm) | < LOQ | Ethyl ether | < LOQ | 2500 (ppm) | < LOQ |
| Ethylene glycol | < LOQ | 310 (ppm) | < LOQ | Ethylene oxide | < LOQ | 25 (ppm) | < LOQ |
| Heptane | < LOQ | 2500 (ppm) | < LOQ | Isopropyl acetate | < LOQ | 2500 (ppm) | < LOQ |
| Tetrahydrofuran | < LOQ | 360 (ppm) | < LOQ | Ethanol | < LOQ | 500 (ppm) | < LOQ |

| LCS(P21K032-BS1) | | | Extracted: 11/09/21 10:38 | | Analyzed: 11/09/21 15:00 | | |
|---------------------|------------|-------|---------------------------|---------------------|--------------------------|-------|-----------------|
| Analyte | % Recovery | LOQ | Recovery Limits | Analyte | % Recovery | LOQ | Recovery Limits |
| Butanes | 57.7 | (ppm) | 0-200 | n-Butane | 63.3 | (ppm) | 50-150 |
| iso-Butane | 52.2 | (ppm) | 50-150 | Hexanes | 105 | (ppm) | 0-200 |
| n-Hexane | 109 | (ppm) | 70-130 | 2-Methylpentane | 111 | (ppm) | 70-130 |
| 3-Methylpentane | 109 | (ppm) | 70-130 | 2,2-Dimethylbutane | 110 | (ppm) | 70-130 |
| 2,3-Dimethylbutane | 88.7 | (ppm) | 70-130 | Pentanes | 104 | (ppm) | 0-200 |
| n-Pentane | 82.7 | (ppm) | 70-130 | iso-Pentane | 74.3 | (ppm) | 70-130 |
| Neopentane | 110 | (ppm) | 50-150 | Xylenes | 139 | (ppm) | 0-200 |
| 1,2-Dimethylbenzene | 141 | (ppm) | 70-130 | 1,3-Dimethylbenzene | 139 | (ppm) | 70-130 |
| 1,4-Dimethylbenzene | 139 | (ppm) | 70-130 | Xylenes MP | 140 | (ppm) | 0-200 |
| Ethyl benzene | 144 | (ppm) | 70-130 | 2-Propanol (IPA) | 104 | (ppm) | 70-130 |
| Acetone | 99.9 | (ppm) | 70-130 | Acetonitrile | 103 | (ppm) | 70-130 |
| Benzene | 131 | (ppm) | 70-130 | Methanol | 113 | (ppm) | 70-130 |
| Propane | 43.5 | (ppm) | 50-150 | Toluene | 146 | (ppm) | 70-130 |
| Dichloromethane | 113 | (ppm) | 70-130 | 1,4-Dioxane | 156 | (ppm) | 70-130 |



Kawai Medeiros
Laboratory Manager - 11/9/2021

EVIO Labs Portland
 14775 SW 74th Ave, Tigard, OR 97224
 503-954-2562 / OLCC 010-10046111391 / www.EVIOLabs.com

Quality Control

Batch: P21K032 - SOP.T.40.031 Solvents (Continued)

| LCS(P21K032-BS1) | | | Extracted: 11/09/21 10:38 | | Analyzed: 11/09/21 15:00 | | |
|------------------|------------|-------|---------------------------|-------------------|--------------------------|-------|-----------------|
| Analyte | % Recovery | LOQ | Recovery Limits | Analyte | % Recovery | LOQ | Recovery Limits |
| 2-Butanol | 104 | (ppm) | 70-130 | 2-Ethoxyethanol | 116 | (ppm) | 70-130 |
| Cumene | 160 | (ppm) | 50-150 | Cyclohexane | 110 | (ppm) | 70-130 |
| Ethyl acetate | 100 | (ppm) | 70-130 | Ethyl ether | 103 | (ppm) | 70-130 |
| Ethylene glycol | 111 | (ppm) | 50-150 | Ethylene oxide | 87.2 | (ppm) | 50-150 |
| Heptane | 110 | (ppm) | 70-130 | Isopropyl acetate | 123 | (ppm) | 70-130 |
| Tetrahydrofuran | 99.6 | (ppm) | 70-130 | | | | |



Kawai Medeiros
 Laboratory Manager - 11/9/2021