




Insertion Instructions

Before inserting the FS-HAL1, turn down the volume on your sound source and either drape the cord over your shoulders and down your back, or run the cord down in front. The FS-HAL1 is marked with (R) and (L) on the top of the headphone (Fig 1).


With the body of the FS-HAL1 toward the back of your ear and the cord facing forward, insert the eartip into your ear canal before the foam expands back to its original shape (Fig 2) . If you have trouble inserting the FS-HAL1, reach over your head with your opposite hand and gently pull up and back on the top of your ear before inserting the eartip. This helps straighten your ear canal and may allow for easier insertion.

The FS-HAL1 cord should run over and behind your ear.




IDENTIFY EARPIECES

marked (R) for right and
(L) for left



ALIGN EARPIECES

at the ear canal, with cord
facing forward & slightly
downward




INSERT EARTIP

into ear canal and rotate
earpiece backwards &
into position


Once the FS-HAL1 and cords are comfortably in place, slide the cable zipper up to the base of your skull (not too snugly, as this may cause discomfort) . This will limit cable movement and help ensure that your FS-HAL1 stay in place during use.

Cable Removal



HOLD


the earpiece and cable firmly
with each hand



REMOVE


the cable by holding close to
the connection and pulling at
a straight angle from the socket
Do not pull from the wire!

Cable Replacement




CHECK

if the cable is for the left or
right FS-HAL1



MATCH

the cable to the
appropriate FS-HAL1



INSERT

the cable into the FS-HAL1
by pushing directly into
the socket

Maintenance

Here are a few simple guidelines that can greatly improve your listening

- Always store your FS-HAL1 in the provided case.
- In case of poor sound quality due to earwax in the sound bore, remove the eartip and use a clean dry towel to wipe off the earwax. Never use any other object to attempt to remove the earwax as this may result in damage to the FS-HAL1s and will void the warranty.
- Do not use the cord to remove the FS-HAL1s from your ears. This may cause damage to the cord and result in poor performance.

Damage of this nature is not covered by the warranty.

- Do not expose your FS-HAL1 to temperature extremes.
- Avoid strong impacts to your FS-HAL1.
- Wipe down your FS-HAL1 after each use.
- Never immerse them in water.

Please Note: Moisture in your FS-HAL1 can cause temporary performance issues. Do not insert your FS-HAL1 if your ears are wet. Always dry your ears completely before inserting your FS-HAL1s. Should you inadvertently allow water or perspiration into the FS-HAL1s and they quit working, allow to dry completely before attempting to use again. Minor moisture build-up should dry out and not affect long-term performance.

Extended exposure to moisture or submersion will result in permanent damage (not covered by the warranty).

Please read this important information before using your FS-HAL1. If everything sounds muffled or you hear ringing or buzzing after using your FS-HAL1, your ears are trying to give you a warning!

These are symptoms normally associated with a condition known as Temporary Threshold Shift and are an indication of conditions that could lead to permanent hearing loss.

While no two individuals’ hearing sensitivity is exactly the same, there are established safety guidelines for sound levels versus time of exposure.

The chart (see below) is based on OSHA’s (Occupational Safety and Health Administration) exposure information for industry. Remember that these guidelines are based on average hearing sensitivity. Your sensitivity may be above or below these levels.

The use of any FS-HAL1 off ear benefits and risks. FS-HAL1 can lower ambient sound levels approximately 25dB when properly worn. However, the performance capabilities of the FS-HAL1 can allow the user to negate the benefits of hearing protection from ambient sound.

dB Level	MAXIMUM Exposure Time	dB Level	MAXIMUM Exposure Time	dB Level	MAXIMUM Exposure Time
85	8hr	95	2hr	105	30mins
90	4hr	100	1hr	110	15mins

****Always pay attention to the surroundings while you use the headphones and personal hearing protection is your responsibility!**

Limited Product Warranty

Atlantic Technology warrants this product to be free of defects in material or workmanship for a period of one (1) year from the date of original retail purchase. This warranty is available only to the original purchaser, and only if purchased from an authorized Atlantic Technology distributor or reseller. If your product is found to be defective during the warranty period, Atlantic Technology will, at its sole option, either repair the product or replace the product with a new or factory reconditioned or substantially equivalent model. This limited warranty does not apply to loss, theft, or any defects attributable to damage beyond the reasonable control of Atlantic Technology including damage caused by abuse, misuse, misapplication or modifications performed by anyone other than Atlantic Technology. This warranty applies only to the external shell of the product, the internal components and cable. The carrying case, cleaning tool, any adapters and other included accessories are warranted for 30 days. Eartips are not covered by the warranty.

Repair/Replacement Warranty

This Limited Warranty shall apply to any repair, replacement part or replacement product for the remainder of the original warranty period or for thirty (30) days, whichever period of time is greater. Any parts or product replaced under warranty will become the property of Atlantic Technology.

Requesting Warranty Support

If your product is not functioning properly, first ensure that the sound bore is not blocked by earwax and that the unit is completely dry. Performing these simple troubleshooting steps could solve the problem and eliminate the need for factory service.

Valid warranty claims are generally processed through the point of purchase during the first thirty (30) days after retail purchase.

United States & Canada

If it is necessary to return your product to Atlantic Technology for warranty or post-warranty service, contact us to request a return merchandise authorization (RMA) number. You may call 1-781- 762-6300 or go to customer-support. Please note you will be required to submit reasonable proof of purchase date, ownership, and that the product was purchased from an authorized Atlantic Technology retailer. Once you receive your RMA number, package the product securely to prevent damage in transit, include the documentation, and send prepaid and insured through a trackable shipping carrier.

Atlantic Technology will be responsible for shipping to the consumer after warranty repair/replacement only. The customer is responsible for all shipping/handling charges related to returning the product to Atlantic Technology.

International

The warranty on this product if it is sold to a consumer outside of the United States and Canada shall comply with applicable law. To obtain warranty service, contact the dealer from which you purchased or the distributor that supplied this product. Additional charges and limitations may apply.

If purchased through an authorized Atlantic Technology retailer, but not through the local distributor or distributor's network, contact Atlantic Technology directly. If purchased in an international location without a Atlantic Technology distributor, contact Atlantic Technology directly

Register Online Today

Complete your registration card online at:

[Https:// www.atlantictechnology.com/register-warranty/](https://www.atlantictechnology.com/register-warranty/)

Limitation of Liability

Atlantic Technology disclaims any and all implied warranties, warranties of merchantability and fitness for a particular purpose to the maximum extent permissible by law. Atlantic Technology shall not be liable for any special, incidental or consequential damages caused by the use, misuse, or inability to use this product. If purchased under a government contract, those contract terms supersede terms stated herein. In some locations, implied warranties cannot be limited. Under certain conditions, these limitations or exclusions may therefore not apply to you. This warranty replaces all other warranties for this product.

Important Information

Used wisely, your new FS-HAL1s will provide years of enjoyment.

Noise-induced hearing loss is preventable but often undetected until it is too late. Atlantic Technology and the Electronic Industries Association's Consumer Electronics Group recommend you avoid prolonged exposure to excessive noise. Used responsibly, your FS-HAL1s can help prevent noise-induced hearing loss. If you have questions, contact your audiologist or hearing care professional.

Be sure to observe the following guidelines:

- Do not turn up the volume so high that you can't hear what's around you.
- You should use extreme caution or temporarily discontinue use in potentially hazardous situations.
- Do not use while operating a motorized vehicle as it may create a traffic hazard and is illegal in many areas.

If you would like more information or would like to purchase other Atlantic Technology products and accessories, please call 1-781-762-6300 or visit us at [Https:// www.atlantictechnology.com](https://www.atlantictechnology.com)

Atlantic Technology

343 Vanderbilt Ave.

Norwood, MA 02062, USA

Tel: 781-762-6300

Web: www.atlantictechnology.com

Designed by Atlantic Technology in USA

Manufactured to Our Specifications in PRC