

AG40 CORE 3" $\bar{2}$ **OPENING A SECTION VIEW** SCALE 1:1





PERSPECTIVE VIEW

AG40 CORE REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

ANODIZED CLEAR, BLACK, DURANODIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN

MIRROR POLISH

STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR (SEE DISCLAIMER ON OUR WEBSITE)
- OTHER

MOUNTING OPTIONS:

- 501 DROP IN
- 502 MOUNTING TABS

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YES LEFT RIGHT
- NO DOOR
- STANDARD DOOR (6 ½") OR CUSTOM SIZE
- STANDARD PIVOT (1 2 IN FROM DOOR EDGE.) OR CUSTOM

OTHER:


- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS


ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes




AG40 A FRAME

The 1/8" band around the core delivers a minimalist profile, this frame style also has a 1/2" return on the bottom for support and allows for the core to be loose (removable) or fixed to the frame depending on accessibility needs.







AG40 A FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

 $\begin{cal}ANODIZED\end{cal} Clear, black, duranodic (light, medium or dark) \end{cal}$

BRONZE

SATIN

MIRROR POLISH

STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

• OTHER

MOUNTING OPTIONS:

- 503 WELDED CORE. NO MOUNTING.
- 505 REMOVABLE CORE WITH MOUNTING TABS AND SIDEWALL SCREWS.
- 508 REMOVABLE CORE WITH MOUNTING TABS.
- 516 WELDED CORE WITH CONCEALED MOUNTING USING SCREWS THROUGH BACK LEG.

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YES LEFT RIGHT
- NO DOOR
- STANDARD DOOR (6¹/₂")
 OR CUSTOM SIZE
- STANDARD PIVOT (1½" IN FROM DOOR EDGE.)
 OR CUSTOM

OTHER:

- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS

ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes





ARCHITECTURAL GRILLE


AG40 B FRAME

(WELDED CORE ONLY

With a 3/4" flange offering a classic style, the B Frame gives a bolder look to any core while 'covering' any rough or uneven cuts made for the air vent opening.







AG40 B FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

ANODIZED CLEAR, BLACK, DURANODIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN

MIRROR POLISH

STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

• OTHER

MOUNTING OPTIONS:

- \bullet 506 opening routed to flange size
- 507 FLANGE RESTS ON COUNTER/WALL/FLOOR NO ADDITIONAL MOUNTING INCLUDED.
- 511 T-BAR FOR ADDITIONAL SUPPORT (IDEAL FOR FLOOR USE)
- 514 COUNTERSUNK SCREWS THROUGH FRAME
- 523 REVERSE FRAME FOR MOUNTING FROM BEHIND WITH SCREWS
- 524 MOUNTING TABS

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YES LEFT RIGHT
- NO DOOR
- STANDARD DOOR (6 ½")
 OR CUSTOM SIZE
- STANDARD PIVOT (1½" IN FROM DOOR EDGE.)
 OR CUSTOM

OTHER:

- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS

ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes




ARCHITECTURAL GRILLE


42 SECOND AVE BROOKLYN, NY 11215 718-832-1200 FAX: 718-832-1390

> AG40 B FRAME REV1 8/7/19

AG40 C FRAME

The best of both the A and B Frames, the C Frame has a 3/4" flange for a bolder look and a 1/2" return on the bottom for added support. It can be removable (loose) or fixed to the core and is recommended for floor applications







AG40 C FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

ANODIZED CLEAR, BLACK, DURANODIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN

MIRROR POLISH STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

OTHER

MOUNTING OPTIONS:

- 504 WELDED CORE. NO MOUNTING.
- 505 REMOVABLE CORE WITH MOUNTING TABS AND SIDEWALL SCREWS.
- 508 REMOVABLE CORE WITH MOUNTING TABS.
- 511 T-BAR FOR ADDITIONAL SUPPORT (IDEAL FOR FLOOR US
- 515 COUNTERSUNK SCREWS THROUGH FLANGE.

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YESLEFTRIGHT
- NO DOOR
- STANDARD DOOR (6 ½") OR CUSTOM SIZE
- STANDARD PIVOT (1½" IN FROM DOOR EDGE.) OR CUSTOM


OTHER:

- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS

ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes



ARCHITECTURAL GRILLE





AG40 D FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

ANODIZED CLEAR, BLACK, DURANODIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN

MIRROR POLISH

STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

OTHER

MOUNTING OPTIONS:

- 507 FLANGE RESTS ON COUNTER/WALL/FLOOR NO ADDITIONAL MOUNTING INCLUDED.
- 511 T-BAR FOR ADDITIONAL SUPPORT (IDEAL FOR FLOOR USE)
- 515 COUNTERSUNK SCREWS THROUGH FLANGE.
- 524 MOUNTING TABS

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YESLEFTRIGHT
- NO DOOR
- STANDARD DOOR (6¹/₂")
 OR CUSTOM SIZE
- STANDARD PIVOT (1½ IN FROM DOOR EDGE.)
 OR CUSTOM

OTHER:


- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS

ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes



AG40 E FRAME

Featuring a flange like the B frame, to cover any rough or uneven air vent openings, each style offers varied flange sizes with a beveled edge for a more decorative look





AG40 E FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

ANODIZED CLEAR, BLACK, DURANODIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN MIRROR POLISH

STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

OTHER

MOUNTING OPTIONS:

- 507 FLANGE RESTS ON COUNTER/WALL/FLOOR NO ADDITIONAL MOUNTING INCLUDED.
- 511 T-BAR FOR ADDITIONAL SUPPORT (IDEAL FOR FLOOR USE)
- 515 COUNTERSUNK SCREWS THROUGH FLANGE.
- 524 MOUNTING TABS

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YES LEFT RIGHT
- NO DOOR
- STANDARD DOOR (6 ½")
 OR CUSTOM SIZE
- STANDARD PIVOT (1 ½ IN FROM DOOR EDGE.)
 OR CUSTOM

OTHER:

- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS


ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes




ARCHITECTURAL GRILLE

AG40 F FRAME

Featuring a flange like the B frame, to cover any rough or uneven air vent openings, each style offers varied flange sizes with a beveled edge for a more decorative look







AG40 F FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

ANODIZED CLEAR, BLACK, DURANODIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN MIRROR POLISH

STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

OTHER

MOUNTING OPTIONS:

- 507 FLANGE RESTS ON COUNTERWALL/FLOOR NO ADDITIONAL MOUNTING INCLUDED.
 511 T-BAR FOR ADDITIONAL SUPPORT (IDEAL FOR FLOOR USE)
- 515 COUNTERSUNK SCREWS THROUGH FLANGE.
- 524 MOUNTING TABS

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YESLEFTRIGHT
- NO DOOR
- STANDARD DOOR (6¹/₂") OR CUSTOM SIZE
- STANDARD PIVOT (1 ½ IN FROM DOOR EDGE.) OR CUSTOM

OTHER:


- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS


ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes




AG40 G FRAME

When added stability isn't required (it does not have a return), this frame style offers the same 1/8" bar around the perimeter of the core as the A Frame, it is also only available with a fixed core.







AG40 G FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

ANODIZED CLEAR, BLACK, DURANODIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN MIRROR POLISH

STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

OTHER

MOUNTING OPTIONS:

- 503 WELDED CORE
- 510 WELDED CORE. NO MOUNTING.
- 511 T-BAR FOR ADDITIONAL SUPPORT (IDEAL FOR FLOOR USE)
- 525 MOUNTING TABS

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YES LEFT RIGHT
- NO DOOR
- STANDARD DOOR (6 ½")
 OR CUSTOM SIZE
- STANDARD PIVOT (1½* IN FROM DOOR EDGE.)
 OR CUSTOM

OTHER:

- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS


ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes




ARCHITECTURAL GRILLE


AG40 H FRAME

With an easy "clean line" installation method, this "less is more" frame style is ideal for sub-floor applications. The 1/2" return at the bottom allows for the core to be loose (removable) or fixed to the frame.



SECTION VIEW SCALE 1:1





AG40 H FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

ANODIZED CLEAR, BLACK, DURANODIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN

MIRROR POLISH STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- *FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

• OTHER

MOUNTING OPTIONS:

- 521 WELDED CORE. SPACKLE IN FRAME.
- 522 REMOVABLE CORE WITH MOUNTING TABS.

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YESLEFTRIGHT
- NO DOOR
- STANDARD DOOR (6 ½") OR CUSTOM SIZE
- STANDARD PIVOT (1½* IN FROM DOOR EDGE.) OR CUSTOM

OTHER:


- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS


ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes



AG40 I FRAME


With an easy "clean line" installation method, this "less is more" frame style is ideal for drywall or plaster applications.





OTHER MATERIALS CONSTRUCTION

SECTION VIEW SCALE 1:2





PERSPECTIVE VIEW

AG40 I FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN
MIRROR POLISH
POWDER COAT / RAL COLOR
PRIMED
ANODIZED CLEAR BLACK DURANDOIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN
MIRROR POLISH
STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR (SEE DISCLAIMER ON OUR WEBSITE)

• OTHER MOUNTING OPTIONS:

● 518 WELDED CORE. SPACKLE IN FRAME

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YESLEFTRIGHT
- NO DOOR
- STANDARD DOOR (6 ½") OR CUSTOM SIZE
- STANDARD PIVOT (1½" IN FROM DOOR EDGE.) OR CUSTOM

OTHER:

- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS


ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes




ARCHITECTURAL GRILLE

AG40 J FRAME


With an easy "clean line" installation method, this "less is more" frame style is ideal for drywall or plaster applications. The 1/2" return at the bottom allows for the core to be loose (removable) or fixed to the frame.





OTHER MATERIALS CONSTRUCTION

SECTION VIEW SCALE 1:2





SCALE 1:2

AG40 J FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

 $ANODIZED \ \ {\tt CLEAR}, {\tt BLACK}, {\tt DURANODIC} \ ({\tt LIGHT}, {\tt MEDIUM} \ \ {\tt OR} \ {\tt DARK})$

BRONZE

SATIN MIRROR POLISH

STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

• OTHER

MOUNTING OPTIONS:

- 512 WELDED CORE.
- ullet 513 REMOVABLE CORE WITH MOUNTING TABS.

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YESLEFTRIGHT
- NO DOOR
- STANDARD DOOR (6¹/₂")
 OR CUSTOM SIZE
- STANDARD PIVOT (1½" IN FROM DOOR EDGE.)
 OR CUSTOM

OTHER:


- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS


ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/quotes



AG40 K FRAME


With an easy "clean line" installation method, this "less is more" frame style is ideal for drywall or plaster applications. The 1/2" return at the bottom allows for the core to be loose (removable) or fixed to the frame.






OTHER MATERIALS CONSTRUCTION

SECTION VIEW SCALE 1:2





PERSPECTIVE VIEW

AG40 K FRAME REQUIREMENTS

DISCLAIMER:

We will manufacture to the size requested. We do not deduct for clearance and we do not undersize.

MATERIAL/FINISH:

ALUMINUM

SATIN MIRROR POLISH POWDER COAT / RAL COLOR PRIMED

ANODIZED CLEAR, BLACK, DURANODIC (LIGHT, MEDIUM OR DARK)

BRONZE

SATIN MIRROR POLISH

STATUARY BRONZE (LIGHT, MEDIUM OR DARK)

SPECIFY GRILLE LOCATION:

- WALL
- CEILING
- FLOOR

(SEE DISCLAIMER ON OUR WEBSITE)

• OTHER

MOUNTING OPTIONS:

- 519 WELDED CORE. SPACKLE IN FRAME.
- 520 REMOVABLE CORE WITH MOUNTING TABS.

SEE MOUNTING SHEET FOR DETAIL

DOOR:

- YES LEFT RIGHT
- NO DOOR
- STANDARD DOOR (6¹/₂") OR CUSTOM SIZE
- STANDARD PIVOT (1 ½" IN FROM DOOR EDGE.) OR CUSTOM

OTHER:

- CUSTOM BAR SPACING
- T-BAR SUPPORT
- MITERED ENDS

ORDER FORM AVAILABLE AT: https://www.archgrille.com/pages/guotes

